
# H. CANNELL & Sons.

# HERALD OF SPRING.



# CATALOGUE OF SEEDS, 1911

SWANLEY & EYNSFORD, KENT.



# NOVELTIES IN FLOWER SEEDS, 1911.

We have much pleasure in offering the following Novelties, and we can, with every confidence, recommend them as worthy of cultivation. Our collection, as is well known; contains the choicest in existence.

	Dl.4		,
CERATIIM MEXICANIIM CARRITA (D.: /D /// // // // // // // // // // // //	Per pkt.—	S.	a.
GERATUM MEXICANUM CAPELLA—This new Tom Thumb Ageratum differs essentially from all other dw by the distinct and pretty rose chamois colour of its flowers. Height, 9 to 10 inches	rarf varieties,	1	U
MBERBOA MURICATA ROSEA- Extremely free flowering hardy annual, producing large Centaurea-like in the second second second light pink. Well adapted for cutting	01		
NTIRRHINUM MAJUS GRANDIFLORUM ALBUM FL. PL.—This is quite a new departure in tall Antirrh of the mouthlike aperture in the flowers, between the upper and lower lips, emerge abnormal fautastic pets a double and beard-like aspect to the very large bloom. The long spikes are covered with beautiful white flo	hinums, Out.		
HEPHÆSTOS-Flowers bright ciunabar red, marked with a small yellow blotch on the under			
with coloured spurs by the uniform pure snowy whiteness of the entire bloom			U



AMBERBOA MURICATA ROSEA.



ASTER HERCULES.

TER HERCULES, BRILLIANT ROSE - Varying in height from 16 to 20 in. The plants throw up thick sturdy stalks		
crowned with gigantic flowers of the most perfect curled and waved chrysanthenium type, measuring often 6 in, and more		
in diameter, a size attained in no other Aster. Colour lustrous rose of unusual brilliance	2	0
- GIANT COMET, CANARY BIRD-A grand addition is now added to this popular class, which is a bright pure		
emany vellow colour of relation and the colour states added to this popular class, which is a bright pure		
canary yellow colour, of splendid shape and large size	1	0
BRETIA HYBRIDA GRANDIFLORA MIXED-Large flowering new varieties of this beautiful hardy dwarf perennial,		
gained by artificial hybridising; ranging from white, pink, lilac, to dark red, blue, purple, and violet	1	0
LLIS PERENNIS TUBULOSA FL. PL.—A splendid collection of Quilled Daisies, containing many beautiful colours.		
Mixed	1	0

Per pkt.—
CALCEOLARIA CLIBRANI.—This new hybrid is of shrubby habit, and produces an unusually large number of lemon yellow flowers in elegant sprays, well above the foliage. Well adapted for greenhouse and conservatory ... 1s. 6d. &

SUNBEAM—Large flowered variety of the herbaceous Calceolaria. Flowers of fine form and substance, yellow ground colour with a large reddish brown spot, ray like, fined with vellow ... ... ... ...



CALCEOLARIA SUNBEAM



CYCLAMIN ROKORO WHITE SWAN.



CINERARIA HYBRIDA GIGANTEA.



DIELYTRA SPECTABILIS ERECTA.



CHRYSANTHEMUM SINGLE, NEWEST HYBRIDS. Per	pkt. s.	, (	l.
ARIA HYBRIDA GIGANTEA—The flowers, 2½ to 4 in. across, and respectively of deep red and rich blue shades, th white centres, are, in regard to form and size, of the greatest perfection. It cannot, of course, be expected the varieties will come exactly true from seeds, but 60 to 70 per cent, will be found as described above.	each that	,,	c
irk blue shades with white		5	6
SANTHEMUM SINGLE, NEWEST HYBRIDS—These richly coloured hybrids represent all the latest introduction is much admired and fashionable section, ranging from white, yellow, bronze, buff, terra cotta, pink, mauve, cheek l. crimson, &c. They are extremely free flowering and invaluable for cut flowers. If sown early in spring, will be ring September and October, in splendid mixture	stnut loom	1	6
MEN ROKOKO, WHITE SWAN—With this splendid novelty we have a valuable addition to the rich collection clamen. The large bright white orchid-like flowers are very attractive, and worthy to rank among the very best	on of	1	6
TRA SPECTABILIS ERECTA—Absolutely distinct from the type by the elegant foliage, and particularly by the iderect flower stems, well garnished with bright pink heart-shaped flowers. Hardy perennial, about 24 to 3 ft. 1	long aigh.		
ds of slow germination	600	1	6
	~		



TELICIA PETIOLATA.




Per pkt.

FREESIA HYBRIDA MIXED.


GAILLARDIA PERENNIAL, COPPERY RED - Elegant large flowers of a beautiful coppery red colour, toning down to a GYPSOPHILA PANICULATA FL. PL.—Many attempts have been made to seed the Double Gypsophila, and at last seed has been obtained which will produce about 50 per cent. double flowers ... ... ... ... ... ... HELIANTHUS CUCUMERIFOLIUS PURPUREUS—Red-coloured annual Sunflower, varying from light pink to the deepest IMPATIENS HOLSTII NANA LIEGNITZIA ... sport from 1. Holstii, inheriting the deep rose colour of the latter. Seldom exceeding 10 in, in height, it has an enormous capacity for blooming; as many as 200 blooms have been counted on one plant. The floral display lasts the whole year through, and is just as evident at Christmas as in May or October LOBELIA CANNELLS' TRAILING -A splendid bright blue variety, with white eye. Very spreading and free flowering. LUPINUS PERENNIAL HYBRIDS-A much improved strain, containing many beautiful art shades. They are of easy PETUNIA SUPERBISSIMA FIMBRIATA INTUS AUREA-The flowers are distinctly waved or frilled, while the margin is heavily fringed. Colour bright crimson or purple, sometimes marked with white, also the white open throat is marked HYBRIDA, EDITHA—Handsome small flowered fringed variety; in opening, a pleasing rose colour with dark earmine POPPY, KING EDWARD—Flowers deep scarlet, shaded crimson red; of gorgeous effect, which is heightened by the large black blotch adorning each petal for half its length from the base. Height,  $2\frac{1}{2}$  ft. ... ... ... ... ...







PETUNIA SUPERBISSIMA FIMBRIATA INTUS AUREA,	POPPY KING EDWARD,
	Per pkt.—s. d
RIMULA, MRS. JEAN WARD (Semi-double)—In introducing this variety, we feel	l sure it will soon become a general
favourite. The large flowers are borne well above the foliage, the colour of which	is a beautiful rosy purple shade 2 t
MISS CAROLINE WARD - An attractive and exceedingly pretty blush pink s	
ALPIGLOSSIS, EMPEROR (Purple violet with gold)—Brilliant velvety violet v	
MLVIA SPLENDENS, CANARY BIRD A lovely yellow variety with long spikes, wh	hich contrast favourably with the dark
green foliage	1
STREPTOCARPUS HYBRIDUS CIRRUS The flowers, produced on strong stems,	are 2 to 21 in, across. Colour, pure
white with purplish violet blue-veined spots on the three lower divisions	



STREPTOCARPUS HYBRIDI'S CIRRI'S.

	roduce about 80 per cent. of perfect rose-coloured flowers	1	0
	SWEET PEAS, NEW VARIETIES.		
EE	T PEA, COLLEEN—New and distinct bicolor; standard carmine, wings blush	G	6
	ETHEL ROOSEVELT—Of perfect Spencer form; the ground colour is a soft primrose, overlaid with dainty flakes		
	blush crimson	1	U
_	FLORENCE NIGHTINGALE—Standard large and bold, most charming soft rich lavender, which is enlivened by	,	^
a 1	very faint rose pink	1	U
	— GEORGE WASHINGTON—A splendid crimson scarlet self	0	6
	WADTHA WASHINGTON Dood white which which with with	0	R



SWEET PEA, MAUD HOLMES (Three-Quarter Natural Size.)

Per pkt.–	-8.	d.
SWEET PEA, MAUD HOLMES (Sunproof Crimson Spencer) - Flowers very large, three or four to a spray, of a brilliant crimson colonr, will not burn under the hottest sun, beautifully waved	0	6
MASTERPIECE—Very fine lavender,	()	6
pink on buff ground	0	6
	1	0
—— ROSE DU BARRI—A lovely combination of rich carmine, rose, and orange	()	6
winsome—A very pretty rosy heliotrope, tinted, Spencer type	1	0
VERBENA HYBRIDA GIGANTEA, MIXED — The flowers are enormously large, and have, without exception, a brilliant white eye. The mixture contains a rich display of colours, and is a grand improvement	1	6

N	OVELTIES	IN VE	EGETAE	BLES.	Per pkt.—s.	. (
BRUSSELS SPROUTS, THE delicious flavour. Suitable	<b>DARLINGTON</b> —Of dwar both for exhibition and gen	rl robust comp neral use	oact habit, very			1
CAULIFLOWER, HURST'S E close white heads	XPRESS—Almost as early		out much larger,	and of compact	habit. Produces	1
CUCUMBER, AVIATOR—The						2
IELON, GOLDEN BEAUTY-	-Remarkable for its deep flo	esh, of rich saln	non with a bright	t golden skin, bea	outifully netted 1	1
PEA, LORD LEICESTER - The Season closely follows (in	his splendid variety produ	ces pods 7 in.	in length, filled	with peas of th	e richest flavour.	2
of the richest marrowfat fla of being a far heavier cropp	Best described as a dwarf A vonr. Although only about	dderman, the po t 2 ft. in height	ds being equally, the haulm is ver	as large and cont y vigorous, and l	tain 9 to 10 peas	]
ADISH, GIANT BUTTER—N and juicy for weeks. Usefu	lew round short-leaved scarl		ne shape, and ve	ry small tap-roc	ot. Keeps crisp	1 (

( vi )

"Gardening is an enjoyment and occupation for which no man can be too high or too low."—Earl of Carlisle.

"Good Seed is one of the certainties for a Good Crop."

# H. CANNELL & SONS' GOLDEN SEEDS

For 1911.

Swanley, Kent.

Address for Telegrams: "CANNELL, SWANLEYJUNCTION."

Telephone: No. 3, SWANLEY JUNCTION (G.P.O.),

CATALOGUES OF ORNAMENTAL AND FRUIT TREES, SHRUBS, ROSES, AND GREENHOUSE PLANTS,
POST FREE ON APPLICATION.

FOR GENERAL INDEX, SEE END OF CATALOGUE.

# Cannells' Collections of "Golden" Seeds

That will give a regular supply of Vegetables for large and small gardens all the year round.

WE FORWARD ALL COLLECTIONS CARRIAGE, BOXES, AND PACKING FREE.

We should be pleased, if any of our Customers wish it, to make up Collections as arranged by any other well-known Firm, and at the same prices as advertised.

No reduction in the prices of these Collections (prices nett), but shall be pleased to make slight alterations in contents if desired for the convenience of our Customers in respect to soil or elimate.

No. 1, price 2s. 6d., for a Cottage Garden; No. 2, price 5s., for a Cottage Garden; No. 3, price 7s. 6d., for an Amateur's Garden.

					N	os.	4 10/6	5 12/6	8 21/-	9 42/-	10 63/-	11 105/-
Peas, the best for success	ion	•••		•••	•••		5 pints	5 pints	12 pints	12 quarts	18 quarts	25 quart
Beans, Broad, the vory b			•••	•••			2 ,,	2,,	4 ,,	6 pints	5 ,,	8 ,,
" French Dwarf			•••				½ pint	1 pint	1 pint	2 ,,	3 pints	5 pints
Runners		•••	•••	•••			1,,	1,,	1 ,,	2 ,,	4 ,,	5 ,,
Asparagus, best variety	•••	•••	•••		***		•••	•••		•••	l pkt.	l oz.
Beet, best kinds		•••	•••	•••			l pkt.	l pkt.	l pkt.	2 ozs.	3 ozs.	4 ozs.
Borceole or Kale, best va		•••	•••	•••			1,, [	1 ,,	1 ,,	3 pkts.	3 pkts.	4 pkts.
Broceoli, the best sorts for			•••	•••			2 pkts.	2 pkts.	3 pkts.	4 ,,	5,,	6 ,,
Brussels Sprouts			••				1 pkt.	l pkt.	1 pkt.	2 ,,	2 ,,	3 ,,
Cabbage, for succession	•••		•••	•••	•••		2 pkts.	2 pkts.	3 pkts.	4 ,,	5 ,,	6 ,,
Capsieum, choice mixed				•••			- E	***	·	1 pkt.	l pkt.	2 ,,
Carrot, the very best kin							2 pkts.	2 pkts.	2 ozs.	4 ozs.	8 ozs.	12 ozs.
Carlot, the very best kin					•••		1 pkt.	1 pkt.	2 pkts.	2 pkts.	3 pkts.	4 pkts
0. 1	•••	•••	•••	•••			1 ,,	l ,,	. 2,,	2,,	2 ,,	3 ,,
Celery Colewort, Hardy Green	•••	•••		***	•••		• "	- ,,	l pkt.	l pkt.	1 pkt.	1 pkt.
~ ~ 1	***	• • •	***	•••	•••			•••		1,,	l oz.	l oz.
	•••	•••	•••	•••	•••	•••		•••		- ,,	l pkt.	l pkt.
Couve Tronehuda	•••	•••	•••	•••	•••	•••	2 ozs.	3 ozs.	4 ozs.	8 ozs.	2 pints	3 pint
Cress, Plain and Curled	***	•••	•••	•••	***	•••			l pkt.	l oz.	1 oz.	l oz.
" American	***	•••	•••	•••	•••	•••	•••	•••	, pac.			1 oz.
,, Australian	1	***		•••	•••	•••	1 10/14	2 pkts.	2 pkts.	2 pkts.	3 pkts.	3 pkts
Cucumber, best frame an		variet	nes	•••	•••		1 pkt.		1 - 1		1 pkt.	l pkt.
Egg Plant, mixed	•••	•••	***	•••	•••	***	1 1-4	 1 pkt.	l pkt.	2 pkts.	4 pkts.	4 pkts
Endive, best kinds	•••	•••	•••	•••	•••	•••	1 pkt.	1 ~	1 -	l pkt.	1 pkt.	l pkt.
Gourds, mixed	•••	•••	•••	•••	***			1 ,,	2 mlyda	4 pkts.	7 pkts.	8 pkts
Herbs, Pot and Sweet	• • •	• • •	•••	•••	•••	**	1 pkt.	3 pkts.	3 pkts.		į : A	2 ozs.
Leek	•••	***	•••	•••	•••		1 2,	l pkt.	l pkt.	l pkt.	l oz.	8 pkts
Lettuce, for spring and a	utumn	sowing	g	***	• • •	•••	2 pkts.	2 pkts.	4 pkts.	4 pkts.	6 pkts.	1 0 "
Melon		•••	•••	•••	•••				1 pkt.	2 ,,	2 ,,	3 ,,
Mustard, White		• • •			•••	• • •		4 ozs.	6 ozs.	l pint	1 quart	2 qua
Onion, for summer and	vinter ı	ise	•••	•••			3 pkts.	3 pkts.	4 pkts.	4 ozs.	8 ozs.	12 ozs.
Orach, or Mountain Spir	naeli			,	• • •	• • •	•••			l pkt.	1 pkt.	1 pkt
Parsley, including Beau	y of the	Parte:	rre		•••			1 pkt.	2 pkts.	l oz.	2 ozs.	4 ozs.
Parsnip, including Holle	w Crou	vn					1 ,,	2 ozs.	2 ozs.	3 ozs.	4 ,,	6 ,,
Radish, for succession	***						3 pkts.	3 ,,	3 ,,	8 ,,	16 ,,	$+2 \mathrm{pin}$
Salsafy and Seorzonora								•••	l pkt. ea.			
Savoy	•••	•••	•••	•••	•••		. l pkt.	l pkt.	1 pkt.	2 pkts.	3 pkts.	4 pkt
Spinach, for summer and			•••	•••			2 ozs.	3 ozs.	4 ozs.	1½ pint	2 pints	3 pin
Tomato				•••	•••	•••	1 -1-4	l pkt.	l pkt.	2 pkts.	2 pkts.	4 pkt
Turnip		•••		***	•••		0 14-	3 ozs.	3 ozs.	5 ozs.	8 ozs.	1½ pi
Autility			***				7 7 7	1 pkt.	1 pkt.	2 pkts.	3 pkts.	3 pkt

Collection No. 6, price 10s. 6d., Vegetable and Flower Seeds combined.

Collection No. 7, price 10s. and 20s., Cannells' "Competitors" Collection of Seeds suitable for producing Vegetables for Exhibition and Competition purposes, consisting of the most reliable and finest varieties only.


Full particulars on application.

Any of the above Collections, for a small additional cost, can be packed in hermetically sealed cases ready for sending abroad.

# CANNELLS' VEGETABLE SEEDS.

Other varieties not enumerated can be supplied at advertised prices.

For Collections of Vegetable Seeds, see previous page.



CANNELLS' SELECTED ENOLISH WONDER.
The best all round Pea in cultivation.

### GARDEN PEAS.

All carefully selected and Hand-picked.

Pints can also be supplied of all the Varieties in List.

CULTURE.—The earliest varieties may be sown about the second or third week in November, or first week in December, another sowing in Jannary, and continuons sowings in the order they stand, every three weeks, up to the end of Jnly. Sow in rows four to seven feet apart (according to height, which varies wonderfully): when about 5 or 6 inches above ground, thin out if required, and properly stick.

By sowing seeds of some of the early kinds in July, a late picking of Peas may be had until the frost sets in.

The general height is here given of the various kinds of Peas, bnt, of course, the season and richness of the soil will cause a difference.

Our "One and Only Wash" is a complete eradicator of Mildew wherever it touches.

### SECTION I.; or EARLIEST VARIETIES.

Scimitar Tom Thumb. — This variety produces handsome curved pods containing 9 to 12 Peas. Useful for pot work. Height, 1 foot. Per packet, 1s.

Height	t Per qt.	
in feet	. s. d.	
Cannells' Selected English Wonder—Difficult to heat as a dwarf wrinkled early variety 11	2 6	Ca
Edwin Beckett—A Marrowfat Pea. Can be relied npon for exhibiting at early shows. Heavy cropper; flavour		Gı
snperb $3\frac{1}{2}$	2 6	Ch
Laxtonian.—One of the earliest Marrowfat Peas; pods large and well-filled. In sealed packets, ls. 6d. each 1½	_	Ea
 The Pilot—Deep green peas of exquisite Marrowfat flavour.  Of hardy constitution, and may be sown during the		Ma
autumn to obtain early results in spring. Award of Merit, R.H.S	2 6	W
***		

Height Per qt. in feet. 8. d. annells' Ascendant-Early marrow. Large, fineshaped well-filled pods early in the season; much admired; sturdy habit, and flavonr all that can be desired ... radus-Large-podded wrinkled variety, good for table and for show; pods well filled ... ... ... helsea Gem-Compact, short-jointed habit; pods well filled; first-rate quality; wrinkled; adapted for forcing 1 arly Sunrise-A first-rate white wrinkled Marrow, snitable for sowing late or early; fine flavour ay Queen.-Dwarf, early, fine Marrowfat flavour 2 m. Hurst—A useful early dwarf kind ... 2 \*\*\* Villiam the First-Most productive; rich, sweet flavour 31

We can also supply other varieties not offered in this List.

### SECTION II.; or SECOND EARLY VARIETIES.

			w	
		Height		
Anticination Torrespole will cit. 1	i	n fcet.		
Anticipation—Large pods, well filled, superb flavour		$2\frac{1}{2}$	2	6
Champion of England—One of the most useful.  prolific, continnons bearer, and does hest in light soi	Very			
profine, continuous bearer, and does hest in light soi	ls	5	2	0
Laxton's Fillbasket—Very prolific, pods long and cl filled; a deep green; snitable for exhibition	osely	3	2	0
Prince of Wales—A first-class white wrinkled Poexcellent flavonr; good cropper	ea of			0
Sharpe's Queen - A blue wrinkled Marrow node	lamma			
and well filled; delicious flavonr	•••	$2\frac{1}{3}$	2	6
Stratagem-A dwarf wrinkled variety of robust b	abit,	1		
with immense pods	•••	2	2	3

ND DAILLI VALLETIES.	
Doing Problem and A mand the months	Height Per qt. in feet. s. d.
Daisy—Excellent cropper. A grand dry weather spleudid table qualities	variety; $1\frac{1}{2}$ 2 6
Duchess—Heavy cropper; pods quite straight; for exhibition	
Perpetual Bearer—A great cropper and conbearer; valuable as a late variety; should be so	
thinly	3 2 0
Yorkshire Hero—A superior wrinkled variety, on hahit, dark green foliage, flavour good	compact 2½ 2 0

We can also supply other varieties.



CANNELLS' DWARF MAMMOTH MARROWFAT.

### GARDEN PEAS, SECTION III.; MAIN, or GENERAL CROP.


eight I	er q	t. ]
		i
5 to 6		
4	2	0
×	U	٧
	0	0
*	2	0
		j
3\frac{1}{2} to 4	3	0
31	2	6
- 2		
51	2	0
- 3		Ť
0		0
3	2	G I
		4 3 4 2 3½ to 4 3 3½ 2 5½ 2

	; MAIN, or GENERAL CROP.	
ì		Per qt.
ı	in feet.	8. d.
ı	Captain Cuttle-Distinct; an acquisition for late cropping	
ľ	and exhibition. Robust growing; should be sown thinly.	
ı	One of the heaviest late croppers in existence 31	2 6
ı	Cannells' Improved Dr. McLean—Blue wrinkled	
ı	Marrow, vigorons hahit, immense pods, one of the best	
ł	for main crop 31	2 0
	Duke of Albany-An excellent cropper, and invaluable	
	for exhibition 6	2 6
	Juno-A wonderfully fine late dwarf variety, prolific 13	-2 - 0
	Telegraph-A distinct variety, and a strong grower 5	1 10
	Telephone A wrinkled variety, an immense cropper,	
	peas very large, and of exquisite flavour; fine for	
	exhibition 5	2 3
	Veitchs' Perfection—One of the hest for the main crop 3	2 0
	CANNELLS' COLLECTIONS OF PEAS.	
		tinnons
	Consisting of good and well-tried varieties, and ensuring a con	TOLDIGODO


at current prices.

We can supply at Advertised Prices other varieties of Peas not in this List.

(4



CULTURE.—Sowings may be made in April, under glass, and the plants put out about the middle of May where they are to stand. If, however, they are to be sown in the open ground, the first week in May and again in June and July. When thickly mulched and watered they will bear heavily. They should be occasionally topped, to induce side growth, and if possible stakes or supports of some kind should be used, as it allows of much finer growth and increased production of pods.



Cannells' 1st Prize Scarlet—Long pods, and tender flesh; a heavy cropper; an excellent exhibition variety	1	6
Giant White—A wonderful cropper, long pods, which are very tender; a capital exhibition variety	1	6
Painted Lady-Very handsome, scarlet and		

Per quart .-- s.

### BEANS, FRENCH or DWARF KIDNEY.

useful ...

CULTURE.—Sow in boxes or pots in a frame, for planting out after being carefully hardened off at the end of May, and again, in the open ground, in May and June, and for late crops up to the end of July. For forcing purposes sowings should be made in pots, under glass, from December to April. The same applies to these as the Runners respecting mulching and watering in dry seasons.

Per quart- Cannells' Avalanche — Dwarf, robust	-8.	d.	
growing, one of the earliest, and the crop prodigions; fine flavour; distinct	2	0	
Canadian Wonder — Prolific; dwarf and compact habit, and pods being of splendid exhibition shape, great length, and delicate			
flavour	1	4	

Per quart-	-s.	d.
Ne Plus Ultra—Distinct variety for early and general use; extremely productive, fine		
flavour	1	4
pods are long, broad, and fleshy; excellent		
flavour; useful for very early forcing or for general crop. 18 to 24 inches high	2	6

Negro Long Pod-Very fine cropper

Other kinds can be supplied.

### BEAN, CLIMBING FRENCH.


Tender and True—It grows 6 or 7 feet high, bears a tremendous crop of long, straight, fine pods, the s. d. quality being first class, seeds same shape and size as the Canadian Wonder Dwarf Beans per quart 2 0

### BEANS, BROAD.

CULTURE.—For an early crop, a sowing should be made of Mazagan in October or November on well-drained soil. The main crop should be sown in February, and others to follow up to the end of May. Sow in drills, about 2 inches deep, the beans to be 3 inches apart, and the drills 2 to 3 feet apart. To ensure well-filled pods it is a good plan to pinch off the leading tops as soon as the lower pods begin to set.

Per quart.—s. d. Cannells' Green Hercules—Delicately-	Per quart—s. d. Early Mazagan—The best for the first sowing 0 8
flavoured, and a fine improvement. A most desirable and profitable variety 1 4	Harlington Windsor—The largest and most prolific Windsor Bean in cultivation 1 0
Cannells' Champion—A great cropper; of handsome shape and splendid flavour. For exhibition and table purposes it is	Wonderful Long Pod-Very early; a good cropper 0 10
cannells' Exhibition Long Pod—One of the finest and most productive, amongst	Cannells' Broad Windsor-Large, and fine flavour 1 0
the best for exhibition 1 3	Green Windsor-Fine flavour. A grand improvement 1 0
Giant Seville Long Pod—One of longest podded beans in cultivation; good cropper, and of fine flavour 1 0	Beck's Dwarf Green Gem—An excellent dwarf sort, 1 foot bigh 1 4

Other varieties can be supplied.



HARLINGTON WINDSOR BEAN,

### BEANS, WAX POD or GOLDEN BUTTER.

Culture .- Should be sown during March and April in boxes or pots under cover, transplanting into open ground when all danger of frost is over; or cau be sown outdoors from May to the end of July. The pods are of a beantiful creamy colour, stringless, tender, and of a rich flavour. Should be boiled whole.

RUNNER.

DWARF.

Per quart—s. d. Mont d'Or—Long golden colonred pods; very tender and delicions 2 6 Mont d'Or—Beantiful golden-yellowstringlesspodsof excellent flavour 2 0

### ARTICHOKE (Globe).

CULTURE. - Sow in March or April in drills, 18 inches apart, and transplant 3 feet apart each way; or seed can he sown in a gentle heat, picked off into small pots when large enough, gradually hardening them until the end of May, and then plant out in the beds already prepared for them. The first scason they will only produce a partial crop; but as it is a perennial, after being once planted, the beds continue to hear for several years. So as to secure fine heads they require good treatment; the soil should be rich, deep, and moist, and protected in winter by placing straw bracken, or other dry material closely round the stems. It is advisable to cut the plants down after the heads are taken.

Cannells' Perfection Green-A splendid selection, perfect

Pcr oz. -s. d. | Jerusalem Artichoke (Helianthus Tuberosus), not being produced from sced, Roots are offered on page 20.

formed heads and delicate flavour ... ... per pkt., 6d. 1 0

Jerusalem Artichoke-White skinned, see page 20.

Large Purple Globe-Very nseful ...

... per pkt., 6d. 1 0 | Chinese Artichoke, see Stachys Tuherifera.

For plants, see page 20.

### ASPARAGUS (Seed).

CULTURE.—There is no vegetable more delicions. Choose the highest and lightest ground in the kitchen garden, and stake ont in September as per diagram, dig out to a foot deep, lay it on each side in the pathway, then wheel in 3 inches of good manner, fork this in about another foot, and if dng over deeply two or three times so much the hetter; on the top of this place a fair coating of rich soil and soot, and over this 3 inches of soil from ont of the alley, then place one plant to every 9 inches, spreading the roots well ont, covering them over with the finest soil, free from stones. For the top covering have 6 inches of light friahle or even sandy soil. The first year make one enting only, if the plants are three years old, the following winter add more fine soil, so that there is something like 9 inches of earth above the crown of the plants. Asparagus beds made in this way with a good coating of manner and a fair amount of salt and soot every other year cannot fail to give abundance of this succellent vegetable until the peas make their appearance.

Per oz.—s. d. ... 0 4 Connover's Colossal-Early, and very large Giant-Good, for general use Cannells' Exhibition-This cannet he snrpassed; of large size and equally as well adapted for exhibition as for general market garden purposes; delicate flavonr, wonderfully productive ... per pkt., 6d. 1 0

WIDE BED. (0) ALLEY OR PATHWAY. 18 WIDE. BED. (5)

ALLEY.

For plants, see page 20.

### BORECOLE, or KALE.

CULTURE.—For Spring nse sow ahont the middle of March or early in April, and in August for Antumn and Winter nsc, hroadcast over a well-prepared bed, and cover lightly with fine soil. When the plants are large enough to be handled, prick ont on another prepared hed, ahout 6 inches apart, and well water them. When strong enough, to he planted ont in their permanent quarters ahont 2 feet 6 inches apart each way.



CANNELLS' DWARF GREEN CURLED KALE.

Cannells' Winter Gem-Producing a quantity of side spronts that continue in good condition for a considerable time without showing signs of injury hy the most severe weather; delicions and tender ... ... per pkt., 1s. and 1s. 6d. Asparagus-A useful kind; very delicious and hardy ... Improved Cottager's-Very hardy, and produces a large crop ... Dwarf Green Curled (German Greens)-For early and general cultivation ... ... ... Tall Green Curied-A nseful variety Drumhead Kale-The outer leaves resemble the Kale, and the heart that of a Cabhage. Dwarf in hahit, perfectly hardy, and a most useful winter vegetable ... ... per pkt., 6d. Thousand Headed-Withstands the most severe weather; it is beautiful and tender when cooked ... ...



BRET, CANNELLS' BEST OF ALL.



CAMBRIDGE CHAMPION.

### BEET.

CULTURE.—Sow the end of April on ground that has been deeply dug and well mannred the previons year. At the time of sowing the ground should be again deeply dug, and the seeds sown in rows a foot apart. It may be sown in drills drawn by a hoe, or by dibbling a few seeds in holes an luch deep and a foot apart in the rows; thin out, when the plants are about 2 inches high, to a foot apart where in drills, and where dibbled in holes draw out all except one.

Per oz.—s. d.  Dark-leaved Globe—Has not only a dark leaf like the best decorative strains, but is equal in the colour of the flesh to any
fine selection of the Dell's type per pkt., 1s. 1 6
Cannells' Best of All—Medinm-sized root of a beautiful rich deep blood colour, fine shape, and clean growing. Its handsome leaves render it a very effective variety for the flower
garden and exhibition table per pkt., 3d. and 6d. 1 0
Cannells' Rotunda—Thrnip shaped, flesh dark crimson colour, useful for Summer salads 0 8
Dell's Crimson—Leaves of a dark bronze colour; very ornamental for the flower garden 0 9
101 000 00 101 01 000 000 000 000 000 0
Nutting's Dark Red-A splendid variety for general purposes 0 8
Ornamental Chilian (Dracæna Leaved)—Non-edible; for decorating shrubberies, and the flower garden,
per pkt. 3d. and 6d. 1 0
Spinach, or Perpetual Beet-Both stalks and leaves of this variety are used-the former should be served up as Asparagus,
and the latter makes an excellent substitute for Spinacb 0 6

All other varieties can be supplied.

### BRUSSELS SPROUTS.

CULTURE.—Sow the seed between the beginning of March and end of April—the earlier the better—in drills, on a well-prepared bed, and cover thinly with fine soil. When the plants are 2 or 3 inches high draw ont the strongest and transplant into another bed, 6 inches apart. In May or Jnne plant 2 feet apart in the rows and 1½ feet between the plants in the rows. Gronnd should be prepared early, so as to allow the soil to become firm.

l	In May or June plant 2 feet apart in the rows and 13 feet between plants in the rows. Ground should be prepared early, so as to allow soil to become firm.	)w ti	ire
l	•	Perc	Z.
l		8.	
	Cannells' Matchless—An excellent variety, most reliable and useful kind, and from the seed we are sending ont, saved from onr improved stock, the one indispensable variety for keen competitive purposes, and also for general use and market garden requirements per pkt., 3d. and 6d.	1	0
	Cambridge Champion—The sprouts are firm and of excellent flavonr, keeps well and one of the best for the table, per pkt., 4d. and 8d.	1	4
	Aigburth—One of the hardiest and most productive varieties in cultivation per pkt., 4d.	0	8
	Scrymger's Giant—A superior and nseful variety; compact spronts of delicate flavour	0	6
	Dalkeith—Robnst habit, medinm height, richly flavonred spronts; a good market gardener's variety	0	8

Other varieties can be supplied. For plants, see page 19.

### BROCCOLI.

CULTURE.—Early sowings may be made in February, under glass, followed by sowings in the open ground, middle of April and second week in May, for successional crops. When the plants are large enough, prick out into a hed 6 inches apart, and after they have acquired strength transplant to a piece of ground that has been previously well dug and sooted, in rows 2\frac{1}{2} feet apart and 2 feet distant from each other. As the plants advance in growth draw the soil around the stems, and give liquid manure occasionally. We strongly recommend a sprinkling of nitrate of sods which will be found to work wonders. It is advisable to cut the heads as soon as they attain medium size.

SECTION I.—For Cutting from September	
to November.  Per pkt. s, d,	Per oz.
s, d,	s. d.
Grange's Early White Cape—Finefor autumu use 4d. and 0 8 Cannells' Self-Protecting—Beautiful white and firm heads, thoroughly protected by the leaves; remain a	1 4
loug time fit for use 3d. aud 0 6	1 0
long time fit for use 3d. and 0 6 Walcheren—One of the best for successive sowings, 4d. and 0 8	1 4
SECTION II.—For Cutting from December	
to February.  Per pkt. s. d.	Per oz.
Former White War C. 18, d.	s. d.
Early White—Very fine and early; flavour sweet and delicious; snow white heads; very hardy	0 8
Early Purple Sprouting—A useful variety for small	
gardens; much improved	0 8
Cannells' White Sprouting W	1 6
Cannells' White Sprouting-Very productive, quick in growth, fine flavour 3d. and 0 6	1 0
SECTION III.—For Cutting in March	
and April.  Per pkt. 1 s. d.	Per oz.
Primetons on Postan at land 119111.	s. d.
Brimstone, or Portsmouth—Too well known to need any description	0 8
Cannells' Hen and Chickens—It comes quite regular,	0 0
and gives a large quantity of lovely white eauliflower-like	
heads, and a most desirable vegetable before Peas come in	
6d. and 1 0	1 6
Knlght's Protecting—A favourite sort 3d. and 0 6	0 10
Improved Leamington—Good size heads, close and well	
protected; a good market variety 3d. and 0 6	1 0

as vac assert mountain size.	
SECTION IV,-For Cutting from April	
to July.  Per pkt. P s. d.	er o
Latest of All—Heads well protected and of medium size, hardy; cooking qualities all that can be desired 3d. and 0 6	1
April Queen—One of the finest; ready for use in April and May. The heads are very large, beautifully white, and delicately flavoured 3d. and 0 6	1
Flower of Spring—Au excellent early Spring variety, forming compact white heads 3d. and 0 6	1
Cattell's Eclipse-Very hardy; a most excellent late sort 3d. and 0 6	0 1
Methven's June-Producing fine pure white heads till nearly the end of June. It is very hardy In sealed pkts. 1 6	_
Cannells' Model—Late and good; oue of the hardiest and best in colour and flower, almost equal to a cauliflower  3d. and 0 6	1

### Cannells' Collections of Broccoli.

(ALL OUR SELECTION.)

8 packets Broccoll, of most useful kinds for succession ... ...

Other varieties can be supplied.

See Plants, page 19.

### CABBAGE, GARDEN.

CULTURE.—No better preparation of ground with a coat of mauure can be made than in the lifting of early potatoes, when such a piete of ground may be profitably utilised by them. Sow in March and April for Autumn and Winter use, and early in August for Spring and Summer cutting. The small early kinds do well planted in rows 18 inches apart and 15 inches between the rows; the larger growing kinds require to be put 2 feet apart each way.



CABBAGE, CANNELLS' DEFIANCE IMPROVED.

Cannells' Defiance Improved—Has been carefully selected for years, and the most popular kind round this part of Kent, and from the many good qualities it possesses it is always spoken of as the most perfect variety. Its second crop of little side cahbages are pictures of perfection, and are delicious in flavour. The first time it was placed before Royal Horticultural Society it was unanimously awarded First Class Certificate. Per pkt. 3d. and 6d., per oz. 1s.


a 15 thenes between the rows; the larger growing kinds require to	pe 1
Per pkt.	
First Crop—The earliest of all pointed varieties. An	В.
ideal variety for the private garden, as it takes up hut	
little room and produces solid hearts in a very short time 1 0	
Early Rainham—A most useful and early market variety—	0
Improved Nonparlel—A fine dwarf variety, of excellent flavour. Comes in very early	0
Red Dutch-The best for pickling, splendid colour; a	·
re-selected stock	0
Ellam's Early Dwarf—A great favourite with some as a	^
Spring variety Enfield Market—Very early and large; extensively used by	0
market gardeners	0
Hardy Green Colewort-For late Autumn and Winter use -	0
Mein's No. 1-A splendid variety, either for Spring or	
Autumu sowing	0
Myatt's Offenham—A well-known early variety — Rosette Colewort—Exceedingly delicious and very ornameutal —	0
Sugar Loaf—Conical shaped, of excellent flavour when	V
cooked; very distinct	0
Tom Thumb, or Little Pixle-Suitable for Summer use	0
Wheeler's Imperial—Dwarf and very early	0
Large Drumhead, or Ox Cabbage—Producing very heavy crops. Sow 6 lbs. to the acre. A reduction made	
when large quantities are required per lb. 2s. 6d. —	0
Christmas Drumhead—Small solid heads; very hardy —	0
Other varieties can be supplied.	
Cannells' Collections of Cabbage.	-4
Callicia Collections of Cabbage.	

8 packets of Cahhage in 8 best sorts for succession ...

## CABBAGE, SAVOY.

		ne.—Tre							
All	Head_	A very e	arly	variety,	with 1	ong	solid	heads of	81.
	rich yello	wish-green	colo	ur. In	flavou	r it	resem	hles that	of
	the finest	Brnssels	Spro	nts. A	really	fine	sort	for mark	ct
	gardening	***	• • •	•••	•••	•••		Per pkt. 1	8.

Selected Drumhead—Forms into splendid fine specimens; sweet and tender ... ... ... 0 6



CARROT, CANNELLS' PERFECTION INTERMEDIATE.

Per oz.—	8.	d.
Early Dwarf Ulm—Early and compact; may be planted close	٥	R
Green Curled—Suitable for the main crop		
Ormskirk Late Green-It is of large size and handsome, very		
hardy, and being late, comes into market when other sorts are over	0	6
Other varieties can be supplied.		

For plants, see page 19.

### CARROT.

Seed saved from Selected Roots only.

CULTURE.—The French Scarlet may be sown in frames in December and Jannary; in February, succession sowings may be made on warm horders; in March, a large sowing may be made; and for general crop sow about the middle of April, either hroadcast on beds or in drills. Preference should be given to the drills, as the crop can then more easily be kept clean. As soou as the plauts are 2 or 3 inches high, thin out to 2 or 3 inches apart at the first thinning; after a few weeks give a final thinning to 6 or 8 inches distance, and the crop allowed to remain till it has perfected its growth in Autumn. It will be found an advantage to mix the seed with a certain amount of soil so that it can he more evenly distributed.

Cannells' Winner-It helongs to the stump-rooted class and is of good colonr and flavour. Flesh close in texture; a valuable kind for market purposes, and indispensable where a very early crop is wanted. Per oz., 8d.

Cannells' First Prize—Habit robust, and grows to a good length; skin is very clean and of a deep colonr. We have been selecting this for several years, and quite worthy of competing with any in commerce. Per pkt., 6d.; per oz., 1s.

. Per oz.

James' Improved Scarlet Intermediate—Good for shallow

Other varieties can be supplied.

### CAPSICUM AND CHILI.

USE.—The pods are used for pickling, and when ripe, ground to make Cayenne pepper, and also as ornamental pot plants in greenhouse.

Child's Celestial Pepper—Creamy-yellow, changing to an intense vivid scarlet. Sharp flavour. Per pkt., 6d.

Chili. Per pkt., 2d. and 6d.

Golden Queen-A very ornamental variety. Per pkt., 3d. and 6d.

Other varieties can be supplied.

### CARDOON.

CULTURE.—Sow in April, and grow in trenches in the same way as Celery, allowing a little more room in between the plants.


Large Spanish, cultivated for the mid-rib of the leaves, blanched like Celery; used for soups, stewing, and salads ... ... ... per cz. 10d

# COUVE TRONCHUDA, OR PORTUGAL CABBAGE. BRAGANZA MARROW, SEA-KALE CABBAGE.

Should be sown in March, and trausplanted in May into rows 2 feet apart, or can be sown in July, keeping the plants in a frame during the winter, and plant out in May, it will then be ready for use in summer. The heart can be used in the same way as the cabbage, and the thick fleshy mid-ribs of the largest leaves can be cooked like Sea-Kale. Per pkt., 3d. and 6d.; per oz., 10d.

### CAULIFLOWER.

CULTURE.—Sow end of January or early in February in a frame on a slight heat, or in a honse, so that the plants may be forward and hardened off by April, when a sowing may be made outdoors. From this sowing heads will he produced in July and Angust. To stand the Winter, seeds should be sown about the third week in August. Cannells' First-to-Cut, Early London, and Early Dwarf Erfurt are reliable sorts. Select a snnny, well-drained spot for the seed bed, well work, and if at all heavy add a good dressing of fine sandy soil or old potting compost, after which the seed may he sown thinly and broadcast, and covered with fine soil. When the seedlings appear, apply an occasional dusting of soot and lime as a preventive against slugs. The strongest plants, when ready, should be dibbled out rather thickly in hand-lights and cold frames, and the remainder left in the seed bed where they will frequently survive an ordinary Winter. Finally, plant out in Spring.



CAULIFLOWER, EARLY DWARF MAMMOTH.

	Per	pkt.	Per oz
character as being the earliest of all; dwarf, medium- sized heads, colour good and of a delicions flavour; a		d.	8. d.
gem In sealed packets, is.  Cannells' Early Dwarf Mammoth—Fine as a foreing variety, or for the early crop outdoor; close	& I	6	-
solid, and pure white heads 6d.	& 1	0	1 9
Eclipse - A favourite in every garden where it has been cultivated. Can be had from August to Christmas 6d.	& 1	0	2 0
Cannells' Autumn Giant—Distinct. The heads are heantifully white, firm, and compact, and remain longer fit for use than any other kind 6d.	•	0	1 6
Late Metropole—Of robust habit, euormous size, and at the same time of excellent shape and delicate flavour.  The Metropole requires a strong soil, and on account of the weight of the heads it is often necessary to earth	l f	v	1 0
	. 1		_
	. 0	8	1 4
size, very compact, and of good flavour	. 1	6	_
Early Dwarf Erfurt—The best of the earliest sorts.  occasional sowing a supply can he kept up until Christr	By		
6d.	& 1	0	1 9
Walcheren—Good for general crop 4d.	& 0	8	1 4

For Plants, see page 19.


### CELERY.

CULTURE.—In February sow in heat; March and April in open border. Plant in April, May, and July, from 2 feet 9 inches to 3 feet between the trenches. A coating of mineral manure to the bottom of the trenches with rotten dung from an old hot-hed, and well water in dry weather. However large Celery may be, it is of little value if disfigured by the ravages of garden pests. It is of the utmost importance that soot, hurnt ashes, or even fine soil is banked closely round the steins, too much soot can hardly be used, both to keep away the eclery-fly that works its way in and deposits its eggs between the two skins of the leaves, and also to keep sings from injuring it.

### RED VARIETIES.

Eynsford Red—A grand acquisition for exhibition and table use. Continues quite constant; good strong habit, the stalks are large, thick, and of excellent nutty flavour 6d.		8.	д,
Early Rose—The stems solid and crisp, and of a fine walnut flavonr. An early variety, but the heads remain a long time fit for use; white heart, and stems delicately shaded with pale rose or flesh colour 6d.	&	1	0
Selected Standard Bearer—A splendid red variety, of stardy compact habit, robust growth, and medium height. 6d.	&	1	0
Leicester Red-Exceedingly erisp; fine flavour		0	6
Sulham Prize Pink—One of the best pink varieties, close habit, large heart, solid, crisp, fine walnut flavour		0	6
WHITE VARIETIES.			
Cannells' Heartwell White—Unequalled for erispness and sweet nntty flavour; dwarf habit of growth, and very solid heads 6d.	&	1	0
Sandringham White—A splendid variety; large, but not coarse; solid, crisp, and juicy		0	6
Invlneible White—A vigorous growing sort, very erisp, solid, and well-flavonred. It can be grown for exhibition to an enormous size without running to seed 6d.	&	1	6
Celeriac, or Turnip-rooted Celery—Chiefly used in sonps 3d.	&	0	6
Celery Seed—For flavouring soups per			- !
Other varieties can be supplied.			

For Plants, see page 19.



CELERY, CANNELLS' EYNSFORD RED.

(10)



TELEGRAPH.

### CUCUMBER (Frame.)

CULTURE.—Nothing is so desirable as good Cucumbers, but attention is required if good fruit is to be obtained. The seeds may be sown in January or February in pots or pans. The temperature of the seed-bed should range from 70 to 80 degrees, never sinking below 60 degrees. Outdoor or Ridge Cucumber should be sown in pots during April, and transplanted in May to a spot previously prepared with well-rotten manure.

Per pkt.—s.  Cannells' Improved Telegraph— Flavour excellent, deep green skin, and the fruit of good length. We can confidently recommend it to onr customers as a grand re-selection from the old farfamed variety	d. 0	
Cannells' Favourite—A first-class variety, attains a good length 1	0	
Blair's Prolific—A handsome variety of a deep green colour, with no neck, and grows longer than Lockie's Perfection; valuable for either Summer or Winter eultivation 1	0	
Every Day.—It is dark skinned, very hand- some in shape, most prolific, and of splendid flavour. First-Class Certificate,		-
R.H.S 1	0	ı

Per pkt	-S.	d.
Lockie's Perfection.—A splendid variety, its chief features being		
the finest in the Telegraph family with black spiuc; very free		
6d. and	1	0
Mortimer's Bountoous-Dark green, very tender and delicate in flavour, fine shape, prolific; grand for exhibition and general		
purposes. Award of Merit. In raiser's sealed packets	1	6
Rochford's Market-Medium length, colour rich green, spines		
more conspicuous than in the old Telegraph; a fine market variety	1	0
Sensation—Smooth and perfect in outline, with a scarcity of neck; handsome dark green colour; a free cropper, and of excellent		
flavour. First-Class Certificate, R.H.S	1	6
Tender and True-Fine variety for exhibition, handsome fruit		
of a dark green colonr, first-class quality	1	0

Other varieties can be supplied.

For Plants, see page 19.

### CUCUMBER (Ridge or Outdoor).

Selected Bedfo superior variety fine flavour and bearer; one of th	of or	atdoor arance	Priz Cucn ; a p	mber, rolific	—g.	d.	
				3d. &	0	6	ı
Long Prickly	•••	•••		3d. &	0	6	

	T CI DE	·	4-
Unicum—Very hardy and withstands the bad effects of wet and cold weather better than any other; it gives a large crop of long big fruits and of the finest flavour	6d.	& 1	0
Short Green Gherkin—The one most used for pickling, fruit being only from 3 to 4 inches long		& 0	6
Short Prickly	3d.	& 0	6

### CHICORY OR SUCCORY.

CULTURE.—Sow in April in rows a foot apart, thin ont to 6 inches a the row. In antumn store the rocts in dry sand, and when required at attervals should be placed in soil in a dark place and kept moist. It will give leaves in a few days equal to Endive, and cook the same as Sea Kale.

Common (Barbe de Capucin) ... ... ... ... ... ... ... ... 0 6
Witloof (Brussels Chicory)—One of the best winter salads grown 0 6

# CORN SALAD or LAMB'S LETTUCE.

Very useful during Winter and Spring for Salads, and especially when utdoor Lettuces are about finished, for which it is an agreeable substitute ad change. Sowings can be made in February, April, August, and eptember, in shallow drills, 9 inches apart, and thin out to 6 inches apart the rows. The soil should have been well tilled. It rather enjoys an pen position.

### CRESS.

### PEPPER GRASS.

CULTURE.—Plain and Curled Crcss should be sown weekly during the whole year, if a regular snpply is required, the state of the weather regulating the method of sowing. As a rule, from November to March, a gentle hot-bed is the best. Australian Cress sown in the open border during March and April, and in a cool and shady place in May, will produce crops in auccession; and if sown under a north wall in September and October, with a little protection, will afford a supply during Winter and Spring. Water-crees may be easily grown in a damp and shady place, and on no account must suffer from drought. Sow in March and April.

							· qt.	Per	pt.	Per	0Z.
Fine Curled -	<ul> <li>Useful</li> </ul>	l for	garn	ishing	and	8.	d.	8.	à.	8.	d.
	•••			_			9	1	0	0	3
Plain or Comm											
<ul> <li>and Salads</li> </ul>	***	•••	***		• • •	1	9	1	0	0	3
American, or L					nilar						
in flavour to	Water-	cress	***	***	***	-	-	-	-	0	3.
Australian or	Golder	Sala	ad—V	ery ter	dcr;						
mild flavour	***	•••	•••	***	•••	-	-	_	-	0	3
Water-cress	•••	***	***	***	***			per	pkt	., 6d	

Mr. W. M., Boscastle, Cornwall.

I have exhibited flowers and vegetables from your seeds at three local shows. From 23 entries I have won 22 prizes (13 firsts). Lots ask whose seeds I have to thank for all these successes.

J. F. B.

I am glad to say that since I have been getting seeds from you we have had abundant supplies of all sorts of vegetables, and our consumption here is no small matter.

Mr. R. B., Leigh.

I have always been well served with seed by you for over 30 years.

### EGG PLANT.

Cardinal-Medium-sized oval shaped fruits, of a hright scarlet colour; ripens much earlier than other sorts; highly decorative.

Per packet, 3d. and 6d.

Black Pekln. Scarlet.

White. New York Purple. Each, per packet, 3d.

Mixed.

### ENDIVE.

CULTURE. - For Antumn use sow and of April or during May, on prepared soil, in drills a foot apart, and thin out to 6 inches from plant to plant; water in dry weather. If a Winter and early Spring supply is needed, sow in July and Angust, and transplant to frames, or a sheltered position, secure from frost. Cannells' Green Curled-The one mostly cultivated for general crop; very crisp and hardy ... ... ... Cannells' Moss Curled-Beantifully carled, like Moss Green Batavlan-Large and fine ... ... ... Improved Round-leaved Batavlan—Very compact; forms a nice heart, hlanches easily... ... ... ... ... ... ... ...

### GARLIC. (See page 20.) GOURD, PUMPKIN, or SQUASH,

CULTURE. -- Same as Vegetable Marrow. Some of the ornamental

varieties can be trained over arches, &c., in the garden.	
Per pkt.—	s. d.
Hubbard Squash-Iron olive-green, useful	0 6
Cucumis Erinaceus (Hedgehog Gourd)-Bristly Green	0 6
,, Grossularla (Gooseberry Gourd)—Green, striped grey,	
hairy	
Cucurbita Mallformis (Apple Gourd)	
Depressa Striata-Olive green, striped with silvery bands and	
marhled with grey; can he sliced up and used in salads	0 6
Lagenarla (Clava Herculis) (Hercules Club)-Nearly 3 ft.	
long	0 6
Lagenarla (Bottle Gourd)—Creamy white	
Mammoth White, Bush Sealloped (Patty Pan)—Of remark-	
able growth	
Turk's Cap (Cottage Loaf)	0 6
Cannells' Hundredweight, or Mammoth—The largest	
in cultivation, often attaining an incredible weight	
Ornamental Varletles-Mixed. Many curions and pretty	
kinds	0 3
A collection of 12 varieties, 2s. 6d.	

HERBS, GARNISHING PLANTS, &c.

3d. and 6d. per packet, except where priced by the ounce.

CULTURE.—Sow in pans in a cold frame about first or second week in March; afterwards transplant into prepared beds, or the seeds can be sown the first week in April on warm border or ontdoors.

- b Angellea-For flavonring. Leaf stalks can he hlanched and eaten as Celery, or preserved with sugar.
- a Anise-For seasoning and garnishing.

White Curled-Very tender when young

- p Balm-Aromatic plant. May be used in salads or making Balm Tea or Wine.
- a Basil, Sweet Excellent for flavouring sonps and salads.
- p Borage-Used for Snmmer drinks; excellent for bees.
- p Burnet-The young leaves have a fine flavour.
- b Caraway-Seeds used in confectionery, lower leaves can be put in sonps. Celery Seed-For soups. Per oz., 3d.
- b Chervll, Curled-For salads.
- a Clary (Salvia selarea)—For seasoning and soups.
- b Corn Salad or Lamb's Lettuce-A hardy, useful salad. Per oz., 6d. Dandelion-Improved large thick leaved. Per pkt., 6d. and 1s.
- b Dill-Leaves used in pickles and sances.
- p Fennel-For garnishing and fish sance.
- Horehound-For the cure of asthma; also for seasoning.

Horseradish—See page 20.

p Hyssop—Leaves and shoots used for pot-herhs, also medicinally, aromatic.

Ice Plant-Fine for garnishing.

Indian Corn—See Maize. Kale—See Borecole.

Lamb's Lettuce—See Corn Salad.

Lavender-Grown for its sweet-scented flowers. Occasionally used in sances.

p Marjoram, Sweet or Knotted Used in sonps and stuffings, als p ,, Pot or Perennial when dry for Winter use.

p Rosemary—Sprigs for garnishing; leaves for making a drink to relieve headache.

Rampion-For Salads

- p Rue-For garnishing, also useful for poultry. A medicinal herb.
- p Sage-For stnffing and sance.
- a Savory, Summer For seasoning; also neefnl in a dry state for Winter
- p Sorrel-Used like Spinach, also in sances and salads.

Tarragon-Used for flavouring in soups.

- p Thyme-For sonps and seasoning, also stuffing.
- p Wormwood-Used as a tonic when taken in tea.

p-Perennial. a-Annual. b-Biennial.

For Plants, see page 20.

### KOHL RABI (TURNIP-ROOTED CABBAGE.)

It likes a good, cnriched soil, and should he sown from March! June in drills two feet apart and thin out to one foot between plants, or call he carefully transplanted into rows the same distances as above.

Early Green Vlenna Specially selected for kitchen garden Early Purple Vlenna purposes ... ... ... ... ... ... 0

We can also snpply the large green Kohl Rabi for agricultural purposes, 3s. per lh.

### Libbk.

CULTURE.—For an early crop sow in a pot, pan, or hox early in February, and place in a frame or a slightly-heated place, and when the plants are 3 or 4 inches high, prick out in a sheltered position or frame in rich soil. Here they are to remain until good-sized plants are formed and then transplanted to their permanent quarters. Leeks of very fine quality, and good enough for ordinary use, may be obtained from see sown the first week in March, hroadcast, on a warm border, and cover lightly with mellow soil. Transplant, when large enough, in row 18 inches apart, and about 8 inches in the row. Prepare trenches and earth up in the same way as Celery. Use mineral manure.

CANNELLS' MAMMOTH-A superior kind, very hardy, blanches well, and grows to a large size; a splendld exhibition varlety ... ... 3d. and 6d. per pkt., 1s. per oz.

Per pkt. Per oz. Cannells' Champlon-This Leek has gained many s. d. ... 6d. & 1 0

Per pkt. Per of Cannells' Lyon (Re-selected)—A thoroughly distinct variety, s. d. 8. matnres early, grows to a great size and weight without coarseness. The white part, when hlanched, often exceeds 16 inches in length and 9 inches in circumference 6d. & Glant Ayton Castle—A very large and fine variety Musselburgh—Large Scotch; finest stock ...... 3d. & 0 6 Other varieties can be supplied. For Plants, see page 19.

### LETTUCE.

CULTURE.—Sow from the first week in March till September for succession. When 3 inches high, remove the strongest plants to prepared round, and plant them in rows from 1 to 2 feet apart, according to size. For Spring use sow in Autumn, prick ont in frames, and transplant early. Ifter being planted they should never be allowed to suffer for the want of water. For very early use, sow a little under glass during February.

### COS VARIETIES. Per pkt. Per oz. fannells' Exhibition Giant Cos-Larger and finer s. d. in every way than the hest types of Cos Lettuce 3d. and 0 6 Eclipse Cos—Distinct. The dwarfest Cos Lettuce, and produces a firm, crisp heart, quicker than other sorts ... 1 Bath Cos, Black Seeded—The best Cos variety for Autumn ...3d.and 0 ...3d. and 0 6 Par Excellence - Requires no tying; very crisp and compact. It precedes the Paris White Cos by ahont ten days, if sown at the same time ... ... ... ... 6d. and 1 0

Other varieties can be supplied.



(LETTUCE, CANNELLS' EXHIBITION GIANT COS.

### CARRACE VARIETIES

CABBAGE VARIETIES.		
Domm	kt.	Peroz
Cannells' Defiance—A grand variety; large, compact s, heads, turns in very early, free from all bitter or strong flavour, eats crisp and sweet; splendid for exhibition. A	d.	s, d
Count Zeppelin—Best late variety. Stands heat and	0	1 (
Giant Golden Bossin—Of executional quality was	0	
All the Year Round—Fine white does not sup to said		_
Improved Early Paris Market.—The best forcing Let-	6	1 (
tuce, turns in very quickly, and forms close hearts 3d and fi	6	0.5
naruy nammersmith—Excellent variety for Winter	4	0 8
medium-sized compact hearts, crisp and sweet A good		
hardy kind	6	1 0
Continuity—Invaluable for Summer use, and for withstands	6	0 10
orumhead, or Malta—A large variety for Summer use 3d. and 0	6	1 0
Spring time nice firm medium-sized heads of vellowish	_	0 6
green colour, tender 6d. & 1  New York—Is compact, folds in very nicely, excellent flavour. It is not a forcing variety, hut is one of the best	0	_
Stanstead Park—The largest, hardiest, and hest flevoured	6	1 0
Tom Thumb, or Tennis Ball—Early, forming close, compact heads, stands the Winter well, also dry weather	6	0 9
Other varieties can be supplied.  For plants, see page 19.	6	1 0

Ca	innells'	Colle	ection	s of Le	ttuce.			
The six most	C	ABBAGI	E VART	ETTES			8. 2	
,, three	"	,,	"	11	***	•••		6
		COS	VARIETI	ES.				
The six most	useful kinds	for succe	esion, one	packet of e	ach		2	6
,, three	"	11	"	,,	***	***	1	6
TY A A A	COF	V W V						_

### or INDIAN MAIZE

This should be more generally grown as a vegetable in this country. As its cultivation is not difficult, and it is not necessary for the seed or cobs become hard hefore gathering, they should he made use of when in a green state, or just when passing out of the milky state, and only directly as are required for use. Boiled and served with a suitable sauce, they are quite enjoyable. Sow in April in a gentle heat, and when sufficiently redened and all danger of frost is over, plant ont in a warm position ahout 18 inches to 2 feet apart.

Cannells' Early Dwarf Sugar, Adam's Early, Early Minnesota, Each, per pkt., 3d. and 6d. Other varieties can be supplied.

### MELON.

CULTURE.—Similar to that of the Cueumher, hnt requiring several degrees more of heat, which must be maintained with regularity. A quick with should be encouraged during the earlier stages, and when about 1 foot or so high the tips should be pinched ont, causing them to come

nheim Orange-Scarlet flesh, delicious flavour ... amond Jubilee-Sets freely; oblong in shape, heautifully netted, a pretty golden yellow when ripe. Flesh greenish white, grower and free setter; does quite as well in cool frames as in the houses Inton Scarlet-Medium size, heantifully netted, delicious flavour. A valuable addition to the scarlet flesh varieties ... Pro of Lockinge—Handsome fruit, skin rich golden, regularly paetted with white. Flesh almost white, exquisite flavour; a popular variety for exhibition, and useful for growing in frames vincible-Glohular form, orange red skin evenly netted, thick bright scarlet flesh, grand flavour, sets freely, first class for frame ...

longer, and the fruit sets more freely. As a rule they are in perfection just hefore the stems come away easily from the fruit. The soil should kept firm and solid throughout the growth; they prefer a rich fibrous loam.

Monro's Little Heath—Easily enltivated, very prolific, and one of the hardiest. The flesh is scarlet... ... ... ... 6d. & 1 Queen of the West - Rich yellow skin, beautifully netted; greenish-white flesh ... ... ... ... ... ... Read's Scarlet Flesh-One of the most exquisite flavoured Melons in cultivation, heantifully netted ... Royal Sovereign—Free setting nature, beautiful golden yellow, slightly netted, flesh white, faintly tinged greeu; very deep; rind very thin. Award of Merit, R.H.S... Taunton Hero-Round in shape, lightly netted, and bright golden yellow in colour. The flesh is white, deep, melting 1 0 Other varieties can be supplied.

For Plants, see page 19.

### MERCURY. (CHENOPODIUM BONUS HENRICUS.)

### MUSHROOM SPAWN.—A REDUCED PRICE FOR LARGE QUANTITIES.

Having every facility, and to be quite sure that nothing but the best shall come from us, we collect samples from all reliable sources where manufactured, immediately test which is the best, and purchase accordingly and have specially prepared for us; consequently, all our customers succeed, most of them far above their expectations. At this moment we have a splendid fresh stock. Per brick, 4d., postage 4d.; per peck, 1s. 4d., postage 7d.; per bushel of 16 cakes, 5s.

A Practical Treatise on the Cultivation of Mushrooms, by J. F. Barter, price 1s., post free 1s. 2d. By using Cannells' Perfect Mushroom Spawn they can be had all the year round.

### MUSTARD. CRUCIFERÆ.


### CANNELLS' PRIZE MEDAL ONIONS.

### AWARDED MANY GOLD AND SILVER MEDALS.

CULTURE.—The ground should be double dug in October or early in November. The ground can then be left in its rough state until coarly in Jannary, when a good dressing of soot may be spread over the surface, which is not only a preventive for the maggot, but a valuable stimulant for the Onion throughout its different stages of growth. Nothing more should be done until the end of February or March, when (weather permitting) the beds should be pointed over, well raked, and rolled or trodden down firm, and the seed drilled in rows I foot apart, which leaves ample room for a draw hoe, which cannot well be used too often if care be exercised to avoid any injury to the tops. As soon as the Onions are up and well established thin out to 9 inches apart, and during an early stage of their growth a liberal top-dressing of spent mushroom bed manure would be beneficial in keeping the ground moist and cool in hot, dry seasons, and saving a considerable labour in watering. When they are in full growth a dressing of our "Real Manure," 2 ounces to the yard, will do wonders for them, especially if well watered in, should the weather be dry. Soot some broadcast in showery weather will help to keep down the mildew and also encourage growth. For what are termed Tripoli or Winter Onions, sow early in Angust and transplant the following Spring. Onions may be grown on the same piece of land for years if good tillage is kept up every season. By sowing the Tripoli or Autumn Onions carly in August, and transplanting the seedlings in due course, followed with a sowing, weather permitting, of Early Eight Weeks in February, and then again with the Spring varieties, it is possible by this method to have Onions throughout the year.

### SEED OF SPECIALLY SELECTED EXHIBITION VARIETIES.

Seeds saved from the finest Exhibition and most typical Bulbs and True Pedigree Stocks,



The Giant — Of beautiful globe shape, and larger than either Ailsa Craig or Excelsion; very heavy and solid, of excellent flavonr, and a first-class keeper; pale yellow in colour ... Cannells' Ailsa Craig-One of the largest and most beautiful kinds; hulbs vary from almost a globe to a deep flat oval shape, are of a pale straw colour ... ... per oz. 2s. ... Cocoa-Nut-Skin is very delicate pale straw colonr, flesh white, and very mild; nscful for exhibiting in collections ... 1s. & Improved Wroxton-May be grown to a large size; delicate light brown straw colonr. It is an egg-shaped type, and quite ... ... ... Cranston's Excelsior-Very small ncck, globe-shaped; pale straw: grand for competition ... ... 6d & Reading Improved—Beautiful shape, mild flavour; keeps good for straw: grand for competition ... a long time; nseful for the exhibition stage ... Cannells' Globe-Very globnlar, and of a deep rich straw colour; 

# GOOD KITCHEN AND GENERAL MAIN CROP VARIETIES.

Per oz.—s. d. Improved Banbury—A fine shape, with a hright yellow skin, suitable for the exhibition table	Giant Zittau Yeliow—A capital keeping variety 0 10  James' Long Keeping—Keeps longer than any other sort 0 10  The Queen—A silver-skinned variety, remarkable for its quickness of growth. If sown in March will produce full-grown bulbs early in the Summer; most snitable for pickling 0 8  Welsh or Ciboule, or Perennial Tree Onion—Comes up year after year without any protection 0 6
VARIETIES FOR A	AUTUMN SOWING.
TRIPOLI, OR ITALIAN SORTS. Per oz. —s. d.	Per ozs. d. White Italian-One of the earliest and finest white flat onions;
Cannells' Improved Giant Rocca — Glohular, very hardy; very large; mild flavour 0 10	well adapted for exhibiting during July and August 0 8 White Lisbon—Of medium size; esteemed for its mild
Giant Blood Red Rocca.—Useful for exhibition; large and fine 0 10	flavour 0 8 Potato-Onion—See page 20.
Giant Lemon Rocca—Attaius a large size; good keeper; mild flavour; grand for exhibition, one of the hest for autumn sowing 1 0	For Plants, see page 19.  Other varieties can be supplied.

### PARSLEY.


CULTURE.—Should the weather be dry, sow early in February; if not, defer till middle of March. Sow again in May, and also July, for furnishing plants to stand over Winter. Parsley seed is rather longer than most seeds in germinating, and should be watered in dry weather if necessary. The secret of having it good all the year is to sow in good soil, 16 inches from plant to plant.

Cannells' Eynsford Beauty—A beautiful kind. Where a variety is required for garnishing and exhibition purposes, this will meet all requirements. Hardy, and well adapted for pot culture; compact habit. Per pkt., 3d. and 6d.; per oz., 1s.

Cannells' Beauty of the Parterre—Handsome and highly decorative. Should be thinned out to at least 12 inches apart.

Per pkt., 3d. and 6d.; per oz., 9d.

Selected Fernleaf-Invaluable as a garnishing plant and for table decoration; one of the finest in cultivation ... Improved Moss Curled-A beautiful variety Covent Garden Garnishing-One of the best enried varieties Myatt's Garnishing-A splendid variety; very double ...




PARSNIP, CANNELLS' FIRST PRIZE.

### PARSNIP.

- CULTURE.—Sow about the second week in February, or first in March, or as early as the ground is in a fit state to receive the seed, choosing a light deep-trenched soil if possible; and if required for exhibition, make a hole 3 feet deep with a crowhar, push this round so that the hole is largest at the top, fill with fine soil, and finish off with dibhling in three seeds. After germinating leave the strongest seedling, assist them when in full growth, make four holes a foot deep in the soil and about 5 inches away from the plant, which can be occasionally filled up with liquid manure. They should be allowed to remain in the ground as long as the weather permits, and when lifted should be carefully placed in sand

Cannells' First Prize—A grand variety for exhibition; skin			Cannells' Hollow Crown—A selected stock producing long,	s.
smooth and well blanched; of splendid shape, and tapering off with perfect regularity per pkt., 4d.  Cannells' Student—A first-class variety for the garden	0	8	clean, and smooth roots, free from side shoots; very tender  True Jersey Marrow—Extra large	0

# KITCHEN AND EXHIBITION SEED POTATOES. SPECIALLY GROWN AND SELECTED FOR SEED, AND TRUE TO NAME.



Those marked with a \* are good Exhibition varieties.

It is absolutely necessary that full Rail Address should accompany all orders for Potatoes.

CULTURE.—Consider the condition of the soil—if rich, pulverize it by digging two, three, or four times. Plant early, hefore the strong eyes at the principal end start growing. Do everything possible so that the foliage is in no way injured. Take up early. Never clamp up tight until frosts set in—this prevents premature growth. Peel with a proper peeling knife. Do this every evening, and let them lie in water all night, and you certainly cannot fail to have mealy, heantiful eating Potatoes when cooked

Abbreviations: -w.r., White Round; w.r., White Kidney; c.r., Coloured Round; c.r., Coloured Kidney.

EARLY PURITAN.

### EARLY VARIETIES.

EARLY VARIETIES.			
Per Per	Pe	Г	Per
	56 1		14 lbs
*Beauty of Hebron (Pink)—c.k. Very productive and s. d. s. d. Myatt's Ashleaf — w.k. A well-known sort, very	8.	d.	s. d
a good keeper; flesh purc white 8 0 2 6 prolific, and of good flavour; one of the earliest	8	0	2
*Beauty of Hebron (White) - w.k. A good early Ringleader - w.k. Splendid early variety; good disease			
variety; splendid flavour 8 0 2 6 resister	12	0	3
*Early American Rose-c.k. Haudsome red tubers 6 6 2 0   Sharpe's Express-w.k. A fine white-fleshed variety,			
*Early Puritan-w.k. The earliest pure white kidney excellent quality, a heavy cropper; grand as a first			
in cultivation, good quality, and a heavy cropper 8 0 2 6 early for field cultivation		0	2
Early Regent—w.r. A splendid early sort 8 0 2 6 *Sir John Llewellyn—w.r. Of compact growth, robust			
Improved Early Ashleaf—w. K. Quite distinct; heavy stems, and provinces a very heavy crop of useful tubers,			
cropper 10 6 3 0 with a white skin and a flesh which, when cooked, is			
May Queen-w.k. Produces a heavy crop, and useful mealy in the extreme; very early and quite distinct	- 8	0	2
for forcing 10 6 3 0 Victor-w.k. An early cropper, very suitable for forcing	10	6	3 (

### SECOND EARLY VARIETIES.

P	сг	P	er		Pe	r	Per
• 56	lhs.	14 1	bs.		56 ll		14 lbs
British Queen-w.k. One of the finest white mid- s.	ď.	8.	d.	*King Edward VII.—c.k. Skin white and slightly	S.	d.	s. d
season Potatoes; an enormous cropper, good cooker,				diffused with pink round the eye; a great yielder and			
and good flavour 7	0	2	0	disease resister; a strong grower and remarkable keeper	8	0	2
*Duke of York-w.k. Very handsome tubers, dwarf				*Royal Kidney - w.k. White fleshed, good keeping			
growing, and most prolific 8	0	2	6	qualities, heavy cropper, and good disease resister *Schoolmaster-w.r. For the select table, one of the	6	6	2 (
0 0							
Epicure - w.R. Excellent flavour, heavy cropper; good 8	U	2	6	best	8	0	2
Evergood-w.R. Of first class cooking qualities, fine				Snowdrop-w.k. Of fine quality and good cropper	8	0	2
white clear skin; a heavy cropper of equal-sized tubers;				*Windsor Castle-w.R. Good quality, productive, free			
grand disease resisting variety 8	0	2	6	from disease	8	0	2

MAIN CROP OR LATE VARIETIES.			
Per Per	Per	1	Per
	56 lh		lbs.
Dalhousie-w. R. Of the up-to-date type; good cropper s. d. s. d. *Reading Giant-w. K. A most prolific and desirable	s. d	l. s.	d.
and cooker in in it in it in it	8 (	0 - 2	6
*Duchess of Cornwall — w.k. A handsome white variety; heavy cropper, good quality 8 0 2 6 Table Talk—w.k. A heavy cropper; cooks splendidly *The Factor—w.k. A main crop oval kidney; a wonder-	8 (	0 2	6
white fleshed, shallow eyes 10 6 3 0 ful cropper, and one of the best for table use. Award		0 2	6
Magnum Bonum—w.k. A well-known variety; should be grown for a main crop 6 6 2 0 Triumph, Scotch—w.k. A good late variety	7 (	0 2	0
Main Crop—w.k. A good cropper and disease resister; flavour good 6 6 2 0  *Up-to-Date—w.k. Grows very strong; a heavy cropper, good quality when cooked; one of the hest ever raised			0
Other Varieties in Commerce, and not mentioned in this List, can be supplied at Current Prices.	We	shou	ıld

Other Varieties in Commerce, and not mentioned in this List, can be supplied at Current Prices. We should be pleased to supply Collections of 12, 18, or 24 Varieties, consisting of the finest Exhibition kinds or for Table use. On application, Special Quotations per ton will be forwarded. Our Prices are subject to alteration after the middle of March. Public Institutions, Hospitals, &c., supplied on Special Terms. Large or small quantities forwarded. Send on list of kinds and quantities required.

The Carriage of Potatoes, Mushroom Spawn, &c., as part of a general order or alone, will be prepaid to any Station in England when the total value is not less than 20s., and to Ireland or Scotland when the total value is not less than 40s.

### RADISH.

SAVED FROM TRANSPLANTED AND SELECTED ROOTS ONLY.

CULTURE.—To have early, sow in frames near the glass in January; in the open ground in February, and every fortnight till August. To obtain crisp, sweet-eating radishes they must he grown quickly. The turnip-shaped varieties are the best for winter culture.

Per oz.—	8.	d.
Earliest Scarlet Short-top Turnip—Very useful for early forcing; rapid growth per pint, 2s. 6d.		6
Earliest White Short-top Turnip—Equally as nsefnl for carly season work; crisp and sweet per pint, 2s. 6d.	0	6
Golden Oval—Colour is quite distinct. It has a great advantage of being able to withstand hot dry weather better than most sorts per pint, 2s. 6d.	0	6
Cannells' Selected French Breakfast—For early forcing, very much liked in Paris. It is of an oval form; searlet, tipped with white per pint, 2s.	0	4
Improved Olive-shaped Scarlet—Quick growing, mild, and sweet per quart, 3s. 6d.; per pint, 2s.		4
Selected Icicle—Quite distinct from any other kind. It is equal to other sorts in earliness and good flavour, while regarding its beautiful white skin and productiveness it is unrivalled	0	6
Olive-shaped White—Similar to the searlet except in colour	0	4
Mixed Olive-shaped per pint, 2s.	0	4
Mixed Turnip per quart, 2s. ?d.; ,, 1s. 6d.	0	3
Red Turnip ,, 1s. 6d.	0	3
White Turnip ,, 1s. 6d.	0	3
Early Frame, Long Red-Very early; fine flavour, ,, 1s. 9d.	0	3
Carmine, White Tips—Turuip of intense colour and small leaves per pkt., ls.	_	



FRENCH BREAKFAST RADISH.

### RADISH. For Winter Use.

china Rose, Winter—Sow in August for winter use. Oblong shape; of a bright rose colour; mild flavour... per pint, 2s. 0 4

Other varieties can be supplied.

### RHUBARB (Seed).

Seed of this family is preferable for sending abroad. Sow in March on light rich soil in drills about 2 ft. apart; thin ont, allowing the strongest lants to remain 10 to 16 inches apart. hampagne. Early Red. Royal Albert. Victoria. Finest Mixed.

6d. per packet.
Rhubarb Roots, see page 20.

### SALADS.

We supply seeds of plants generally used at varions times of the in the preparation of this now recognised necessity on the dining table excriptions will be found under the various headings—Barbe de Capucin, seriae, Chervil, Chicory, Chives, Corn Salad, Cress, Cncumber, Dandelion, adive, Lettuce, Mustard, Nasturtium, Purslanc, Radish, Rampion, Salsafy, allot Tarragon, Tomato, Watercress, Witlæf.

### SALSAFY (Vegetable Oyster).

Although Salsafy is not usually cultivated in small gardens, there is no reason why it should not be, as the roots form a valuable addition to the somewhat limited list of Winter vegetables. They are easily cooked, merely require scraping, steeping in vinegar and water, then boiled until tender, after which they may be served up with white sauce.

Cannells' Mammoth—Best quality ... Per oz.—s. d. ... 0 10

### SCORZONERA.

The roots are boiled or stewed in the same way as Parsnip. A delicious vegetable.

Cannells' Selected, 9d. per oz.

### SEA KALE (Seed).

CULTURE—Sow in March or April in rows, about 15 inches apart, and keep the plants clear of weeds. Transplant to good, well trenched, and rich ground, in elmmps of about four or five, and between each lot so planted leave a space of about 3 feet, so that any one can move hetween them during the growing season. 6d. per oz., 1s. 6d. per pint.

For Plants, see page 20.

### SHALLOTS—See page 20.

### SPINACH.

CULTURE.—Should the weather be favourable, a small sowing of the round variety may be made in January, another in February, and a larger one in March. Successive sowings may then be made every three weeks till the beginning of May, and afterwards weekly to the end of July. For Winter use, sow the prickly variety weekly during the first three weeks in Angust. The New Zealand should he sown in heat and transplanted, and be protected till the beginning of June, when it may be planted ont without shelter.

Cannells' Eynsford Favourite-A great advance on the old

round form of Spinach, well adapted for Winter and Summer sowing ... ... ... ... ... per pint, 1s. 6d. 0 4

Prickly or Winter -For Winter ase per qt., 1s. 9d.; per pt., 1s. 0 2

Round, or Summer -For Summer use ,, 1s. 9d.; ,, 1s. 0 2

New Zealand-Should be sown in February in heat and transplanted in June ... ... ... ... ... ... 0 6

Orach, or Mountain-Quite distinct ... ... ... ... ... 0 6

Perpetual Spinach, or Green Beet-Furnishing leaves in great abundance, should be regularly picked so as to encourage good growth; leaves are quite green; sowings should be made in March, April, and the latter part of July ... ... ... 0 6

### SQUASH—See Gourds.

### STRAWBERRY (Seed).

CULTURE—Seed may be sown in slight heat during the end of January and February, or if strong plants are required early in the next year, seed may be sown in September in a cold frame. When large euough, plant out in beds in the usual way as required.

Aipine Red ... per pkt., 6d. Alpine White ... per pkt., 6d. Choice Large Fruited Varieties, Mixed, saved from the best kinds only. Per pkt., 6d. and 1s.

For Strawberry Plants, see special pages.

(17)

Per oz.-s. d.

### CANNELLS' SEED GUIDE,

### TURNIP (Garden),

CULTURE. - Sow in March, April, and once a month till the end of August. Sow Six Weeks and Snowball till May; they are the hest for early use. SEED SAVED FROM ONLY THE FINEST SHAPED AND MOST SOLID BULBS.



CANNELLS' EARLY SIX-WEEKS TURNIP.

Cannells' Early Six Weeks-Beautiful shape, the quickest variety grown, and one of the best for general crop per pint, 1s. 9d. 0 per pint, 1s. 9d. 0 4 Early Snowball-Good for exhibition .., per pint, 1s. 6d. 0 Early White Stone—Suitable for Summer use Cannells' Garden Swede per pint, 1s. 6d. 0 Golden Ball-The hest type of yellow garden Turnip. Flavour is excellent, and stands the Winter almost as well as a Swede per piut, 2s. 0 per piut, 1s. 6d. 0 Green Top Stone-For late sowing ... ... Model White-Remarkable for its form, earliness, and quality. Strongly recommended to exhibitors ... per pint, 1s. 9d. 0 Cannells' Scarlet Six Weeks—Award of Merit, R.H.S. Distinct, a splendid rich-coloured red skin; fall size, of good form, fine quality; useful on the exhibition table ... ... 0 Red Garden Globe (true)-Fine shape and quality, equally suitable for early use, for main crop, or for autumn sowing per pint, 2s. All the Year Round-A green-top yellow variety; stands the ... per pint, 1s. 6d. 0 severest weather ... ... American Red Stone-A most excellent kind per pint, 1s. 9d. 0 Chirk Castle Black Stone-A capital variety for August sowing for Winter use; the skin is black and the flesh snowy white. per pint, 2s. 6d. 0 Early Purple-top Munich-The earliest of all, fine flavour; suitper pint, 2s. 6d. 0 able for exhibition ... ... ... per pint, 1s. 6d. 0 Orange Jelly-One of the best ...

### TOMATO, or LOVE APPLE.

CULTURE.—Sow in Fehruary or March in heat, pot, and gradually harden off, so that they may be ready to plant out the latter part of Ma to a sheltered location. For indoor purposes, get good plants in 4 or 5-inch pots; when they show a truss of flower they require fertilising a setting with a camel-hair brush. As soon as the fruit is formed, plant them out in ordinary good soil, 12 inches from plant to plant, pinch out side shoots, and preserve the large leaves; if fruit fails to form, apply pollen at once, so that the plants bear fruit from hottom to top. Pick fruit as soon as ripe, and never select any other than fruit full of seed; ill-formed ones are disappointing, and often get seedsmen and gardeners in had reput on this second. on this account. Per pkt.-8.



TOMATO, PRINCE BORGHESE. Per pkt	-8.	d.
Prince Borghese-Large searlet egg-plum like fruits ending in a		
peculiar point, joined to hig clusters, each reaching often the		
weight of several pounds	1	0
Balch's Fillbasket - Medium sized well-formed fruits	1	0
Money Maker-An enormous cropper, perfectly globalar fruits of a		
scarlet colour: solid flesh; fine flavour	1	0
Ham Green Favourite-Good size, scarlet, and of fine shape; a		_
wonderful cropper 6d. and	ı	U

Cannells' Open Air-A superior and first-rate variety for out-... ... ... ... 3d., 6d., and doors ... Duke of York-Rich scarlet, round in shape, flesh very firm, fine 6d. and flavour, splendid cropper ... ... ... Frogmore Selected-Deep bright red, smooth and almost round, firm and solid. Suitable for outdoor eultivation ... 6d. and Golden Jubilee - Handsome. Clear golden-yellow. Flavour 6d. and delicious. Raised at the Royal Gardens, Windsor Holmes' Supreme—Short jointed, stiff and sturdy growth; fruit medium size, smooth and round, firm flesh ... 6d. and Lawrenson's No. 3-Remarkable for its free setting and dwarf hahit, medinm size, deep crimson, wouderfully heavy cropper 6d. and Queen Alexandra-Large fruit, perfectly smooth and symmetric cal, splendid colour ... ... ... ... ... Sunrise (New)-Rich scarlet; one of the earliest. First Class Certificate, R.11.S. ... ... ... ... ... Swanley Superlative-Of globular form, rich colour, and a heavy cropper. Continues fruiting for a long period 6d, and Tuckswood Favourite-Dwarf compact habit, fruit round,

Cannells' King-Brilliant red; full, very free setting, and is certainly by far the best variety for flavour ...

OTHER VARIETIES CAN BE SUPPLIED.

6d. and

smooth, handsome, brilliant red colour, medium size Winter Beauty-A useful variety for winter work; freely producing highly coloured fruit of medium size and fine flavour



### VEGETABLE MARROW.

CULTURE.—The seed may be sown in a slight hent the end of March, and sbifted from the pots about the middle of May, when select an open piece of ground and throw out boles from 2 to 3 feet square and I foot deep, which should be at least 12 feet apart, the soil thrown ont being used to raise the sides. A layer of dry leaves or litter should be sprend over the bottom, and afterwards a sufficient quantity of ordinary good soil, wherein a small portion of leaf soil and spent manure bas been mixed, to refill it. The plants being abardened off, should receive at the time of plunting a good watering, and be shaded and protected as long as necessary. Planted in this manner they make firmer and shorter jointed growth, are more prolific, less water required, and are not so liable to go off when in full bearing, as often bappens under a more forcing treatment. They can also be grown with incress ontdoors by putting in a few seeds the first week in May, where they are to remain.

Per pkt.—s. d.

Cannells' Cream-Splendid for exhibition	Per pkt.—s	. e	). R										
Cannells' Early Prolific—A heavy eropping kind, setting its fruit quicker than some variet	ice 2d and	n	G										
Improved Custard—Ornamental as well as nseful	nos ou. and	0	6										
Large Green and Gold—Best for eating	3d. and	0	6										
Large White -Large size, bandsome shape, splendid flavour; one of the best	3d. and	0	6										
Pen-v-byd —A distinct variety of great merit: fruit almost globular in shape; greany white; firm flesh													
of fine quality and delicate flavour; one of the finest		0	6										
Cannells' White Beauty-A most useful variety, producing medium-sized oval-shaped	fruit of n												
creamy white in great abundance, of good quality; a free setter	5d. and	1	0										
Green Bush, or Cluster	3d. and	0	6										
Mixed Varieties		0	3										

### TOBACCO.

																				Per pkt	-8.	d.
Havannah	٠		• • •	•••	•••	•••	•••	•••	•••	•••		•••	•••	•••	•••	•••	***	• • •		 	0	3
Kentucky																						
Virginian	Seed	Lea	ıf	•••	•••		•••	•••	•••		•••	•••	•••		•••	•••	•••	•••	•••	 3d. nnd	0	6

### TRANSPLANTED VEGETABLE PLANTS.

Plants of the following Vegetables supplied and sent by Parcel Post, at the periods stated below:-

Per 100-s, d. s. d.	Per 100—s. d. s. d.
Borecole, or Kale—From April to Ang. 1 0 to 1 6 according to size.	Coleworts—From June to August 1 0 to 1 6 according to size.
Broccoli—From May to August 1 0 ,, 1 6 ,, ,, ,,	Good King Henry (Chenopodium Bonus
Brussels Sprouts-From Sept. to July 0 9 ,, 1 0 ,, ,.	Henricus) 7 6
labbage—From August to April 0 9,, 1 0 ,, ,,	Leek-During May and June 1 6 to 3 0 according to size.
Abbage, Red—From April to June 0/6 per doz. 2 6	Lettuce—Nearly all the year round 1 0 2 6
labbage, Savoy—From Mny to Sept. 0 9 to 1 0 according to size.	Onions, Autumn sown-During Feb-
Sauliflower—From March to August 1 6 ,, 2 0 ,, ,,	ruary and March 1 0 ,, 1 6 ,,
Celery—From May to August 1 6 ,, 3 0 ,, ,,	Tomatoes - February to June 1 6 ,, 2 6 per doz.

Plants of Cucumbers, 9d. & 1s. each, Melons, 9d. & 1s. each, and Vegetable Marrows, 4d. & 6d. each, at their proper seasons.

These prices do not apply to Novelties.

### ONIONS, PLANTS.

Small Plants out of Boxes, and Plants in 2½-in. pots, well-hardened off, and ready for planting out first or second week in April.

Owing to the increasing demand for our Onion Plants, we bave made special preparations for growing the undermentioned exhibition kinds in small all large plants, the former in boxes and the latter in pots, these we strongly recommend to our customers as having received no check in their growth, timately make the best plants and the finest exhibition bulbs.

We should esteem it a favour, when it is possible, for customers to order all Potted Plants before the 1st of April, otherwise we cannot guarantee supply.

			. Sr	nall Plant	ts,	In	Small Pots,			Si	mall Plants	,	Ir	Small Pots,
				per doz			per doz.				per doz.			per doz.
ilsa Craig			 	1/3		• • •	3/0	Reading Improved	• • •		1/0			3/0
ocoa Nut	•••	***	 	1/3	•••	•••	3/0	Rousham Park Hero	•••		1/0			3/0

### AGRICULTURAL SEEDS.

We do not pay Carriage on Agricultural Seeds unless an allowance is enclosed.

					r lb			Per lb. —s.	. d.
arrot,	White Be	lgian-Very heavy	cropper	•••	***	2	0	Parsnip, Champion-Very fine and large 2	0
22	Yellow B	elgian—Large and Sow 7 to 8 lbs.		ıg	•••	2	0	Sow 6 to 7 lbs. per acre.	
abbage	, Cattle o	or Ox, Drumhead		est sele	cted			Swede Turnip, Giant Purple Top-Heavy eropper, good	
stock	•••	Sow 6 lbs. pe		•••	***	2	6	quality, fine sbape 1	0
angold	Wurzel,	Yellow Globe-H	From the finest se			1		Swede Turnip, Improved Green Top-Very hardy and useful	
**	99	Giant Long Red Drill from 6 to 8 l		iety	•••	1	0	for grazing purposes	0
			Oth an Manie	tion o	1	h -		uliad at admenticed majors	

Other Varieties can be supplied at advertised prices.

c 2

# CANNELLS' LAWN GRASS SEEDS, Fresh, Well Cleaned, and Perfect,

For PARKS, TENNIS LAWNS, TERRACES, CRICKET GROUNDS, PLEASURE GROUNDS, BOWLING GREENS, GOLF LINKS, TOWN LAWNS, UNDER TREES, &c.

THERE is nothing more essential to a rural or suburban residence than a beautiful lawn with its close velvety	
sure the soil is perfectly clean, and if poor a good dressing of loam should be well spread over ab	
being well rolled and raked very fine the seed may be sown broadcast and as evenly as possible, then rolled	
grass will appear and be ready for cutting, which operation should be often performed, using the scythe nutil the lawn	
ent with machine and rolled as frequently as required. It should be sown in April, May, Angust, and September, alw	vays taking advantage of the most
suitable weather.	
Finest Mixed Lawn Grass, a choice mixture of dwarf evergreen grasses, suitable for Teunis Courts, s. d	d. s. d. s. d.
Garden Lawne, Bowling Greens, &c	6 7 0 25 0
Fine White Lawn Clover	6
Fine Mixed Lawn Grass, suitable for general purposes, I awas, Cricket Grounds, Renovating, &c 1	0 5 6 20 0
Perennial Rye Grass, cheap gress seed for odd purposes	4 — 7 6
1 nound will some 200 somers foot. I nock will some 2 400 somers foot. 1 husbal 10 000 square foot. 4	hughela 1 aana

1 pound will sow 300 square feet; 1 peck will sow 2,400 square feet; 1 bushel, 10,000 square feet; 4 bushels, 1 acre.

Climax Lawn Sand (non-poisonous), for destroying Moss and Daisies, and other rough-leaved weeds baving surface roots, at the same time promoting the growth of the finer grasses. It quickly transforms a weedy, neglected Lawn into a perfect sward. Sample tins 1/3, 7 lbs. 2/-, 14 lbs. 3/6, 28 lbs. 6 56 lbs. 11/-, 1 cwt. 20/-. 28 lbs. will dress 100 square yards.

Lawn Sand and Weed Destroyer.—Au excellent preparation in the form of a white powder for destroying Daisies, Buttercups, Dandelions, an other weeds in lawns; it also encourages the growth of grass. Per tiu, 1/
Special Quotations made for large quantities of the above.

### PERMANENT PASTURE GRASSES, 26s. to 35s. per acre.

According to the varieties used in mixture.

RENOVATING MIXTURE FOR PASTURES, per Ib., 10d.; per cwt., 80s.
We recommend sowing 2 to 3 bushels of Mixed Grasses and 10 to 12 lbs. of Mixed Clovers per acre for Permanent Pastures; and to Renovate

1 bushel Mixed Grasses and 4 lbs. Mixed Clovers or more, according to conditions of existing crop.

Suitable Mixtures for any particular situation or soil can always be supplied, if the general nature of the soil and the situation of the field is described when making inquiries.

### CULINARY PLANTS, ROOTS, &c.

### ASPARAGUS PLANTS.

Splendid Connover's	plants that Coiossai-	will -1 y	giv ear	e abun	danc	e of th	nis lovely	vegetable per 100		
31	11	2	3 3	•••		•••	***	,,,	4	0
	5.5		11		• • •	***		3.5	7	0
Giant or E	attersea-	-1	3.3	***	• •	•••	***	3 9	2	0
11	* *	2	3.5	•••	•••	•••	***	11	4	0
11	Cu 11		11	:	•••	***	***	9.5	6	0
Asparagus,	Special,	rot	fore	eing	•••	•••		,,	12	0
	A ET C	Y	AI		T	<b>NY</b> /	N W.Y FTT	C		

### NALE PLANTS.

Lily-white, a fine superior variety. Planting roots. Per doz., 1s. 6d., 2s. 3d., and 3s.; per 100, 10s. 6d., 15s., and 21s.

Extra Selected, for forcing Strong Piants ", Strong Pianting Roots... 0 12

### HERB ROOTS, &C., &C.

For Seeds of Herbs and their uses, see page 12.

Lavender. Balm. Thyme, Common. Chives. Marjoram. Thyme, Lemon. Mint. Savory, Winter. Wormwood. Pennyroyal. Tarragon. Good plants 6d. each; 4s. per doz. Horehound. Hyssop.

### DRIED HERBS IN BOTTLES.

Lemon Thyme. Mixed Herbs. Savory. Marjoram. Mint. Pennyroyai. Thyme. Sage. Half-piut bottles, 6d. each; 1-piut, 1s. each.

# ARTICHOKE ROOTS AND

Globe Artichokes (Piants) ... ... per doz.Jerusalem Artichokes (Tubers) ... ... per peckJerusalem Artichokes (White Skinned)—The tubers have a
clear white skin instead of the reddish tint of the old variety.
They are also more regularly formed, having a tendency to a
globular shape, and the quality is excellent; a nutritious and
easily-cultivated Winter vegetable per peck of 14 lbs. 2s.; 56 lbs.

Stachys Tuberifera (Chinese Artichoke) Choro-Gi. - As salad it is quite equal to Radishes, being brought to the tshe the same way. Not affected by frost in the least. The tuber should be lifted in November and stored in dryish earth or sand not in damp material, as with the latter the growth is spt w recommence. Plant on rich soil. Tubers, 1s. per lb.

### POTATO OR UNDERGROUND ONIONS.

Good Select Stock ... ... ... 6d. per lb.; 14 lbs. 5

### RHUBARB ROOTS.

						Per	doz.—8.
	overeign	•••	•••	•••	***	• • •	7
	Carliest of Ail	••		***			7
	ohnston's St. Martin			***	•••		7
	innæus, large and productive		•••		•••		7
I	litchell's Royal Albert or	Early	Red				7
	Iyatt's Victoria, late	***	•••		•••		7
F	Iawke's Champagne	•••					7
F	extra large, for forcing						12
I	fixed Varieties		***				6

One or six roots of each of the above can be supplied. Seed can also be supplied 6d. and 1s. per packet.

STRAWBERRY PLANTS, see special pages.

GARLIC.

9d. per lb.

### CANNELLS' EXHIBITION SHALLOTS.

Plant and cultivate similar to Onions. 6d. per lb.

### HORSE-RADISH

Extra Selected

### MISCELLANEOUS GARDEN REQUISITES.

Abol" Magnifying Glass-For examining minute insects, 1/1 post free. Acme" Bloom Protector-For Roses, &c., 1/- cach; 9/- per doz. Acme" Weed Killer-Powder, 1/9 per tin. Sufficient for 25 gallons. phicides - For spraying plants with insecticides, &c., 1/6 each. prons, Gardeners'-Shalloon, 4/- each; serge, 3/- each. Axes -English and American Felling, 5/- to 10/- each. Barrows (Wheel), Garden-Of best quality, 20/- to 25/- each. Raskets-Wood or truck, for vegetables or fruit, with cross handles, 9d. to 3/3 each. Orchid, best octagonal teak wood, with hanging wires

Wire Hanging Baskets, ornamental desigus, from 6d. to 3/6. Beetie Poison (Chase's) - Boxes, post free, 1/1.

Bell or Propagating Giasses-From 10d. to 2/9. Larger sizes can be had. Bill Hooks-Donble-edged, for pointing pea stakes, &c., 3/6 to 4/6 each. Bowls—For growing Bulbs in pubbles and water, 1/3, 1/9, 2/-, and 2/6. Brooms, Birch-6/- per doz.; 8d. each.

Brushes-Aphis, 2/- each. Cocoa Fibre, for scrubbing pots, 6d. each.

Charcoal—From best wood, 2/6 per bushel. Cocoanut Refuse-1/9 per bushel.

complete, 4 to 14 inches, 1/- to 4/6 each.

Cork, Virgin - 1 cwt., 6/-; 1 cwt., 11/-; per cwt., 20/-.

lovers, Sea-Kaie (3/6) and Rhubarb-For forcing, 4/6 each.

Sucumber Glasses-12 to 24 inches long, 2/- and 4/- each.

Dalsy Lifters-For weeding lawns, 15-in. handles, 2/- to 2/9 each. libbles—For transplanting, shod with iron, 1/9 each.

Distributors-For applying sulphur, &c., to plants, "The Duplex," 2/9. The Ideal Bellows, 7/6 each. Smaller size, 5s. cach.

floral Alds-6d., 1/-, 1/6, and 2/6 each.

- Cement-For fixing the petals of flowers, 1/- and 2/- per bottle.
  - Shadlng-Tiffany, 20 yards by 38 inches wide, 5/- per piece.

llower Canes-Bamboo, about 4 ft. long, 3/- and 4/6 per 100, 6d. and 8d. per doz.; about 5 ft. long, 7/- and 10/- per 100, 1/- and 1/4 per doz. Larger sizes, prices on application.

- Gatherers-Scissors for cutting and retaining the flower, 2/9 to 4/- each.
- Pots-From 2 to 16 inches in diameter. Special quotations for large quantities.

Pot Saucers-At current prices.

- Sticks or Supports-Wooden, excellent for pot plants, &c., in bundles of 100, 1 ft., 6d.; 2 ft., 1/-; 3 ft., 1/9; 3½ ft., 2/3; 4 ft., 3/-; 5 ft., 4/- per hundle. Painted green, 21 ft., 5d.; 3 ft., 6d.; 31 ft., 8d.; 4 ft., 10d. per doz.
- Stout Stakes for Roses and Dahllas—Per doz., 4 ft., 2/6; 5 ft., 3/6; 6 ft., 4/-.
- orks-Cast-steel Digging, very serviceable, 4 and 5 prongs, 4/- to 4/9. Flower Border, 3-prong, 6-inch handles, 1/6 to 2/6; also 15-inch handles, 2/-; 3 to 5-prong, with long or short handles, 3/- to 4/-.
- Manure-Long handled, various patterns, 2/6, 2/9, and 3/-; short haudled, hest quality, 4/-.

shurstlne-For protecting hoots from wet, 6d. and 1/- per tin.

loves-Best strong princing, 1/6, 2/-, to 2,6 per pair. Ladies' tan, with cnffs, 2/9. Gentlemen's mock huckskin, 3/6 per pair.

00seberry Pruners-Hooked hlades, 3/6.

rafting Wax-1/- and 2/- per hox.

ease Bands-In packets. 3d., 6d., and 1/- cach.

" for Banding—Tins, 1/- and 2,6 each; 28 lbs., 9/-; 53 lbs., 16/-.  $10^{-1/9}$ , 2/-, and 2/6 each.

andles for Rakes, &c. -Best ash, 5 ft., 8d.: 6 ft., 10d.

Hatchets-2/6 to 4/-.

Hedge Knives, or Brushing Hooks-3/9 to 5/6.

Hoes—"Draw," solid, from 4 to 9 in., 2½d. per in.; "draw," swan-neck, 1 to 9 in., 3d. per in. Dutch, solid, 5 to 9 in., 3½d. per in.

Hones, Tam o' Shanter-8d., 1/-, and 2/6 each.

Hyacinth Glasses-In various colonrs, 9d. to 2/6 each.

Ink, Indeiible—For writing on zinc lahels, 6d. and 1/- per bottle.

Insectleides-Ahol, White's Superior. Pint, 1/6; quart, 2/6; ½ gallon, 4/gallon, 7/6; 3-gallon drums, 18/-.

- Anto-Shreds, pkt. containing sufficient for 10,000 cubic ft., 2/6.
- ,, ,, 1,000 ,, Fir Tree Oil, pint hottles, 2/6; half-pint bottles, 1/6.
- Fowler's, for scale, red spider, &c., jars, 1/6 and 3/-. Mealy Bng Destroyer, in bottles, 1/- and 2/6 each.
- Gishurst Compound, for red spider, &c., 1/- aud 3/-.
- Lethorion Cones, 6d., 8d., and 1/- cach.
- Nicotine Soap. In jars, 1/- and 2/6 each.
- Quassia Chips, extra strength, 6d. per lh.
- Wasp Destroyer, 1/6 and 2/6 per bottle.
- XL All Mildew Wash, \(\frac{1}{2}\)-pint, 1 4; pint, 2/6.
- XL All Insecticide Paste, 1-lb., 2/6; 3-lh., 7/3.
  - XL All Sponging Wash, 6d., 10d., 1/6, and 2/9.

Jadoo, Fibre-1/- per peck; 3/6 hnsh.; 8/- 3 bush.

Labeis, Wood—For Flower Pots (painted), in hundles of 100; per bundle, 4-inch, 8d.; 5-inch, 10d.; 6-inch, 1/-.

Unpainted, per 100, 4-inch, 5d.: 5-inch, 6d.; 6-inch, 7d.; 7-inch, 8d.; 8-inch, 10d.; 9-inch, 1/-; 10-inch, 1/4; 12-inch, 1/6.

Lead Wire-Per lb., 1/3.

Lines, Garden-Best hemp, in 30 and 60 yard lengths, 1/6 and 2/9 each Manures-Basic Slag, per cwt., 10/6; 7 lbs., 1/-.

- Bone Meal, in a fine state, suitable for potting, at current prices. Present price, 2/6 for 14 lbs.
- Bones, Crushed, for vine borders, at current prices. Present price, 2/6 for 14 lbs.
- Cannells' Garden-See special page.
  - Chrysanthemum Manure, 7 lbs., 3/6; 14 lhs., 6/-.
- Clay's "Fertilizer," in packets, 1/-; 7 lbs., 2/6; 14 lbs., 4/6; 28 lbs., 7/6; 56 lbs., 12/-; 112 lbs., 20/-.
  - Guano, Canary, tins, 6d. and 1/- cach; 14 lbs., 4/6; 28 lbs., 7/6; 56 lhs., 12/6; 1 cwt., 20/-.
- Nitrate of Soda, 4 lhs., 1/-; 14 lhs., 3/6; 28 lbs., 6/-.
  - Standen's, in canisters, 1/-, 2/6, and 5/6.
- Sulphate of Ammouia, 6d. per lh.; 7 lhs., 2/6; 14 lhs., 3/6.
- Sulphate of Potash, 7 lbs., 1/9; 14 lbs., 3/3; 28 lbs., 6/-.
- Superphosphate, 7 lhs., 1/3; 14 lbs., 2/-; 28 lbs., 3/6.
- Thomson's Vine, 1 cwt., 20/-; 28 lhs., 6/-; 7 lbs., 3/6. XL All Tomato, 4 lhs., 1/-; 7 lbs., 1/8.

Mats-Best Archangel, 1/9 each, 18/- doz.; St. Petersburg, 1/6 each. Mattock-3/6 each.

Measuring Tapes-7/6 and 9/6 each.

Moss-Green, for furnishing, 6d. per buudle, per doz., 5/6.

Sphagnnm, for Orchids, 3/- per hushel, 12/- per sack.

Nails-Best cast iron, 3d. per lb., 7 lhs. 1/9.

Netting, Garden-2 to 4 yards wide, 2d. and 4d. per yard run.

Packing Needles-8d. aud 1/6 each.

Pans, Propagating or Seed-Round and oblong, 4d. to 3/- each

Pea Guards-Wire, per doz., 3/6.

Peat—Specially selected for orchids, 10/- per sack, 3/- per bushel.

Pencils-Indclible, for writing on wood, &c., 3d. cach.

### MISCELLANEOUS GARDEN REQUISITES .- continued.

Rafflatape - Recls, 1/6; post free, 1/9.

Rama Grass-For tying. 1/3 per lb. Dyed green, 2/- per lb.

Rakes-Iron, all sizes, from 6 to 16 teetb, extra strong, 1/- to 3/4.

- Daisy or Lawn, 18 to 24 teeth, 6/6 to 8/-.
- Handles for Iron Rakes, 6 feet long, 10d.

Reels, Garden-Iron, strong, with pin, 2/6 and 3/-.

Sand, Silver-2/6 per busbel.

.. Lawn—Tins, 1/- and 2/6 each; 28 lbs., 5/6; 56 lbs., 16/-.

Seythe Stone-6d. each.

Secateurs—Best quality, 6-in., 3/6; 7-in., 4/-; 8-in., 4/6 per pair.

Shading, Williams' Euroka - per pkt., 1/-; free pareel post, 1/4.

Shears-Hedge-cutting, with Noteb, 9 and 10-in., 5/- and 6/- per pair.

Trowel Cranked, for cutting grass, 3/-.

Shovels-Square and diamond-pointed shape, best manufacture, 3/- to 4/6.

Shreds-For nailing purposes. List in 1-lb. balls, 1/-.

Slugdeath-A complete antidote against slngs. In tius, 1/- each.

Sleves or Riddles-3/9 to 4/6 each.

Soil, Potting-1/6 per busbel; 3 bushels, 4/-.

Spades-Best quality, 4/6, 5/-, and 5/6 each.

Strawberry Supports-1/3 per doz.; 8/- per 100.

Styptic, Thomson's—For preventing bleeding of vines, 1/6 bottle. Sulphur, Flower of—6d. per lb.

Summer Cloud-For shading conservatories, &c., 1/- per packet.

Thermometers—Boxwood, 1/3 to 2/6; maximum and minimum combined, 8/6 to 21/-; for ground or bottom heat, 4/6 to 10/6.

Tobacco Powder-1/- and 2/6 per tin.

,, Rag-For fumigating, 1/3 per lb.

Tree Pruners, Standard—For pruning high branches, 6/6 to 10/6. Trowels—Garden, 1/6, 1/9, 2/-, and 2/3 each.

Turfing Irons or Spades-For lifting sods, 9/-.

Tweezers, for Chrysanthemums-Steel, 1/9 and 3/-; Ivory, 3/6.

Twine, Tarred-Coarse, 1/- per lb.; Fine, 1/3 per 1 lb.

Vaporite (non-poisonous)-Tins, 9d.; 7 lbs., 2/-; 28 lbs., 4/6.

Verbena Pins, Galvanized-1/- per box of one gross.

Wadding-For packing fruit and flowers, per doz. sbcets, 4/- and 2/6.

Haws's Improved Watering Cans—One quart, 2/-; two quarts, 3/-. Shelf Can, two quarts, 2/9; three quarts, 3/6. Greenbouse Can, two

roses, four quarts, 5/-; six quarts, 6/-; eight quarts, 6/9.

Wood Wool—For packing fruit, 4d. per lb.; 7 lbs., 2/-; 14 lbs., 3/9. Worm Destroyer—1/6 per bottle.

### CHAMPION LAWN WEEDER.

A Simple and most Effective Tool. Price 4/-. Postage 6d. extra.

# BOUQUET WIRE (Silver White).

Bouquet Stalk Wire.—7-inch lengths in bundles of 1 lb.; thinnest 1s. 3d.; medium thin, 1s.; thick, 10d.; very thick, 9d. per lb.

Silvered Binding Wire.—Per reel, 2d. and 1s.

# "XL ALL" VAPORISING FUMIGATOR.

(IN LIQUID.)

Fumigators with Lamp complete (Will last for years).

To do 5,000 cubic feet of space at a time, 2s. each.

To do 2,000 cubic feet, 1s. 9d. each.

### COMPOUND for using in the Fumigators.

Bottle.		et	ough for bic feet.		8.	d	Bottle	Enough for cubic feet.			-3
No. 1			40,000	 	20	0	No. 5	 2.000		1	9
,, Z	***		20,000	 	10	- 6	6	 1 000		Λ	8
,, 3	• • •	•••	10,000	 •••	5	6	Tin	 160,000	 	72	õ
4			5,000	 	2	10		-,			,

Showing a cost for fumigating of only 6d. per 1,000 cubic feet of space.

# NO. 50. THE FOUR OAKS PLAIN SPRAYING SYRINGE.

With Patent Spraying Nozzle, with Quick-filling Valve, and one ordinary Rose. Polished and Lacquered.

In order to meet the demand for a cheap Spraying Syringe, we have decided to offer the Spraying Syringe before described, without the Undentable Covering, and, of course, without the three years' guarantee.

Angle Bends for spraying under leaves and branches.


1 in. and 1½ in., 1/6.

Strong and well finished. Carriage paid, 4d. extra.

# THE FOUR OAKS UNDENTABLE SYRINGES

All gnaranteed against indentation of working barrel for three years.

(Prices liable to fluctuate according to the cost of Copper.)



No. 1.—The Gardener's Ideal Syringe. Best quality, complete with two roses and jet, quick-filling ball valves, teak handle,  $1\frac{1}{2}\times 20$  in., 21/-;  $1\frac{3}{4}\times 20$  in., 25/-

THE FOUR OAKS UNDENTABLE SPRAYING SYRINGE

PATENT

Gives a fine mist or vapour-like spray which can be regulated according pressure used. Invaluable for spraying plants, distributing insecticides, & No. 9 ... ... 1\frac{1}{8} in. \times 20 in., 12/6; 1\frac{1}{2} in. \times 20 in., 16 Angle Joint—Enables the user to spray the undersides of leaves.

5/6 for 1\frac{1}{8} in.; 6/- for 1\frac{1}{3} in.

# "XL ALL" WEED KILLER (IN LIQUID)

Full directions for use printed on each package. To be used in the proportion of one gallon to 25 gallous of water.

In Strong Drums of 1 gallon ... 2 6 In Strong Drums of 6 gallons...12

,, ,, 2 gallons ... 4 6
,, Cask, 12 gallons ... ...23

Special quotations given for large quantities.

FOUR GALLONS OR MORE SENT CARRIAGE PAID TO ANY PART.

Drums and Casks are charged at cost price as quoted below, and full invoice price allowed for same if returned in good condition and Carriage Paid.

1-gallon Drum ... 2 0 6-gallon Drum ... 2-gallon ,, ... 2 4 12-gallon Steel Cask 4-gallon ,, ... 3 0

### CHANDLER'S COMBINED WALL NAIL.

In boxes of 100 assorted  $\frac{1}{2}$  in. to 1 in., 1/6;  $1\frac{1}{4}$  in. to  $1\frac{1}{2}$  in., 2/- per box; 2 in. only, 2/6 per box.

### ACME LABELS.



Acme Label for ORCHIDS, 3s. 6d. per Dozen, or 36s. per Gross.


Acme Label for FRUITS,

Acme Label for ROSES,

1s. 3d. per Dozen, or 12s. per Gross.

1s. 3d. per Dozen, or 12s. per Gross.

### ZINC GARDEN LABELS.



				Per 100	—s.	d,	Per 100-a. d.
No.	1.	Zinc	Garden	Labels	4	0	No. 13. Zinc Garden Labels 2 0
11	2.	11	,,	,,	3	0	,, 14. ,, ,, ,, 1 6
51	3.	11	,,	2.2	3	6	,, 15. ,, ,, 2 0
11	4.	11	11	11	3	0	,, 10. Flat Zinc Layer Peg 1 3
11	5.	11	11	21	3	6	, 16. Galvanised Wire Verbena
	6.		"	11	2	6	Pins, per gross, 1/0.
	7.		"	11	2	0	Postage extra.

INDELIBLE INK for the above, per bottle, 6d. and 1s.

### "XL ALL" VAPORISING COMPOUND

(IN DRY CAKES.)

These Cakes when used in the Fumigators, first melt to a liquid and then passes entirely away as vapour, which is fully as effective and safe as that produced by the Liquid Vaporising Compound. Packed in tins to correspond precisely with the Liquid contained in the various sizes of bottles, viz., boxes for 40,000, 20,000, 10,000, 5,000, and 2,000 cubic feet of space, and at the same prices.

### ACME CAST LABELS.

THESE NEW LABELS have been introduced to supply a long-felt want for a label similar to the now well-known "Acme" Labels, made for Roses, Fruits, Orchids, and Chrysanthemums, but of various sizes, and capable of being made with any name.

### PRICES.

No.			Pe	er doz.
201. For Forest Trees, on stem 14 in. long			•••	12/0
202. ,, ,, for hanging				9/0
203. For Herbaceous Plants, on stem				3/0
204. ,, ,, for hanging		***	• • • •	2,6
205. For Carnations, Pot Plants, &c., on stem	***			2/6
206. ,, for hanging	***			2/0
207. Number Labels, on stem				2/0
208. ,, ,, for hanging	***			1/9

### THE SPRINGTHORPE CUP AND TUBE.

PROVISIONALLY PROTECTED, No. 7141, 1894.

### For EXHIBITING CHRYSANTHEMUMS

And other Flowers.


By using these Tubes the exhibitor can raise his flowers seven inches from the board with instant adjustment.

3 ,, ,,
$\frac{2\frac{1}{2}}{3}, \frac{1}{2}, \frac{1}{2}$
2 in. diameter.

Additional lengths to further raise the Water Tubes, 2/6 per doz.



# PRUNING AND BUDDING KNIVES, SCISSORS, &c.



# CANNELLS' ONE-AND-ONLY TREE WASH.

PRICE:—Per One Gallon, 3s. Per Half-Gallon, 1s. 9d. Per Quarter-Gallon, 1s. Per 10 Gallons, 27s. Per 50 Gallons, £6 10s. Per 100 Gallons, £12.

### DRUMS EXTRA.

Quarter-Gallon, 3d.; Half-Gallon, 4d.; 1-Gallon, 6d.; 2-Gallon Drums, 2s. 3d.; 3-Gallons, 2s. 6d.; 4-Gallons, 3s.

Drums allowed in full, if returned carriage paid.

# ALL FLOWER SEEDS POST FREE.

CANNELLS' COLLECTIONS.

# HALF-PACKETS AT HALF PRICE OF ALL FLOWER SEEDS

Where priced 1s. and upwards, except Collections and Novelties.

For Penny Packets, see end of List.

The following Collections, consisting of Selections from our Eynsford Seed Grounds of the choicest and most universal favourities of the garden that have been awarded numerous first prizes, we are sure will give every satisfaction:-

### COLLECTIONS TO THE VALUE OF 31s. 6d. and 42s. ALSO SUPPLIED.

### Phlox Drnmmondi Varieties of Showy Hardy Annuals Popular Hardy Perennials Half-hardy and Tender Annuals Ornamental Grasses for Winter Bouquets and Table Decoration Everlasting Flowers Climbers 2 ozs. Sweet Peas, finest mixed 1 oz. Mignonette, Sweet Scented ,, Nasturtiums, Dwarf, mixed l Packet Choice Pctunia 6 Selected Varieties of Greenhouse Plants, including Calceolaria, Primula, Begonia, Cineraria 1 Packet of Balsam, Cannells' Perfection Sunflower, Single, mixed Verbena, choice mixed No. 2, price 10s. 6d., contains (post free) Collection of 12 Varieties of Asters Large Flowering German Ten-week Stock Varieties of Half-hardy and Tender Annuals Hardy Perennials the best and most showy Hardy Annuals ,, Everlasting Flowers Ornamental Grasses for Winter Bonquets ,, Packet of Double Zinnias, mixed Petunia, choice, mixed Balsam, Cannells' Perfection Sunflower, Single, mixed Verbena, choice mixed

No. 3, price 7s. 6d., contains (post free)

No. 1, price 21s., contains (post free)

Brompton Stock

Double Zinnia

Improved Pacony Perfection Aster Large Flowering German Ten-week Stock

Collection of 12 Varieties of Victoria Aster

33

2.3

12

oz. Sweet Peas, fluest mixed , Mignonette, Sweet Scented , Nasturtiums, Tall, mixed

Packet of Paony-flowered Aster

Varieties of Showy Hardy Annuals
Half-hardy and Tender Annuals Hardy Perennials

German Ten-week Stocks Double Zinnia, mixed

Convolvulus Major

,,

,,

6

```
No. 3 -- Continued.
  1 Packet of choice Petnnias
                Mignonette, Sweet Scented
                Balsam, Cannells' Perfection
        91
                Sweet Peas, finest mixed
Everlasting Flowers, mixed
Ornamental Grasses, mixed
       5 9
       2.5
       ,,
                Phlox Drummondi, mixed
              No. 4, price 5s., contains (post free)
10 Varieties of Showy Hardy Annuals
3 ,, Half-hardy and Tender Annuals
3 ,, Hardy Perennials
   Packet of Double Zinnias, mixed
                Victoria Asters
                German Ten-week Stocks
       ,,
                Balsam, Cannells' Perfection
               Mignonette, Sweet Scented
Sweet Peas, finest mixed
Ornamental Grasses, mixed
       ,,
                Everlasting Flowers, mixed
       5.5
                Phlox Drummondi, mixed
           No. 5, price 3s. 6d., contains (post free)
```

18 Packets of the most useful Annuals for cutting.

### No. 6, price 2s. 6d., contains (post free) 3 Varieties of Showy Hardy Annuals Half-hardy Annuals Packet of Balsam, Cannells' Perfection Best Quilled Aster 1.2 German Ten-week Stocks

Everlasting Flowers Ornamental Grasses Sweet Peas Mignonette Sunflowers

### No. 7, price 1s., contains (post free)

12 Packets of the most Showy Hardy Annuals for an Amateur's Garden. Cheaper by the dozen or gross.

### No. 8.-Cannells' Collections of Flower Seeds for the Colonies and India.

Judicionsly scleeted, earefully and securely packed for exportation, 5/0, 7/6, 10/6, 15/0, 21 0, 30/0, 42/0, 63/0.

### CANNELLS' FLOWER SEEDS BY WEIGHT.

The following, grown by us in large quantities, enables us to supply them by weight, but of not less than half an ounce of each kind at the prices quoted:—

oun	ce of each kind at the pr	ices qu	otea:—	70										Don			
10.	Alyssum, Sweet			Per	ouuce.—		1.	56.	Nasturtium, Ta	all, mixed				rer	ou <b>nce.</b> -	s. 0	
	Antirrhiuum, mixed; our own					1	6	57.		om Thuml		ess of Ind	ia			1	0
	Aquilegia, finest, mixed				•••	1	6	58.	11	,,	Scarle				•••	0	9
	1 0 /						0	59.	77	73	Pearl			•••		0	E
		•••		•••		2	6	60.	,,	,,	Cryst	al Palace				0	
	12		• •••		•••	0	9	61.	,,	11	Spott		•••	•••		0	
16.	Beet, dark leaved, useful for be-	dding	•••	•••	•••	0	9	62.	**	1,	•	Theodore				0	
17.	Calliopsis, mixed	•••		•••	***	0	9	63.	· ·		Yello		•••	•••		0	
18.	Candytnft, white				•••	0	9	64.	,,	ixed				•••	•••	0	
19.	,, climson					0	9		Nemophila Ins				***			0	
20.	,, mixed					0	8						•••	• • •	•••	0	
21.		•••				1	6	66.	•	ked			•••	•••	•••		
	Centaurea (Corr flower), mixed				•••	0	9		Nigella Damas				•••	•••	•••	0	
23.						0	9		Ornamental Gi				••	•••	***	1	
24.	Chrysanthemum, Cariuatum, m					1	0		Perilla Nankin			••	•••	•••	•••	1	
	Clarkia, mixed					0	8		Phlox Drumm			•• •••	•••	•••	•••	2	
				•••		0			Poppy, fine mi				•••		•••	0	
							6		Pyrethrum, Go		her .		•••	•••	•••	3	
	,, Major, mixed			•••	•••		6	73.	Ricinus Gibson	ni	•••		•••	••	***	0	
	Delphinium hybridum, mixed			•••	•••		0	74.	Saponaria Cala	abrica	***			•••	***	0	1
	Dianthus Heddewigi, finest mix			•••		2	1	75.	Silene pendula	, pink	•••		• • •	•••	• • •	0	-
	Digitalis (Foxglove)				•••	1	- 1	76.	,, mixed	•••	•••		•••		•••	0	-
				•••	•••		8	77.	Schizanthus, n	nixed			•••	•••	•••	1	-
	Erysimum Perowskianum	•••		•••	•••		1	78.	Snltan, Sweet,	mixed	•••			•••		1	1
	Eschscholtzia Croeea					0		<b>7</b> 9.	Sunflower, dou	ıble	•••					0	
34.	**	•••		•••	•••		8	80.	,, siu	gle					•••	0	
	Flos Adonis	• • • • • • • • • • • • • • • • • • • •		•••	•••		9	81.	Sweet Pea, sea	arlet					***	0	
	Gilia Tricolor		• ••	•••	•••		6	82.	,, wl	hite				•••		0	
	Godetia, Lady Albemarle		•	•••	•	1		83.	**	athyrus O			mixed,	per pir	it 2/6	0	
38.	,,		• •••	•••	•••		9		Sweet Rocket		· · · · · · · · · · · · · · · · · · ·	•••				0	
39.	,,			•••	•••	0			Sweet Williau			•••	•••			1	
	Gypsophila Elegaus			•••		0	9		Tagetes Signat			•••		***		2	
	Helichrysum, finest mixed			•••	***	2	0		Tropæolum Ca					•••		1	
42.	Larkspur, Tall Double Rocket,	mixed			•••	0	9		Virginian Sto	,	`		•••	•••		0	
43.	Lavendula Spicata (Lavender)				•••	0	9	89.	~				•••	•••	•••	0	
44.	Limnanthes Douglasi			•••	***	0	9	90.								0	
- 45.	Linum Grandiflorum Rubrum				•••	0	8	1	Viscaria, mixe			•••	•••	•••	•••	U	
46.	Lobelia Speciosa (Crystal Palac	ce)				3	0		Wallflower, da			•••	•••	•••	***		
	Love-lies-Bleeding, crimson					0	G					•••	•••	•••	•••	. 1	
48.	Lupinus Nanus				•••	0	8	93.	• • • • • • • • • • • • • • • • • • • •	ellow		•••	•••	•••	•••	1	
49.	Mixed, Annual					0	4	94.		nixed		•••	***	•••	***	1	
50.	,, ,, Perennial					0	9	95.	Zinnia, double	e, mixed	•••	*** 534	***		•••	2	
51.	Maize, variegated					0	6										
	Malope, Grandiflora					0	8		MIXED	FLOWE	R SEE	DS-					
	Marvel of Peru, mixed			•••			9	0.0	(1) 11 .								
	Migronette, Cannells' Machet			•••	•••		6		Tall, in great				•••	per l	b. 5/0	0	
	Sweet Scented		•• ••		b. 5/0		6	97.	Dwarf, ,,	99	•••	•••	•••	,,	5/0	0	
001	,, 5,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			I/OI I	0/0	V	0										
		70															

### MISCELLANEOUS COLLECTIONS OF SEEDS.

				۶.	d.		
98.	Climbing Plants, 12 useful varieties		 	 3	6	103. Sub-Tropical and Ornamental Foliage Plants, in 12 varieties	8
				 2	0	104. Sweet Scented Flowers, in 12 varieties	
	Hardy Annuals for Bees, in 12 varietie	S	 	 2	6	105. Everlasting Flowers, in 12 varieties	
101,	. Hardy Perennials, in 12 varieties		 	 3	0	) 106. ,, ,, ,, 6 ,,	
102.	Rockwork Flowers, in 12 varieties		 	3	0		

# GERERAL LIST OF FLOWER SEEDS.

ALL FLOWER SEEDS ARE SENT POST FREE.

Any Variety not mentioned in this List can be supplied on a few days' notice.

### Full sized Packets only can be supplied of Novelties.

	ruii sizea	Packets	only	cai	n
	ABBREVIATION	1S.			1
ac	Annual Climber. hba	Half-hardy A	nnnal.		
ap	Apetalous, without petals. hlu				
ga	Greenhouse Annual. hb	Hardy Bienni	al.		
gb	Greenhouse Biennial. hbc			er.	
	Greenhouse Climber. hhc Greenhouse Perennial, hhb	Half-hardy Cl	imber		
gp	Greenhouse Sbrub.	Half-hardy Bi			
hsb					
	11-16 1 1 01 1	Half-hardy Pe			
ha		Stove Plant			
H	ARDY ANNUALS may be sown from	om February ti	ll the en	7 of	
eptem	iber; March, April, and May are the bo	st months for ge	neral Sum	mer	
uspiay	; June and July for Antumn blooming	o: Anonst and !	Sentember	for	
pring	nowcring. Half-hardy Annuals—Sow f	rom the beginning	or of Marc	h to	
he end	of May; place in a frame on a gentle bo	ttom heat. Whe	n sowing f	rom	
rtifici	ddle of April to the end of May they al heat, and by selecting a warm, she	may be easily r	aised with	out	
hem w	rith a hand-light till they are strong en	ough to beer tre	and cove	ring	
RI	ENNIALS AND PERENNIALS—	The meet -1	meprantin	ğ٠	
arietie	s for Snmmer and Autumn blooming n	lar he sown in a	contla ha	nder	
March	and April, and pricked ont into pots in	itil fully actablic	thad and	han	
outea	on singly, or transplanted into the on	en grannd se ra	haring	Tha	
ardier	varieties may be sown in the open ground	ind, in prepared	l beds in J	nna	
na su	iy, and woch strong enough, transplant	ed to where the	y are inter	nded	
	m the following year.				
HI	ERBACEOUS PLANTS are those Per	ennials which lo	se their st	tems	
nnnail	y, whilst the roots continue alive in the				
107.	Ahronia Umballata (Sand Va	Palland	er pkt.—s	. d.	
1011	Abronia Umbellata (Sand Verdwarf trailer, for poor dry soils and	rockwork bbs	rose;	3	•
108.	Abutilon, Canneils'—Very showy	decempting on	if ft. (	, 5	
100.	growing, hbsh, 3 to 6 ft. high. Mix	, decorative, an	a iree-	ا ما	
109.	Acacia Armata-Yellow, useful for	or decoration h	hsb (		
110.	— Dealbata—The well-known v	ellow Mimosa.	hhah . (		
111.	Lophantha—Fige fern-like fo	liage, hhsh, 6ft.	. (		
112.	Choice, mixed, decorative plan	ts, with pretty	foliage		
110	and flowers, hhsb Acanthus—Choice mixed, hp		6d. &	1 0	
113.	Aconitum, Mixed.—Suitable for		6d. &	1 0	
	*Acroclinium Album—White, hha	snady situations	, пр	0 G 0 <b>3</b>	
116.	*- Grandiflorum Atroroseum	m (Everlasting	)—hhs.		
	1 to 2 ft		(	3	
117.	*— Roseum Fi. Pi – Rose, bha, 1	₹ ft	3d. & (	0 6	
0.00	Flowers of these should be gathered by	etore they are	fully ope	ned,	
118.	o secure a bright centre when dried.  Adenophora Potaninl — Flower	e during Tule	- Ana		
110.	Bell-shaped flowers, light blne, hp, 3	ft.	— Ang.	6	
119.	Adonis Æstivalis (Flos Adonis)-	- Crimson, ha, 1	ft (	3	
120.	Vernalis-Yellow; for flower	border and rock	kerv in		
101	Spring, hp, \$\frac{2}{3}\$ ft Ageratum, Blue Perfection—Fo		(	3	
121.	Ageratum, Blue Perfection—Fo	or borders and b	edding,		
122.	hha, $\frac{3}{4}$ ft	heat of all the	dworf.	0 6	
100.	blnes, hhs, $\frac{1}{2}$ ft	ocot of all the		0 6	
123.	Imperial Dwarf Whit	e-hba, } ft		3	
124.	— Swanley Biue "—Dwarf, hha	, <del>}</del> ft	(		
125.	Agrostemma Coronaria Atr	osangulnea -	- Deep		
100	crimson, hp, 2 ft		9		
126.	Coronaria (Rose Campion)-	Rose, hp, 2 ft.	(		
127. 128.	Alonsoa Albiflora—White, hlia, 1	o to Z It.	(	3	
120.	— Miniata Compacta Coceln for beds, borders, and pot culture, hb	o 11 ft	-	) 6	
129.	- Mutisl—Soft nink crimson cer			ט ע	

Mutisl—Soft pink, crimson centre. hha, 1 ft.

— Compacta—Bushy habit; rosy chamois; pretty,

129. 130.

131. 132.

	Per pkt	-s.	ď,
13	4. Alvssum Marltlmum (Sweet Alvssum)-White very		
13:	pretty, ba, \$\forall ft 2 5. — Saxatile Compactum—Yellow; snitable for rock-	0	3
10	erv and early Spring gardening by 3 ft	0	3
136	ery and early Spring gardening, hp, 3 ft		
	mental. Red, ha, 2 to 3 ft	0	3
137	dia di		
138	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0	3
100	borders, or conscriptory, hhs, 3 ft. Sow early in March	0	4
139	Trlcoior (Joseph's Coat)-Dwarf; beantiful foliage,	Ĭ	
	hha, 1½ ft	0	3
140	Amaryllis (Hippeastrum), newest Hybrids—Saved	0	
141	from a collection of exceptionally fine varietics. 1s. 6d. & Ammoblum Alatum Grandiflorum (Everlesting) —	2	6
	Flowers pure white, of a small rosette shape, hhp, 1\(\frac{1}{2}\) to 2 ft.	0	3
143	2. Anagallis Grandiflora Breweri—Dark blue; edgings		
1.4	for rockwork and sunny positions, hha, ift	0	3
14: 14:		0	3
14.		U	0
	a grand advance, hp, 3 to 4 ft 6d. &	1	0
14		0	3
14		_	
14	fine for bcds; early, hp, \frac{1}{2} ft	0	8
14:		·	·
11	of many beautiful colours, bp, 1 ft 6d. &	1	C
150		0	(
15	Angeignia Grandiflora Alba A graceful greenhouse		
	plant, of aromatic odonr, gp, 1 ft	1	C
15:	Antirrhinum Majus Striped (Snapdragon) - Beautifully	0	_
153	3 Self-coloured Mixed-Beautiful rich varie-	U	٦
	1108, 110, 2 11,	0	6
15	1. — 8 choice varieties, separate, hp. 1s. 6d.		
15		^	,
15	white, long and graceful flower stalks 6. ———————————————————————	0	,
10	shade 6d. &	1	(
15		1	0
15			
15	9. $\frac{1 \text{hroat, hp, } 1\frac{1}{2} \text{ ft}}{\text{Deflance}} - \Lambda  remarkable and ex-$	1	C
15	tremely brilliant colour of the semi-tall class of Snapdragons.		
	the nearest approach to a fiery searlet, hp 6d. &	+	-
	Carlo Salar Sanata		




AGERATUM-CANNELLS DWARF.

0

3

	Per pkt.—	8.	d.
160.	Antirrhinum Majus Nanum, Fire King-Shining	,	^
161	orange-scarlet-red with white throat, hp 6d. & Brilliant Rose_A remarkably pretty	1	0
101	and attractive colour, rosy red, free flowering; effective 6d. &	1	0
162	- "Golden Gem" - Dwarf rich yellow; attractive.		
7.00	"Queen of the North" - Large white flowers	0	6
163.	nseful for cutting by 11 ft	0	6
104.	useful for cutting, hp, $1\frac{1}{2}$ ft $3d$ . & $3d$ . & Tom Thumb''-Mixed flowers large, stiff growth,	Ů	
	masses of blooms; attractive, hp, ½ to 1 ft 8d. &	0	6
	EYNSFORD PIGMY ANTIRRHINUMS.		
	AWARDED A SILVER MEDAL BY THE R.H.S.		
A	very fine strain about six inches in height, and furnished with	lai	ge
umber	s of spikes bearing flowers distinguished by their large size	е я	nd
	e colouring. Per pkt		
165.		0	6
166.		U	6
167.	Aquilegia, Columbine - Long-Spurred Hybrids -		
	It is scarcely possible to lavish too much praise upon this		
	graceful and elegant family of plants, being most beautiful		
	in hahit of growth, colours, and form of flowers. After		
	several years' careful selecting and re-selecting, we have		
	obtained a splendid strain, which we now offer to all		^
	admirers of this graceful and delightful flower, hp. 6d. &	1	0
168.	— Californica Hybrida — Large centre petals		
	yellow, deep orange-red sepals and spurs, hp, 2 ft	0	6
169.	Chrysantha-Beautiful yellow, hp, 2 to 3 ft. 6d. &	1	0
170.	— Corulea Hybrida — Flowers are large, sulphuryellow and pale blue, hp, 2 ft 6d. &	1	0
	yenow and pare blue, up, 21t oa. «	1	U





# OUR OWN KENTISH-GROWN AND SELECTED ASTERS

are known and celebrated as the best.

AWARDED SEVERAL SILVER
AND SILVER-GILT
FLORAL MEDALS BY
THE ROYAL
HORTICULTURAL SOCIETY.

CULTURAL DIRECTIONS.—Sow Aster Seed in February and March in pots, or ou a spent hot-hed in drills, 4 inches apart. Soon after the plants are up prick out into a cold frame, or under hand-glasses, 3 to 4 inches apart, from whence they can he planted out when 4 inches high. Select showery weather for planting, when the ground is in good working order; plant out in rows 1 feet apart each way. To grow Asters to perfection a rich deep soil is indispensable, and during dry weather they should be watered, and a top dressing of well-rotten manure applied early in August. Be very particular that they are always thoroughly free from insects when they are planted out, otherwise the leaves will become curled, and vigour and protectionlost for the season. If required for exhibition the buds should be thinued, and the plants well watered with liquid manure. During the last fortnight cover with glass.

I'er pkt Cocardeau, or Crown Aster—A very striking and distinct class, each flower baving a white centre surrounded by rose, crimson, blue, &c, hha, 1 ft.	٤.	d.
185. MIXED COLOURS 6d. &	1	0
185A. COLLECTION of 6 distinct colours, separate, 1s. 6d.		
Comet Aster—A truly beautiful and elegant class, resembling in formation the Japanese Chrysantbemum. 1 ft.		
186. MIXED COLOURS 6d, &	1	0
187. COLLECTION of 6 distinct colours, 1s. 6d.		
188. ,, 12 ,, 2s. 6d.		
189. Comet, Empress Frederick-Of the purest white. As a		
pot Aster unsurpassed. One of our best market plants for		
late summer flowering 6d. &	1	0
190. —— Perfection Pink—A beautiful pink shade; compact		
growth; very free, hha 6d. & 191. Comet, Improved Giant White—The centre of the flower	1	0
is formed by a great number of fine golden-yellow florets:		
after a few days they unfold to regular florets, and change		
colour to a pure white 6d. &	1	0
192. Giant Comet, Queen of Spain—Primrose turning to	1	U
blush 6d. &	1	0
193. — Salmon-rose—Lovely when it first begins to bloom	T	U
6d, &	1	0



	ASTER, GIANT COMET, TRIUMPH OF PARIS.	
	Per pkt.—s	, d
194.	Giant Comet, Triumph of Paris Pure white,	
	golden centre. 2½ ft 6d. &	(
95.	Giant Comet, White to Amethyst Blue - New colour	
	6d. &	l (
96	White with Violet Tips-Of snowy whiteness;	
00.	tip of each floret is marked with a rich violet; a pretty	
	effect 6d. &	1 (
97.	Crimeon	
08	Crimson	
100	Light Blue Each colour 6d. &	L (
200.	Lijac Lijac	
	The Bride-White, changing to rose; long wavy	
.01.	The bride-write, changing to lose, long way,	
100	petals 6d. &	
.02.	Single, Mixed-Each flower being faultless and	
20.0	graceful, hba 6d. &	т ,
203.		
	for a long period: petals long and large 6d. &	L (

#### OSTRICH-FEATHER ASTER.

Pretty varieties of this favourite branching class, producing very large flowers on long and strong stems.

		1	er pk'	:ts	. d.
201.	Brilliant Rose, White tipped		. 6d.	de ]	0
205.	Ruby		. 611.	& 1	0
206.	White, tipped Carmine		. 6d.	& 1	()
207.			. 6d.	& 1	0
208.	Rose, White Centre		. 6d.	& 1	. 0
209.	Light Biue, White Centre		. 6d.	& 1	0
210.	Flesh Colour—A beautiful colour		. 6d.	& 1	0
211.	White-Snow white, gracefully formed peta	ls	. 6d.	& 1	0
212.	Maimaison Rose—A delicate colour; fine	flowers	. 6d.	& 1	C
213.	White changing to Azure Biue-Attract	tive	. 6d,		0
214.	Bright Rose-Long loose petals	,	. 6d.	& 1	0
215.	Piuto-Scarlet, passing to dark red; beautif		. 6d.		

#### CHRYSANTHEMUM-FLOWERED DWARF ASTER.

Dwarf compact growth; large, beautifully shaped flowers, very suitable for bedding, hba, 1 ft.

216.	MIXED COLO	URS			6d. &
217.	COLLECTION	l of 6 di	stinct colours	, 1s. 6d.	
218.	,,	12	22 22	2s. 6d.	
219.	Carmine.	221.	Dark Blue.	223.	Scarlet.
220.	Rose.	222.	Light Blue.	224.	White.
		Per	nkt Gd and 1	e	

#### DWARF BOUQUET ASTER.

The flowers are all bi-colonred, small, flat-petalled, and very free; snitable for pot culture, hba, 3 ft. 225. MIXED COLOURS ... ... ... ... 226. COLLECTION of 6 distinct colours, 1s, 3d. ... 6d. & 1 0

#### ENGLISH QUILLED OR GLOBE ASTER.

The guard petals sit regularly round, and are thickly quilled, with very high centres; for size and shape they are superior to those usually seen at exhibitions, hba, 11 ft.

227.	MIXED COLO	URS						0	6
	COLLECTION							Ŭ	Ü
229.	,,	12	,,	,,	1s. 9	d.			
230.		6			1.				

#### EYNSFORD YELLOW ASTER.

Eynsford Yellow—Perfectly tubular-shaped petals, forming into flowers of the best form and quite globular, of graceful growth, and very free blooming. Award of Merit, R.H.S. ... ... ... ... ... ... 6d & \*\*\*

#### IMPROVED PÆONY PERFECTION ASTER.

The flowers combine enormous size with the greatest perfection in form and doubleness. The plants are of pyramidal growth, hha, 1\frac{1}{2} ft.
232. Amethyst—White, turning to amethyst-blue, with a sating ... 6d. & ... 6d. & 234. 235.

#### VICTORIA ASTER.

The finest variety in cultivation and for exhibition purposes unequalled. Flowers perfectly double, imbricated, globular, and large. Habit very 1½ ft. robust. Amethyst—Distinct and attractive ... ... 6d. & Carmen—Dark salmon and silver; distinct and pleasing 236. 237. Miss Roosevelt-Clear primrose tint, which gradually passes into a delicate flesh colour ... ... 6d. & Indigo on White Ground—Beautiful and attractive. COLLECTION of 6 distinct colours, 1s. 6d.

12 ,, ,, 2s. 6d.

Crimson. | 245. Rosy Carmine. | 247.

Dark Blue and | 246. Light Blue. | 218. 241. 242. Violet. 243. Dark Blue and White. 248. White. 244. Per pkt., 6d. and 1s.

	GIANT VICTORIA ASTER.		a	k
249.	Azure Blue - Grand for exhibition Per pkt	-s. 1	0	eı
250.	Snow-White-Distinct. Flowers nearly 5 inches across	1	0	
251.	and well formed, hha, 2 ft 6d. & Delicate Rose - A pretty shade of colour. 2 ft 6d. &	1	0	
	GNOME ASTER.			
252.	Light Blue-Stiff compact habit; pretty flowers on long stalks; very free and of great hardiness; a unique class.			
	1 ft	1		
253.	Rose -A charming rosc-tinted variety	1	0	
	WASHINGTON ASTER.			
	Extra fine varieties for exhibition, bha, 1½ ft.			
254.	MIXED COLOURS 6d. &	1	0	
	COLLECTION of 6 distinct colours, 1s. 6d.			
	RAY ASTER.		1	V
		,		
25%	Amaranth - Amaranth red, early 6d. & Rright Rose 6d. & 6d. &	1	0	
257. 258.	DIADITO ILOUGO	1	0	
259.	Crimson, White Centre Gd. & Dark Violet, White Centre 6d. &	î	0	
260.	Delicate Lilae 6d. &	1	0	
261.	Fairy—Tender carmine on a white ground. Very pretty	1	0	
262.	Ray Aster-Fiery scarlet	1	0	
263.	Light Blue. White Centre 6a. &	1	0	
264.	Pale Mauve-Very charming and beautiful 6d. &	1	0	
265.	Reddlsh Violet-A beautiful and effective strain 6d. &	1	0	
266.	Rose. White Centre 6d. &	1	0	
267.	Salmon-Rose 6d &	1	0	
268.	White—Pretty and distinct. 1½ ft 6d. &	1	0	
000	Aster Aurora—Yellow, changing to old rose	1	0	
269.	7.000			
270.	— Cactus Celestine—A pure soft lelac	1	0	
271.	Hercules Rosy lilac. A gigantic flowering kind	1	0	
272.	Aster, Queen of the Market, White — Blooming quite three weeks earlier than any other kind, hba, 1½ ft	0	6	
273.	Aster Sinensis, syn. Callistephus Hortensis—Large handsome flowers, delicate pale mauve and a golden central			
	disc, liha, 15 inches 6d. &	1	0	

Aster Sinensls, Single-Flowering China Aster.	The	se
kinds have all the good qualities of the pale mauve-coloured type	; 1	or
eutting purposes they are invaluable.  Per pkt,-	_0	a
274. Apple Blossom.   277. Dark Violet.   275. Carmine Rose.   278. Pink.   279. Violet.   279	-3,	u.
275. Carmine Rose. 278. Pink.		
276. Crimson Purple, 279. Violet.		
Each colour separate	0	6
280. All colours infact	0	G
281. Aster Perennial (Michaelmas Daisy) - From a splendid		
collection. These are most useful for all kinds of decoration.		
Sow in heat. Mixed, hp, 2 to 6 ft 6d. &	1	()
For collections of plants of Perennial Aster, see Floral Guide.		
282. Astilbe Davidii-Spikes of deep rose-violet or manve		
flowers, hp, 6 ft	1	0
283. Aubergine (Egg PLANT)—Handsome truit-hearing annual.		
Sow in heat in March, pot off in rich soil; hha, 2 to 3 ft.	Λ	0
Mixed	U	3
Aubrletla-Splendid dwarf growing plants of spreading l	abi	lŧ;
very attractive in the rock garden; valuable for Spring bedding, hp, ‡	IŢ.	
284. — Deltoldea—Rose-violet, hp	0	6
285. — Græea—Neat hahit; flowers pnrple, lip 286. — Lelchtlinl—Rose-carmine; a pretty variety, hp	0	4
286. — Lelchtlinl—Rose-carmine; a pretty variety, hp	1	0
Auricula—Handsome favourite hardy perennials, hp.		
287. — Cannells' Alpine, hp. \(\frac{1}{2}\) ft 6d. &	1	0
281. — Sweet Scented Giant Yellow—In all shades from		
pale primrose to rich deep pure yellow; bp 1s. 6d. &	2	6
289. Glant Nondescript—An exceedingly rich and beau-		
tiful strain, in all shades of bronze, amher, fawn, chocolate, olive and other musual colours; extra fine quality 1s. 6d. &	2	c
offive and other nausual colours; extra fine quality 13. 0a.		U
DAYCANKC		
BALSAMS.		
290. Cannells' Perfection - bha, 2 ft 6d. &	1	0
201 Cannells' Dwarf Camellla - Flowered—Imbricated		
donble, large flowered. Lilac, rose, vermilion, pale lilae, bright rose; all colours. Mixed, hha, 2 ft 6d. &		
bright rose; all colours. Mixed, hha, 2 ft 6d. &	1	0
292. Camellla-Flowered - 12 varieties, separate, 3s. 6d.		
293. ,, ,, $6$ ,, ,, $2s$ .		
294. Bartonla Aurea-Cup-shape flowers of a hright golden		
yellow: very pretty, ha, 1 ft 295. Beta Chiliensls (Dracæna-leaved)—Effective either for	0	3
295. Beta Chiliensls (Dracæna-leaved)—Effective either for		
borders or shrubbery, hb. 2 ft 1s. pcr oz. : 3d. &	0	(
296. — Willow-leaved—Dark narrow leaves, hb, 1 ft. 6d. &	1	(

## CANNELLS' TUBEROUS BEGONIAS.

#### THE GOLD CLOCK COLLECTION.

Tubers in the dormant state supplied from the end of October until March. After that date in plants



Scatter the Seed on a level, moderately-firm surface, cover with glass and paper, keep it in darkness until germinated; sow and place in heat at any time of the year, or as soon as the seed is ripe; pot the young seedlings off as soon as large enough, and re-pot when necessary; in three or four months they begin to display their heautiful blooms.

#### Cannells' Grandiflora, Single-

297.	Amber.	305.	Pink and White.
	Buff.	306.	Primrose.
	Crimson.	307.	Red.
	Magenta Red.	308.	Salmon.
	Orange.	309.	Scarlet.
	Orange-Scarlet.	310.	White (the purest).
	Picotee.	311.	Yellow.
	Pink.		Per pkt.—s. d.
n separate co	longs		$1s., 2s., 3s. 6d., & 5 0$
12. A COL	LECTION of 6 dis	tinct eoloui	rs, 5s.

Per pkt.—s. d.

313. SINGLE MIXED from the above, all one quality, and saved from the finest varieties in existence, hhp

1s., 2s., 3s. 6d., & 5 0

314 Grandlflora, Double—Saved from ours, the finest collection in the world. Awarded Gold and Silver Medals, Gold

tion in the world. Awarded Gold and Silver Medals, Gold Clocks, Silver Cups, and innumerable First Prizes throughout the globe, hhp. Per pkt. 1s. 6d., 2s. 6d., 5s., and upwards.

315. Bedding, Single -Best varieties, hhp. Mixed ... 1s. & 2 6

316. Hybrida Marmorata, "The Butterfly"—Colours are either scarlet or bright carmine, marbled and mottled white ... ... ... ... ... ...

317. Erecta Cristata—Much improved, colours—red, scarlet, rose, white, salmon, deep salmon, deep yellow, and hronze ... ... ... ... ... ... ... 1s. 6d. &

318. Single, Fringed or Frilled—The quality of seed offered having been gained by artificial hybridising will undonbtedly produce the highest percentage of frilled flowers.

Colours mixed ... ... ... ... ... 1s. 6d. &



BEGONIA GRACILIS, PRIMA DONNA.

# BEGONIAS, SEMPERFLORENS AND WINTER FLOWERING.

319. Davisi—Blnish-green foliage, flowers scarlet, hhp, 3 ft. ... ...


deep rose, long stalks ...

320,	Erfordia—Lovely rosy-carmine, height about 12 to 15 inches. It is a splendid bedder, and also a good Winter-blooming variety, hhp, 1 ft 6d. & 1 0		
321.	Red—A fine improvement; erect growth; deep purple-coloured leaves when fully exposed to the sun, hhp 1 0	s.	d.
322.	Alba-Pure white; for bedding and pot culture	1	0
323.	Begonia Gracilis, Prima Donna—Flowers uncommonly large, of a clear rose, shading to carmine towards the centra	1	0
324.	Gracilis, Fireball — The brightest coloured; brilliant crimson	1	0
325.	Ruby-Foliage brilliant; metallic red brown. 10 in.	1	0
326.	Semperflorens Atropurpurea (Vernon) — Brilliant orange-carmine flowers, and glossy deep brownish-red foliage, the deep red tint growing in intensity as the season advances, hhp	1	0
327.	— Compacta—Forming small, round, very compact bushes of about 4 to 5 inches in height, brilliant red flowers and deep brownish red foliage 6d. &	1	0°
<b>3</b> 28.	—— Mixed—Hhp, 1 ft 6d. &	1	0
329.	Rex-Ornamental-leaved varieties saved from the choicest, hhp, 1 ft 1s. 6d. &	2	6
330.	- Rubens-Red and pink centred foliage	1	6
331.	Bellis Perennis Monstrosa Fi. Pl. (Giant Daisy)—Beantiful and densely imbricated flowers of an nnnsnal size, and varying in different tints, hp 6d. &	ι	0
332.	Bellis Perennis Ranunculiflora Alba—A double pure white variety	1	0
- 200	66 Miles Devidence 11 Di Di Vi - 1		

Per pkt.-s. d.



BEGONIA, SINGLE, FRINGED OR FRILLED.



BELLIS PERENNIS, RANUNCULIFLORA ALBA


	Per pkt.—	-s. (	∄.		Per pkt s.
334.	Brachycome Iberidifolia (Swan River Daisy)-Blue			338.	Cacalia Cocclnea (Tassel Flower)—Flowers scarlet, ha, 1ft. 0
DOT.	Cineraria-like flowers; very profuse flowering, hha, 1 ft	0	3	339.	—— Aurea (Lutea)—Yellow, hs, 1½ ft 0
335.	Browallia Eiata Grandlflora—A pretty plant for the greenhouse or conservatory; hright hlne, hha, 1½ ft	0	3	340.	Cactus — Such as Cereus, Echinocactus, Echinocereus, Echinopsis, Mammillaria, and Opuntia in mixture, gp 1s. & 1
	greenhouse of conservatory, migos mino, min, -4 -1				Calampells—See Eccremocarpns.
	—— Alba—Pnre white flowers, hha, 1½ ft	0	3	341.	Calandrinia Grandifiora (Discolor) — Large rose- colonred flowers, ha, 1 ft 0
337.	Browallia Speciosa Major - Compact and robust;			342.	Speclosa-Pnrple, ha, ½ ft 0
	flowers of a splendid blue: A valuable pot plant; a splendid Winter-hlooming species, hha, 1½ ft	1	0		Alba—White, ha, ½ ft 0

#### CALCEOLARIAS.

#### AWARDED THE GREAT SILVER CUP.

Sow in Angust, and from the moment they are up do everything to keep them growing. Rain water is absolutely necessary. Let them be carefully shifted from the small pot to the 5-inch. Let the night temperature and moisture he such as to cause a nice refreshing dew to stand on the surface of the leaves every morning. This wards off insects and gives vigour to the plant, but it should be dispelled during the day hy the admission of air. Keep all green fly away, if coddled in a house, they are almost sure to be attacked. If so, the most effectual means must he adopted by placing them in a lofty position and funnigating. As soon as the first root appears at the drainage hole, let them he shifted intact and without injury into their blooming pots, making sure that every pot is well drained, for no plant is more liable to become sickly and yellow in wet sour soil than the Calceolaria. As soon as the pots become well filled with roots, give liquid manure once a week, and stake out and funnigate thoroughly just hefore they show flowers, and the result will be a grand sight. Soil similar to that mentioned for Cinerarias and Primulas, excepting animal manure, substituting source and house meal to give darker foliage.

	d hone meal to give darker foliage.				
	Per pkt Swanley Hybrid Dwarf Perfection-Gp. 1s. 6d. & Hybrida Grandiflora, Olympia — A large-Low cred bybrid large and well-formed flowers of a deep brown red		6	369. —— Two spler	Per pkt.—s. department of the part of the same beautiful round the base of the hell, and heing of the same beautiful round the base of the hell round the base of the base of the hell round the base of the
346. 347.	Golden Glory—Flowers hright golden yellow; quite hardy; a valuable garden and greenhouse plant	1		colonr as th	e corolla. These varieties come quite true from seed.  Medium (Double Canterbury Bells)—Mixed, lib, 2 ft. 0  panula Mirabills—Pale blue or lilac flowers, hp, 2 ft. 1
348.	Calla Elliottlana (Richardia)—A beautiful Calla. The srumpet is of a rich pure yellow, dark green leaves, evenly marked and spotted white, gp 1s. 6d. & Calliopsis (Coreopsis) Coronata (Tickseed)—Yellow,	2	6	372. ————————————————————————————————————	Pyramidalls (Chimney Campannla)—Pale hlue, hp,
349 350. 351.	brown spots; very pretty, ha, l ft  Drummondi—Yellow, with brown centre; one of the hest, ha, l ft	0		374. sing	Persicifolia Backhousel (grandlflora alba), gle—Of the purest white, hp 6d. & 1
352. 353. 354.	Tiger Star-Deep brown, with golden spots; unique atrosanguinea-Dark crimson; attractive, ha, 2 ft.  Atklnsoniana-Orange-yellow, spotted brown, ha, 2 ft.	0	3 3 3	376. — olde	Pyramidalis Compacta, Blue—Distinct from the r form; deep hine flowers, hip, 3 ft 6d. & 1
355. 356. 357.	— Cannells' Grandiflora—Yellow; a large free- flowering variety, hp, 2½ ft	0	3	Car Can	pure white flowers. 3 ft 6d. & 1 nary Creeper—See Tropæolnm.  dytuft (Iberis)—One of the most nseful of annuals.  dytuft, Little Prince (Iberls coronaria princeps)
358. 359.	Callirhoe digitata—Crimson, free, ha, 2 ft Calendula Officinalis fl. pl. "Meteor"—Striped flowers, hrown-orange on a pale straw-colonred ground, ha, 1 ft "Orange King"—Dazzling deep orange, ha, 3 ft	0	3 3	379. ————————————————————————————————————	Iassive spikes of large pure white flowers, ha, ½ ft 0  - Crlmson—ha, 1 ft 0  - Empress—Splendid, pure white, ha, ¾ ft 0  - Giant Hyaeinth Flowered White—ha, 1 ft 0
361. 362. 363.	Campanula Carpathica—Blne, hp, \(\frac{1}{2}\) ft	0	3 6	382. —— 383. —— 384. ——	- Lllacea-Lilac, ha, 1 ft 0 - Pink-Distinct, pretty, ha, 1 ft 0 - Cannells' Rocket-White, ha, 1 ft 0
365.	rockery or in a horder, hp	0 0	6	386. ——	Rose Cardinal—Rich colour, ha, 1 ft 0  Sweet Scented—White, ha, 1 ft 0  Mlxed—ha
366 367.	Alba Taro (1211)	0		388. Can trop	inabis Gigantea (Gant Remp)—Cecini for enn- pical effect, ha, 6 ft 0



CANNELLS' CANTERBURY BELLS. CUP AND SAUCER.

## CANNELLS' GOLD MEDAL CANNAS.

During 1909 our Exhibits of glorious Cannas were again appreciated and much admired.

GOLD MEDAL FRANCO-BRITISH EXHIBITION.

SILVER CUP FOR CANNAS AT THE GREAT TEMPLE SHOW.

LARGE GOLD MEDALS FOR CANNAS, LONDON AND SHREWSBURY GREAT SHOWS.

	Per pkt.—s	. d.	
Cannas (Indian Shot)—Mixed	 6d. & 1	. 0	
A Collection of 12 distinct varieties	9	e.	

#### CARNATIONS AND PICOTEES.

398.

401.

102.

ALL SAVED FROM THE FINEST FLOWERS AND BEST NAMED VARIETIES.

190. Carnations.—Seed, Mixed, 1s. 6d. and 2s. 6d. per packet. No Half-packets supplied.

12 varieties, separate, 3s. 6d.

6 varieties, separate, 2s. 0d.

103. Picotee, Canneiis' Choice—Mixed. No half-packets supplied ... ... ... ... ... 1s. 6d, & 2 6

104. Picotee, 12 choice varieties, separate, 8s. 6d.

6

Carnations—Perpetual Fiowering Dwarf Double Margaret Tom Thumb, mixed; a grand addition to this much-appreciated flower. Plants may be had in bloom four months from the time of sowing seed ... ... ... ... ... ... ...

	389.	Canterbury Bells, Cannells —Quite hardy. Habit very dwarf, that the whole plant, when in f presents one surface of colour.	Cleand sull fi	o free	- в. S	d.
	390.	Cup and Saucer varieties,	mix	6d. &		
ş	391.	grand selection, hb, 2 ft.  —— Cannelis' Single—Blue, hb,	 2 ft.	6d. &		3
8	392.	Lilac, hb				3
8	393.				0	3
3	394.	Rosy carmine, hb			0	6
3	395.	White, hb, 2 ft.			0	3
3	396.					3
3	397.			3d. &		



GIANT CHARAUD CARNATION, DUCHESS OF SARE-COBURG-GOTHA.

(33)

Per pkt.--s. d. |

07.	Carnation, Giant Margaret, pure sulphur-yeliow-			
	Large, well-formed double nowers, and reproduces itself	1	0	
08.		1	0	
09.		1	0	
10.		1	0	
11.	— Giants of Nice, Finest Double Mixed — This strain has considerable superiority over the ordinary on account of its increased beauty and large flowers	1	6	
12.	Giant Chabaud, Duchess of Saxe-Coburg-Gotha—Large pure white variety, with long firm creet flower stems	1	6	
112.	—— Tree or Winter Flowering—Saved from the best varieties, hhp, 2 ft 1s. &	2	0	
114.	Carnations and Picotees, Cannells'—Mixed, hp 1s. 6d. &	2	6	
	Sow in Jnne, and treat them like Calceolarias until Septemb after that to be kept in a cool frame.	er;		
	Castor Oil Plant—See Ricinus.	۸	n	
415.	Catananche Cœruiea—Blue and purple, hp, 2 ft	0	3	
416.	Ceiosia Pyramidalis Aurea (Golden)—Ga, 2½ ft	0	6	
417.	Coccinea—Ga, 21 ft	U	0	
418.	— Spicata (Argentea Linearis)—Bright rose tint, changing gradually to a silvery white. 2½ ft	0	6	
419.	Thompsoni Magnifica—Colours from yellow to the deepest blood-red. Excellent for pots, for cutting, and for the open ground 6d. &	1	0	- Contraction
<b>42</b> 0.	Ceisia Cretica—Pure yellow flowers, spotted brown; showy; a splendid border plant, hhb, 4 ft 6d. &	1	0	
421.	Centaurea Cyanus, Mixed—The beantiful Cornflower, ha, 2 to 3 ft. Purple, pink, and white, separate	0	3	
422.	—— Biue (Cornflower)—Ha, 2 to 3 ft	0	3	ı
423.	— Honeymoon—Golden yellow, ba 6d. &	1	0	ı
424.	—— Imperiaiis, Mixed—Colours vary in pure white, lilac, rose, purple, and dark red, ha, 3½ ft 6d. &	1	0	
425.	Moschata Alba (White Sweet Sultan)-Ha, 1 ft	0	3	
4 26.	Purpurea (Pnrple Sweet Sultan)-Ha, 1 ft	0	3	ı
427.	<ul> <li>Ragusina (Candidissima)—The best for bedding purposes; large silvery white leaves, hlip, 1½ ft. 6d. &amp;</li> <li>Suaveolens (Sweet Sultan)—Well known; a very</li> </ul>	1	0	-
428.	nseful plant, flowers bright yellow, ha, la ft. high	0	3	۱
429.	- Sweet Suitan-Mixed, all colours, ba	0	3	1
430.	The Bride - Pure white, long stems; ha 6d. &	1	0	ı
431.	— The Bridegroom-Shade of heliotrope 6d. &	1	0	١
432. 433.	—— The Bridesmaid—Lemon yellow, beautiful, ha, 6d. & Cerastium Biebersteinii—Pure white flowers, silvery	L		
434.	foliage; most nseful for edgings, hp, \frac{1}{2} ft  —— Tomentosum—White foliage, for edgings or rock-	0	3	
495	work, hp, \frac{1}{2} ft	0	6	ı
435. 436.	— Diacantha (Ground Pine Thistle)—Ornamental leaves thickly set with spines, hhb, 1 ft	0	6	
437.	Chelone Barbata (Pentstemon)—Rosy-scarlet; an attractive border plant, hp, 3 ft	0	3	
438.	(Tricolor)—White and vellow band, brown centre, ha, 11 ft.	0	3	
439.	yellow, to pink, blood-red, and the deepest purple, ha, 6d. &	1	0	
440.	Aureis)-Purple scarlet, golden-yellow ring, ha, 3 ft.	0	6	1
441.	Yellow; purple, brown, and other shades of colour round the base, ha, 1½ ft	0	3	-
442.	Coronarium (Double)—Very nscful; valuable for cut flowers, white and yellow mixed, ha, 2 to 3 ft	0	3	-

43.	Chrysanthemum Frutescens Grandiflorum (Marguerite) — Large- flowering Paris Daisy, hp, 1½ ft.
44.	Inodorum, Bridal Robe-Pure white; very free ha 6d. 8
	Variation Dwarf Variation

45. — Japanese Early-Flowering Dwarf Varieties—
The seed should be sown in February, and as soon as large enough to be handled pricked out into boxes or pots, they will then flower the first year, hhp ...

Maximum, King Edward VII.—One of the

446 — Maximum, King Edward VII.—One of the finest, hp, 1½ ft. ... ... 6d. &

449. — Sultan and Lord Beaconsfield—Edged and striped with gold, maroon, and white, ha, 1½ ft ... ...



CHRYSANTHEMUMS, EARLY-FLOWERING JAPANESE.

#### CANNELLS' CINERARIAS.

If required to flower in winter, seed must be sown in May or Jnne. The secret of growing well is to grow fast, never allowing them to receive a check, either from being pot bound, dryness of root, or attack of insects, the cooler they are kept the better, just preventing frost reaching them, and giving abundance of air. If the green aphis is not kept thoroughly any there will not be a bloom worth seeing. Of course at all times the keenst observation of extreme temperature must be made for cold, cutting draughts or a too glaring snn.

Per pkt.—
450. Cinerarias, Canneiis' Star (Steliata)—The 20th Century
Strain. Au acquisition for conservatory decoration.
Many have a most agreeable secut, and when cut
they last long in water ... ... ... ... 1s. &

451. — grandiflora (Single) Cannelis' First Prize—Gp,
1½ to 2 ft. ... ... 1s. 6d., 2s. 6d., &

452. — Hybrida (Double)—Gp, 11 ft. ... 1s. 6d. &

453. — Maritima—Beautiful silver-foliaged, hp, 2 ft.

454. —— Maritima Diamant—Λ superb plant, the silvery appearance very effective, hp ... ... ...



CANNELLS' FIRST PRIZE CINERARIA.

		T GY	pr	· 5.	u,
455.	Clarkia Elegans-Lilac-rose, ha, 2 ft	•••	•	0	3
456.	Nana Rosea-Pink flowers, ha, 1 ft.	• • •	•••	0	3
457.	Mrs. Langtry-Pnre white, centre brillian	t car	mine-		
	crimson, ha, 11 ft	***	•••	0	3
458.	—— Pulchella Alba—White, ha, 13 ft			0	3
459.	Mixed, ha			0	3
460.				0	3
461.	- Fl. Pl. Alba-Double white variety, ha, 2 f	t.		0	3
162.	Fl. Pl. Purple King-Distinct, ha, 2 ft.	•••	***	0	3
163.	- Fl. Pl. Salmon Queen-Pretty, ha, 2 ft.			0	3
464.	Fl. Pl., Mixed-Large, ha, 1½ to 2 ft	***	•••	0	3
165.	Elegans, Brilliant, Fl. pl.—Brilliant salmon distinct. 2 ft	y sc	arlet; 6d. &	1	0
<b>1</b> 66.	Clerodendron Faliax — Dwarf habit; scarle Sow in spring in pans of well-drained sandy soi	t flo l, gp	wers.	2	6
467.	Clianthus Damplerl (Glory Pea of Australia should be soaked in water till they swell, and covered with a quarter of an inch of sandy soil,	i the	n he 4 ft.		
			1s. &	1	6

			d.
468.	Per pktColeus—Choice. Saved from the very best kinds, hhp.	-8.	
400.	$1\frac{1}{2}$ to 3 ft 1s. 6d. &	2	6
469.	—— Thyrsoideus—The habit of the plant is similar to that of an ordinary Coleus. The inflorescence is terminal, thyrsoid, and about 8 inches long. Rich gentian blne colour, hhp	1	6
470.	Cockscombs, Cannells' New Hybrid—All are of rich satiny colonr. Mixed, ga 6d. &	1	0
471.	—— Swanley Dwarf—Crimson, ga, 6 to 9 in	1	0
472.	—— Dwarf—12 varietics, separate, 3s.		
473.	6 varietics, separate, 1s. 6d.		
474.	Cobma Macrostema-Flowers yellow shaded, hhp, 20 ft.	0	6
475.	—— Seandens—Purple-lilac, a rapid growing climber on sonth walls, verandahs, arbours, &c., hhp, 20 ft	0	4
476.	Scandens Alba-White, hhp, 20 ft 6d. &	1	0
477.	Collinsia Bleolor-Purple and white, ha, 1 ft	0	3
	Columbine—See Aquilegia.		
478.	Commelina Coelestls—Bright blue, hhp, 11 ft	0	3
479.	Convolvulus Major—Finest mixed, ha, 10 ft	0	3
480.	—— Major—6 varieties, separate, 1s. 6d.		
481.	— Minor Crlmson-Vlolet - Yellow eye, ha, 1 ft	0	3
482.	——————————————————————————————————————	0	3
483.		0	3
	Coreopsls—See Calliopsis.		
	Cornflower—See Centanrea cyanus.		
484.	Corydalls Thalietrlfolla—Bright yellow flowers. Useful as a pot or basket plant 1s. 6/1. &	2	6
485.	Cosmos Biplnnatus (Cosmea)—Light and graceful foliage; very free-flowcring; purple, hha, 2 ft	0	4
486.	Alba-White flowers, hba, 2 ft	()	3
487.	Early Blooming Grand Fancy-Some are star-		
	shaped. The colours range from pure white through shades of pink and red, hha	0	4
	Large Flowering \{\begin{align*} 488. \text{Crimson} \\ 489. \text{Rose} \end{align*} \delta \text{to 5ft 6d. & \text{colored} \end{align*}	1	0
490.	Cowslip, Common (Primula Officinalis)—Mixed, hp, \$ ft.	0	3
491.	Cuphea Mlniata Compacta—Shades of carmine, scarlet, crimson, and purple; ha, \(^3_4\) ft	0	4
492.	— Platycentra (Clgar Flower) — Tuhular flowers, scarlet and black; adapted for bedding, hhp, 1 ft 6d. &	1	0

## CYCLAMEN, CANNELLS' PERSICUM. OURS ARE THE FINEST AND NEAREST PERFECTION EVER SEEN.

Awarded a Silver Medal by the Royal Horticultural Society for our Strain.

Awarded a Silver Gilt Medal for a collection of plants, and a Certificate of Merit for the Strain, Royal Horticultural Society.

eat an ow-dn epth o	d leaf mould mixed together, and one part of thoroughly de ng sifted very fine, and a little silver sand; cover the seeds of f a quarter of an inch; place the pots on a shelf in the greenle e glass in the Winter, and in Summer in any shaded pit. Und	o t on er	se,	
ircume	stances must the surface of the soil become dry. Some of the	806	eds	
ke for	or months to germinate.			
493.	Glganteum, White Perfection—Price white flowers of great size and substance 1s. 6d. &	2	6	
494.	Plnk Perfection—A lovely shade of pink, admired by all 1s. 6d. &			
495.	King of the Violets-Flowers of a true violet tint, 1s. 6d. &	2	6	
	Persicum, Mixed—Saved from our finest Prize Collection of the very best, gp, ½ ft 1s. 6d. &	2	6	
	Glganteum, Mixed — Very large flowers, gp, is. 6d. &	2	6	
498.	Margaret—Snowy white with silky lilac base, a lovely and delicate hne, marhled foliage 1s. 6d. &	2	6	
	<u></u>		( 35	)

sinly in a compost of two parts three vellow loam, one of

	Per pkt	-5.	d.
499.	Salmon Klng-Clear salmon 1s. 6d. &	2	6
500.	Persleum Giganteum-Rose, gp, & ft 1s. 6d. &	2	6
501.	White, with purple base, gp, \frac{1}{2} ft. 1s. 6d. &	2	6
502.	Papillo (The Butterfly Cyclamen)—Edges of the petals are prettily fimbriated and enried. Mixed 1s. 6d. &	0	6
503.	Persleum Glganteum Improved Papllio A marked	0	
	the size of the flowers 1s. 6d. &	2	U
504.	Feathered Ploneer-White, with a distinct crest of same colour upon the face of each petal 1s. 6d. &	2	6
505	Rose Ploneer - A pretty shade of rose		
500.	1s. 6d. &	2	- 6
596.	- Salmon Pioneer - Charming 1s. 6d. & 1s. 6d. &	2	6
507.	Cyclamen Hardy-For the rockery, hp, 1/2 to 1/2 ft	1	0
508.	Cyperus Alternlfollus-Adapted for the decoration of the greenhouse, conservatory, or table, gp, 2 ft 6d. &	1	0
		_	





CANNELLS' CYCLAMEN PERSICUM GIGANTEUM.

DIANTHUS (SWEET WILLIAM), MAMMOTH HOLBORN GLORY.

=00	Per pkt.	-8.	d.
509.	Dahlia, The Coliaret—Ordinary yellow disc with a series of stulked appendices of a collaret form	1	0
510.	Gigantea, Single-Large and noble flowers, hha,	0	6
511.		1	0
512.		1	0
513.	Double-Saved from show kinds, hhp, 4 ft	1	0
514.	— Double Cactus - Choicest mixed, from our best named varieties, hhp, 3 to 4 ft	1	0
515.	—— Cactus-shaped Single — Their characteristic is twisted or fluted petals, hhp 6d &	1	0
516.	— Pompon—The pretty double bonquet Dahlias, hhp, 2½ to 3 ft. For descriptions, see Gnide 6d. &	1	0
	Dalsy—See Bellis.		
517.	Datura Chlorantha fl. pi.—Golden, double, scented flowers, hha, 2½ ft	0	3
518.	—— Cornucopia ("Horn of Pienty")—French white, marbled with royal-purple; of easy culture, hha, 13 ft.	0	6
519.	· ·	1	0
<b>520.</b>	— Cannells' Hybridum, mixed — From one of the best collections. Awarded the Silver Medal of the Royal Botanic Society, hp, 3 to 5 ft	0	6
	See Collection in Floral Guide.		
521,	Cardinale Handsome species, scarlet and yellow flowers, hp, 3 to 4 ft	1	0
5 22.	Nudicaule-Flowers scarlet, hp, $\frac{3}{4}$ to $1\frac{1}{2}$ ft 6d. &	1	0

Devli-in-the-Bush—See Nigella.  524. Dianthus Barbatus (Sweet Wiiiiam), Canneils' Perfection—Colours rich and varied, hp, 1 ft 6d. & 1  525. — (Sweet Wiiiiam), Mammoth Holborn Glory—The most perfect formed and largely developed flower of Sweet William in existence, hb 6d. & 1  526. ——Pink Beauty—Of a delicate and pleasing pink colour 6d. & 1  527. ——Scarlet Beauty — Very effective; of a bright scarlet colour 6d. & 1  528. — Eastern Queen and Crimson Belle—Eastern Queen is beautifully marbled. Crimson Belle is of a rich, vivid crimson-lake, ha, 1 ft. Each, 6d. per pkt. Both colonrs mixed	523.	Delphinium Sulphureum (Zaiii)—Beautiful sulphuryellow flowers, hp, 3 ft	0
fection—Colours rich and varied, hp, I ft 6d. & 1  525. — (Sweet William), Mammoth Holborn Glory— The most perfect formed and largely developed flower of Sweet William in existence, hb 6d. & 1  526. — Pink Beauty—Of a delicate and pleasing pink colour 6d. & 1  527. — Scarlet Beauty — Very effective; of a bright scarlet colour 6d. & 1  528. — Eastern Queen and Crimson Belle—Eastern Queen is beautifully marbled. Crimson Belle is of a rich, vivid crimson-lake, ha, 1 ft. Each, 6d. per pkt. Both colours mixed		Devii-in-the-Bush—See Nigella.	
The most perfect formed and largely developed flower of Sweet William in existence, hb 6d. & 1  526. — Pink Beauty—Of a delicate and pleasing pink colour 6d. & 1  527. — Scarlet Beauty — Very effective; of a bright scarlet colour 6d. & 1  528. — Eastern Queen and Crimson Belle—Eastern Queen is beautifully marbled. Crimson Belle is of a rich, vivid crimson-lake, ha, 1 ft. Each, 6d. per pkt. Both colonrs mixed	524.		1
527. ————————————————————————————————————	525.	The most perfect formed and largely developed	1
scarlet colour 6d. & 1  528. — Eastern Queen and Crimson Belle—Eastern Queen is beautifully marbled. Crimson Belle is of a rich, vivid crimson-lake, ha, 1 ft. Each, 6d. per pkt. Both colonrs mixed	526.	——————————————————————————————————————	1
is beautifully marbled. Crimson Belle is of a rich, vivid crimson-lake, ha, 1 ft. Each, 6d. per pkt. Both colonrs mixed	527.		1
529. — Cannelis' Heddewigii—Single, easy to grow, and very showy, ha	528.	is beautifully marbled. Crimson Belle is of a rich, vivid crimson-lake, ha. 1 ft. Each, 6d, per pkt.	0
carmine, pink, and white, ha, 1\frac{1}{4} ft 6d. & 1  531. ————————————————————————————————————	529.	Cannelis' Heddewigii-Single, easy to grow, and	0
531. ————————————————————————————————————	530.	Heddewigii Nobilis, Royal Pinks-Petals are fringed, colours very bright blood red to shades of	1
arranged in zones, varying from lilac and crimson to dark purple; petals are fringed and margined with white, ha, 1 ft	531.		1
533. — Fl. Pl., Firebail—Brilliant scarlet; branching bushes; an acquisition, ha, 1 ft 6d. & 1  534. — Laciniatus Salmoneus Fi. Pl., Salmon Queen—Vigorous and free blooming, ha, § ft 6d. & 1  535. — Salmon Queen. Single—Salmony rose:	532.	arranged in zones, varying from lilac and crimson to dark purple; petals are fringed and margined with	0
534. — Laciniatus Salmoneus Fi. Pl., Salmon Queen— Vigorous and free blooming, ha, § ft 6d. & 1 535. — Salmon Queen. Single — Salmony rose:	533.	Fl. Pl., Firebail—Brilliant scarlet; branching bushes; an acquisition, ha, 1 ft 6d. &	
535. — Salmon Queen, Single - Salmony rose:	534.	- Laciniatus Salmoneus Fi. Pl., Salmon Queen-	1
	535.	- Salmon Queen. Single - Salmony rose:	0



DIANTHUS HEDDEWIGH, SINGLE, NOBILIF, ROYAL PINKS.

	rer pkt.—	-N.	a.
536.	Dianthus, Snowdrift—Of the purest snow-white, pretty fringed double flowers; effective in a mass, ha 6d. &		0
537.	Digitalis, Cannells' Foxgiove, Gioxinæflora, Improved Large Spotted—An excellent strain, with large flowers. Vcry striking in a shrubbery. IIp, 3 to 5 ft	0	6
538.	Lutea Grandiflora-Yellow flower; distinct; hp,	0	3
539.	Purpurea Alba-Large white flowers, occasionally spotted, hp, 4 ft	0	3
540.	Dimorphotheca Aurantiaca—Rich dark golden yellow, black disc; very effective, 1 ft 6d. &		
541.	Dracæna (Cordyline) Australis		
542.	— — Indivisa	1	0
o nsc	dsome plants for the decoration of conservatory and indoor pureful as specimens on lawns, terraces, large flower beds during season.	pos ig i	es;
543	Fooremore Price Cooker Colemnatic Cooker		

Eccremocarpus Scaber, syn. Calampelis Scaber— Elegant climber for south walls, verandahs, pillars, &c., hhp 0 3

Echeverias (Cotyledon)—Splendid plants for bedding purposes be seed is very dust-like, therefore must be barely covered with soil, and tated very carefully until the seedlings are fit to handle, hhp. To be taked the same as recommended for Caleodarias.

	544.	Per pkt.—s. Echeveria Desmetiana, syn. Peacockii—Silvery-white and glancous hne, slightly tinted red round edges of leaves 1	
	545.	Metallica Rosea-11 ft 1	0
	546.	Echinops Ritro (Globe Thistle)—Handsome foliage, globular heads of rich blue; a neat border plant, hp, 3\frac{1}{2} ft 0	6
		Edelweiss—See Gnaphalinm.	
	547.	Erigeron Speciosus Grandiflorus Hybridus — From blush white and pale mauve to the deepest blue. 2½ ft 0	6
	548.	Eremurus Bungei-Pillar-like spikes of showy yellow flowers and deeper coloured anthers, hp, 5 to 6 ft 2	0
	549.	— Himalaicus — Dense spikes, snowy white flowers, golden anthers; prefer sheltered positions, hp, 5 to 7 ft. 1	0
	550.	Robustus-Large stately spikes of flesh-colonred flowers; a warm, moist position is best for it, hp, 6 ft. 1	0
	<b>5</b> 51.	Erysimum Arkansanum—Sulphur yellow. Very nseful for spring bedding, ha, 1½ ft	3
	552.	Perofskianum-Orange-colonred, ha, 1½ ft 0	3
	553,	Pulchelium—Lemon-yellow, flowers in early spring. For bedding, sunny positions, or rockwork, hp, ½ ft. 0	3
	554.	Eryngium Amethystinum-Suitable for planting in groups, hhp, 2½ ft 0	3
	555.	Giganteum-Very effective, hb, 2½ ft 0	3
r	556.	Eschscholtzia Carmine King-Carmine-rose, of quite a novel and beautiful effect, ha. Award of Merit, 6d. & 1	0
	557.	Crocea-Yellow flowers, ha, 1 ft 0	3
	558.	Erecta Compacta, Dainty Queen-Pale coral pink; exquisite	6
	559.	— Mandarin-Orange and scarlet, ha, l ft 0	3
	560.	Rose Cardinal - Rose-colonred, ha, 1 ft 0	3
	561.	— Mikado- Deep orange scarlet, distinct, ha, 1 ft 1	0
	562,	— Mixed, ha 0	3
	563.	Eucalyptus Globulus (The Blne Gnm of Tasmania)—A pretty pot plant and also for snb-tropical effect, hhsh, 4 to 200 ft	6
	564.	— Citriodora—Hhsh 1	0
	565.	Resinifera (Red Gum)-Hhsh 0	6
	566.	Euchardium Breweri—Of dwarf spreading habit; purplish rose, shading to white in the centre, ha, 1 ft 0	6
	567.	Eutoca Viscida, syn. Phacelia—Producing very bright blne flowers; very suitable for bees, ha, 1 ft 0	3
		Everlasting Fiowers-See Helichrysum and Acroclinium.	
	568.	Ferns, Mixed-From greenhouse and stove kinds, gp 1	0
	569.	Best Hardy Mixed-Hp 1	0
	570.	Foruia Gigantea (Giant Fennel)—Ornamental, hp, 6 ft. 0 Forget-me-not—See Myosotis.	3
	571,	Francoa Ramosa—Long branching spikes of white	
	572.	flowers, hhp Height, when in flower, 2 ft 6 l. & 1  — Giabrata—Flowers pure white, long branched spikes;	0
	573.	splendid for cool greenhouse or conservatory, hh 0  Fraxinelia Dictamnus Cultivated for their beantiful flowers and fragrant leaves,	6
	574.	White hp, 2 ft. Each, 4d. per pkt.;	
	575.	Freesia—Best mixed. Sow carly in 5-in, pots, and then	4
		thin out to six or eight plants in each pot; delightfully fragrant, hhp, 1 ft 0	6
	576.	Fuchsia.—Saved from our splendid collection of double and single varieties. Choice mixed, hhp 1s. 6d. & 2	6
	577	Hybrida, Double Biue-Large flowers; compact	



578.	Gaillardia, Cannells' Perennial (Hybrida Grandiflora) —Lovely coloured. For cnt flowers useful. Mixed,		0
	hp, 1½ ft	0	6
579.	Grandiflora Compacta—The colourings arc as rich and varied as those of the tall varieties, hp	0	6
580.	Pulchella Picta Free, compact habit; reddish crimson, bordered with citron-yellow, hha, 1 ft	0	3
581.	Picta Lorenziana-Very useful for cutting. The seed offered is mixed, hha, 1½ ft	0	4
582.	Genista Andreana (Gold and Crimson Broom)—Rich erimson, standards golden yellow; attractive, hp	1	0
583.	Gentiana Acaulis—Forms dense masses of dark green foliage, deep blue flowers; hp, \(\frac{1}{2}\) ft. Seed germinates slowly	0	4
584.	Geranium Grandiflorum — Deep ultramarine blue flowers; showy, hp	1	0
	Geranium-See Zonal Pelargonium.		
585.	Gerbera Jamesoni (Barberton Daisy)—Large fiery orange-scarlet flowers; only hardy in well sheltered sunny gardens, 1 ft	1	6
586,		1	6
587.	Gesnera—Choice hybrids, flowering the first season. Same treatment as Gloxinias, psb, 1½ ft	1	6
588.	Geum Atrosanguineum Fl. Pl.—Handsome border plant, flowers dazzling searlet, hp	0	4
589.	Coccineum Grandiflorum-Scarlet, hp, 11/2 ft	0	3
590.	Heldreichi-Bright orange-red, hp, 11 ft	0	6
591.	Gilia Tricolor-White and purple, ha, 1 ft	0	3
592.	Mixed, ha	0	3
593.		1	0
594.	Gladiolus—Choice mixed; saved from the best, hhp, 3 to 4 ft 3d. &	0	6
	21		

#### CANNELLS' GLOXINIAS.

To be sown in a brisk heat at any time during February, and grown on vigorously, and they will flower abundantly during Summer and Autumn and make extra strong roots by Winter.

595.	Circe-V	Vhite,	ting	ed azure	blue				 1
596.	Psyche -								
	marking		• • • •	***	***	***	• • •	• • •	 2



OLOXINIA HYBRIDA ORANDIFLORA PSYCHE.

	O E O . CI
	Per pkt.—s.
597.	
598.	
599.	Empress Frederick—Brilliant searlet with a narrow pure white undulated margin
600.	
601.	
602.	Petunia—A decided mauve shade, light throat 1s. 6d. &
603.	Kaiser Wilhelm-Beautiful purplish violet, with a deep pure white margin; splendid
€01.	Prince of Waies—Award of Merit. Of the finest form and substance, large; reddish crimson, gp
	CANNELLS' GLOXINIAS—Bulbs, 5/0 to 12/6 per doz.



GERBERA JAMESONII HYBRIDA.

05.	Grevillea Robusta—Graceful for table decoration; conservatory and sub-tropical garden, gp, 3 to 5 ft 6d. &			633.	Per pkt. s.  Heiianthus Cucumerlfoilus, "Steiia"—Purest golden yellow with a black disc; on long stems, ha, 3 to 4 ft.		
06.	Gnaphalium (Leontopodium) Alpinum, Edelweiss-			634.	—— Sunflower, Annuus, Double Mixed—ha 0	3	
	The trne Edelweiss of the Alps. It thrives best in calcareons soil. with full exposure to the snn, hp, \frac{1}{2} ft 6d. &		1	635.	—— Annuus Bismarcklanus—Enormousyellow flowers, ha, 5 to 6 ft 0	3	
507.	Siblricum—Large 6d. &	1 (	0	636.		2	,
	CANNELLS' GODETIAS.			637.			
608.	Rosamond—Distinct, light pink flowers, a rare tint amongst Godetias; effective for bedding and borders, ha	0 (	6		a dark centre, ha, 5 ft		
509.	Dwarf Compact, Sunset—Deep rosy carmine; vivid and effective, ha	0	6		dark centre, ha, 6 to 8 ft	3	
610.	Duchess of Albany—Pyramidal growth; flowers glossy, sating white, ha, 1 ft	0	3		Per 07., 6d. 0	3	
811.	Duke of York Compacta—Dwarf branching habit; bright scarlet-carmine; effective, ha, 1 ft	0	6				
812.	Gioriosa—Dwarf compact growth, the darkest coloured, and produces a gorgeous effect, ha, 1 ft	0	6				
613.	Grandiflora Rosea, Fi. Pl.—Delicate pink; floriferons, ha, 2 ft	0	6				
614.	Lady Albemarie—Snperb variety, dwarf, brilliant crimson; magnificent, ha, 1 ft	0	3				
615.	Compacta—Fine and showy, ha, 1 ft	0	3	- 3			
616.	The Bride—A very pretty variety, ha, 1½ ft	0	3	3			
617.	White Pearl-Satiny white, compact, ha, 1 ft	0	3		2.60m/h/h		
618.	Godetia. Mlxed	0	3	1			
	Golden Feather—See Pyrethrum.						
619.	Gomphrena Giobosa Nana Compacta, Everlasting—Purple, dwarf, hha	0	3				
	Grasses, Ornamentai—See Collection.			HELI	ANTHUS ANNUUS GLOBOSUS FISTULOSUS (DOUBLE SUNFLOWER)		
620.	Gunnera Manicata—An imposing foliage plant, ; it demands a sunny position and plenty of water, hp, 10 ft	1	6	640.	Helichrysum Monstrosum Fl. Pl. Mixed (Everlasting Flowers)—When cutting the flowers for drying for winter use, plack them before the flower-band is expanded, hha	0	3
621.	Gynerium Argenteum (Pampas Grass) - Large, feathery plnmes; nseful on lawns, hp, 4 to 14 ft	0	6	641.	Heliotropium (Cherry Pie) — Finest large flowering varieties; mixed, hhp, 1 to 2 ft		
	Gypsophiia Elegans-Rosy white, ha, 1½ ft			649	Helipterum Sandfordi, sun. Humboidtlanum-Ever-		
	Elegans Rosea—Rose-coloured flowers, ha, 2 ft				lasting flower, hha, 1 to 2 ft	0	3
624. 625.		0	6	643.	Hesperis Matronails Candldissima, Rocket—White flowered, sweet perfnme, ha, 2 to 3 ft	ó -	3
	tion, &c., hp, 2 to 3 ft	0	4		Mouchota maa (tatte as to to ) -p, -2	0	3
<b>6</b> 26.	Hawkweed (Crepis)—Useful and very showy; beds, rockwork, or masses, ha. Mixed	0	3	. 645.	—— Sanguinea—Bright coral-red flowers, elegant and graceful; for rockeries and borders, hp, 1 ft	0	6
	Heartsease—See Pansy.			646.	Hybrlda—A more robust habit than the parent form; bell-shaped blossoms; nseful for bedding out		
627.	Heienlum Autumnaie Superbum—Splendid yellow blossoms, hp, 5 ft	1	0	- 45	and as pot plants, hp	0	6
628.	Pumlium-Bright yellow, nseful for cutting purposes, hhp, 1½ ft	0	3		bioten at the base of case postar, 1019 of the same	0	6
629.	and the state of t	0	6		WITH THE HEAT WILL AND THE STATE OF THE STAT	0	3
630.	— Hybrida Grandiflora Fl. Pi.—The miniature Sunflower, semi-double and double flowers, ha 6d. &		0	649.	Hollyhocks (Althæa Fl. Pi. vars.), Cannells' Selected Mlxed—The beauty of the Hollyhocks render them unrivalled as a picturesque relief to the background of evergreens, hp, 5 to 6 ft 1s. &	2	0
631.	— Grandlflorus, Glant Star—Golden-yellow flowers with intense black centres, ha	0	6	650.	— Cannells' Pink—Beautiful rose-pink; charming	1	0
632	m 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		0	651.	J. Bennett Poë- One of the most beautiful, of a	1	0

	Per pkt	8.	đ.
<b>65</b> 2.	Hollyhocks, Finest Single Mixed—A very showy border plant, hp	0	6
	Honesty-See Lunaria Biennis.		
653.	Humulus Japonicus, Climbing Hop—One of the best plants for covering verandahs, &c., ac, 10 ft	0	6
654.	Fol. Variegatus—For covering fences, rustic arches, &c. 80 per cent. come true from seed, ac	0	6
655.	Humea Elegans (Calomeria Amarantoides)—Graceful plumes of rose-tinted flowers, hhb, 5 ft 6d. &	1	0
656.	Hunnemannia Fumariœfolia—Showy bright orange coloured flowers; a useful pot plant, hhp, 2 ft,	0	6
657.	Hyacinthus Candicans, syn. Gaitonia Candicans—A noble bulbous plant, white, bell-shaped flowers; hb, 3 ft	0	3
658.	Hypericum Caiyeinum (Rose of Sharon)-hp	0	6
659.	Impatiens Hoistii—Flowers of a brilliant vermilion colour, gp, 1½ to 2 ft	1	6
660.	— Hybrida—In collection of 6 varieties, one packet of each 3s. 6d.		
661.	A22 (1-1 201	1	6
662.		1	0
663.	Iberis Sempervirens—The evergreen Candytuft. Pure white; for edgings, bcds, and rockwork, hp, 1 ft	0	4
	Iberis-See Candytuft.		



KOCHIA SCOLARIA (MOCK CYPRESS OR BELVEDERE).

664.	Per pkt Incarvillea Delavayi—Gloxinla-like flowers of rose to	8.
	comming he of	1
665.	Ice Plant (Mesembryanthemum Crystallinum)  —A singular trailing plant, thick fleshy leaves covered with crystals of ice. Sow in heat in March, hba, ½ ft	0
	Indian Cress-See Nasturtium.	
	Pink-See Dianthus Chinensis.	
	Shot-See Canna.	
666.	yellow; does well in any soil, hp, 1\frac{1}{2} ft	0
667.	Ionopsidium Acaule—Lilac flowers, very pretty and useful for rockwork; pots, hha, ½ ft	٥
668.	Isatis Giauca—Small flowers of a light but very bright yellow; most effective and imposing object, hp	0
669.	Kalanchoe Fiammea—A succellent plant; fleshy leaves and flowers in loose cymes, borne well above the foliage on sleuder stalks of a brilliant orange-red, 1½ ft	1
670.	Kochia Scoparia (Trichophila)—One of the most beantiful and distinct plants ever seen in the garden, hha.	
va va	We are anxious to impress upon intending purchasers of this markable plant the superiority of our strain as being the finest occurable. It has come to our knowledge that an inferior riety is being distributed, causing this highly decorative atumnal plant to be depreciated 6d. &	1
671.	Lantana—Abcautiful plant, either for garden or greenhouse. Saved from our collection. Mixed. Sow in March, hhp	0
672.	Larkspur Bismarck-Very fine. Mixed, ha, 1 ft	0
673.		0
674.		0
675.	Tail Double Rocket-Finest. Mixed, ha, 1½ ft	0
676.	Stock Flowered Rosy Scarlet—Habit tall and branching, specially suited for cutting, ha	0
	Lathyrus Odoratus—See Sweet Pea.	
677.		0
678.	· · · · · · · · · · · · · · · · · · ·	0
679.		1
680.	Lavendula Spicata (Lavender)—hsh 3d. &	0
681		0
682.	Trimestris, Red—Pinkish red; very effective in shrubbery borders, ha, 3 to 4 ft	0
683.	——— White—A white form, ba, 3 to 4 ft	0
684.	Layia Eiegans—Pretty and attractive. A bed of this produces a fine effect, ha, 1½ ft	0
685.	Leptosiphon Hybridus—Bright and beautiful colours, mixed, ba, ½ ft	0
686.	Leptosyne Stillmani—Golden-yellow. Best sown in the open air in a sunny situation, ha, 1 ft	0
687.		0
688.		1
689.		0
690.	Linum Flavum-Golden yellow; pretty, hp, 1 ft	0
691.	Grandiflorum Rubrum, Scarlet Flax—Splendid colour, ha. 1½ ft	)
692.	Perenne—Blue; neat border species, hp, $1\frac{1}{2}$ ft	

	LOBELIAS.			
693.	Barnard's Perpetual—Ultramarine hlne, pure white at the hase of the two lower petals, hha, \( \frac{3}{4} \) ft			
694.		0	6	
695.	Crystal Palace Compacta—Deep hlue; excellent for edgings and carpet hedding, hha, 4 in	0	6	
696.	Erecta Alba-Pnre white, hha, 5 in	0	6	
697.	, , ,	0	3	
698.	, , ,	1	0	
699.	large flowering and free growing, hha, 9 in	0	6	
700.	Speciosa—Ilha, 4 in	0	6	
701.	Tenuior—Cohalt hlue, white centre, of use in greenhouse for pots or haskets, hha	1	0	
702.	White Ladie—Continuous blooming, bha, \( \frac{3}{4} \) ft	0	6	
	Perennial Varieties.			
703.	Lobelia Cardinalis - Dark green foliage, intense red flowers, hp, 2 ft	1	0	
704.	—— Cavanillesi Lutea—Pure yellow flowers. Useful for conservatories, hp	1	0	I
705.	—— Fulgens Queen Victoria—Dark red foliage, hp, 2 ft.	1	0	
706.	Lophospermum Scandens—Flowers purple; for trailing and hanging purposes, hhp, 4 to 6 ft  Love-in-a-Mist—See Nigella.	0	6	
	Love-lies-Bleeding—See Amaranthus Caudatus.			1
707.				ł
101.	Lunaria Biennis (Honesty)—Silvery seed vessels (used for winter decoration), purple flowers; showy, hh	0	3	ı
708.	Lupin—Yellow, ha, 11 ft	0	3	ı
709.	- Rose-Elegant foliage, and long spikes of bloom, ha,			1
	2 ft	0	3	ı
710.	Lupinus Annual Varieties—Finest mixed, ha, 2 ft	0	3	I
711.		0	3	I
712.	of snowy-white flowers, hp, 4 ft 6d. &	1	0	I
713.	— Perennial Varieties-Finest mixed, hp	0	3	Ì
714.		1	0	١
715.	Lychnis Chalcedonica-Beautiful heads of scarlet, hp,			
	2 ft	0	3	I
716.	——————————————————————————————————————	0	3	١
	Fulgens-Showy; hrilliant scarlet, hp, 1\frac{1}{2} ft	0	6	ı
718.	— Haageana Hybrida—Large flowers, hright colonrs,	0	6	l
	Maize—See Zea.	Ů	Ů	I
719.	Malope, Grandiflora Alba—Very free flowering; nseful for mixed horders, ha, 2 ft	0	3	
720.	Purpurea—Handsome flowers of a shiny crimson-purple, useful for cutting, ha, 2 ft	0	3	
721.	Malva Moschata Alba Major—An extremely pretty and attractive plant, hp, 2 to $2\frac{1}{2}$ ft	0	3	
722.	Marigold, Selected African-Mixed, hha	0	3	l
23.	—— African Orange (Tagetes erecta)—Heads of hloom of immense size, hha	0	3	
24.	——————————————————————————————————————	0	3	
25.	Dwarf French—Selected from the choicest hlooms and dwarfest plants, hha, 1 ft	0	3	
26.	Legion of Honour—The single flowers are golden yellow, with a hroad velvety hlotch on each			
~	petal, hha, 1 ft	0	4	
27.	French, First Prize Strain (Tagetes patula)-Sow			
	in March, shift into good-sized pot, plant out the first warm weather in May, hha, 1\frac{1}{2} ft	0	6	



	MARIGOLD, DWARF FRENCH, LEGION OF HONOUR.		
	Per pkt	- 8.	d.
728.	Martynia Fragrans-Fragrant crimson-purple flowers,		
	hha, 2 ft	0	3
729.	Marvel of Peru (Mirabilis Jalapa) — Dark green glossy foliage; the hest colours mixed, hhp, 2 ft	0	3
730.	Mathiola Bicornis (Night-scented Stock)—Light lilac; fragrant in evening and morning, hha, 1 ft	0	3
731.	Matricaria Eximia "Golden Ball"—Golden yellow; compact pyramidal growth, hp, 1 ft,	0	6
732.	— Nana Aurea Crispa Compacta Fl. Pl.  Little cream-colonred quilled flowers. One of the cnrled-leaved Feverfews, hp, 8 in	0	3
738.	Maurandya Barclayana—A slender climber, purple and white tube-shaped flowers; for trailing np pillars, wire, &c., hhp	0	6
734.	——————————————————————————————————————	0	6
735.	Meconopsis Cambrica (Welsh Poppy)—Thrives well		
, 00,	on rockwork; golden yellow, hp, 1 ft	0	6
	Medeola—See Myrsiphyllum.		
735A.	Melianthus Major (The Honey Flower)—For sub-tropical gardening; green clegant foliage, hhp, 3 to 4 ft 6d. &	1	0
736.	Mesembryanthemum Cordifolium Variegatum—A gem for flower heds and haskets, hha, ½ ft 6d. &	Ĩ	0.
737.	Tricolor-Dwarf, for horders or rockwork, hha	0	3
738.	Mignonette. Sweet-scented-ha., 6d. per oz., per lh. 5s.	0	3
739.	—— Cannells' Perfection—One of the finest; a splendid kind for market and exhibition, ha, 1 ft 6d. &	1	0
740.	—— Crimson—ha, 1 ft 1s. per 07.	0	3
741.	—— Bismarck — Growth broad and sturdy; a reddish hue and very sweet-scented, hs, 1 ft 6d. &	1	
742.	Garaway's White-Mnch grown for greenhouse decoration, ha, 1 ft	0	6
743.	— Golden Machet—Of compact hahit; long massive spikes; distinct, ha 6d. &	1	0
744.	— Goliath—Giant trnsses of flowers; a magnificent pure hright red, ha 6d. &	1	0
745.	Machet—A fine variety; hahit dwarf; large and hroad spikes of a hright red, ha, \( \frac{3}{4} \) ft \( 6d. \& \)	1	0
746.	—— Miles' Hybrid Spiral—Hahit dwarf and hranching, spikes often a length of from 8 to 10 in., ha, 1 ft	0	6
747.	Cannells' Red King-Colour, red; distinct; neat habit, medium flowers, ha	0	6
)			

	Per pkt.—s	в. d.	.		Per pkt.—s
718.	Mimosa Pudica (Sensitive Plant)—A curiosity; the leaves	0 6		769.	Nemophila Discoidalis—Velvety black, edged white,
749.	elose np immediately from the slightest touch, ga, 1 ft Mimulus Moschatus, Mnsk—A well-known trailer, hp			770.	Insignis Grandiflora-Lovely hlne, white centre,
750.	Hybrid, Canneils' Hose-in-Hose-Compact				$ha, \frac{1}{2} ft. \dots \dots \dots \dots \dots \dots \dots \dots \dots$
	growth. The flowers appear in great abundance.	1 0			Mixed-ha
	A fine plant for pots, hp Gd. & Cannells' Perfection (Monkey Flower)—	1 6	<b>'</b>	772.	Nertera Depressa (Bead Plant)—Crimson head-like berries close to the ground, forms a dainty cushion for a
751.	Single; colours and markings novel, hp, $\frac{3}{4}$ ft. 6d. &	1 0	)		carpet bed in snmmer, hhp, 2 in 6d. & 1
752.	Mina Lobata, syn. Ipomœa Versicolor-A rapid		i	773.	Nicotiana Colossea-Of hranching habit and robust
	climher. Racemes of flowers of bright red to yellowish white, hbc, 12 ft	1 0			growth, adapted for sub-tropical gardening, liha, 6d. & 1
	yellowish white, fine, 12 it			774.	— Victoria Affinis (Tohacco)—Gigautic white Bouvardia-like flowers; In the evening and early
					morning perfume the whole surrounding atmosphere. Very free, hla, 2½ ft 0
				775.	—— Sanderæ—Carmine-red blossoms produced in hundreds on a single plant, ha 0
				776.	
					patient effort in selection and hybridising; mixed 0
				777.	- Sylvestris-A superb decorative plant. Very long
					pendent flowers of pure white, hba, 4 to 6 ft., 6d. & 1
				778.	Nierembergia Graciiis—Charming plants for edgings, hanging haskets, or rockwork, hhp, $\frac{3}{4}$ ft 0
					Nigella Damascena (Devil-in-a-Bush)—Blue, ha, 1½ ft. 0
					— Diversifolia—Flowers bell-shaped, bluc and bluish
				780.	white, 1½ ft 0
				781.	Hispanica (Love-in-a-Mist)-Brown and white, ha,
	1 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			=00	1½ ft 0
				782.	— Miss Jekyll — Vigorous growth and producing long-steumed flowers of a pretty corn-flower-blue
	MYOSOTIS RUTH FISCHER.				shade, 11 ft 0
753.	Myosotis Alpestris "Distinction," Forget-me not-If			783.	Enothera Macrocarpa, syn. Missouriensis Latifolia
	sown in August, potted singly, and put in a green-	1 (		<b>50.</b>	(Evening Primrose)—Rich yellow, hp, 1 ft 0
754	honse, will flower during the winter, hp 6d. & Gracilis, White—The plants appear covered	1 (	,	784.	Onopordon Acanthium (Cotton Thistle)—Bold hahit; flowers purplish, hhp, 5 ft 0
75 £.	with flowers, showing scarcely any leaves, hp 6d. &	1 (	)	785.	Oxalis Tropæoloides-Deep yellow flowers and dark
755.	Star of Love-Low compact growth, of a				bronze foliage, hhp 0
77.0	lovely pnre sky-blue colonr, hp 6d. & Ruth Fischer—A splendid blue; large				•
756. 757.	44 777 4 7 74 67 4 6 7 7 7 4	1 (		787.	Pæony, Chinese-Mixed; saved from a splendid collection, hp 6d. & 1
101.	azure blne with a yellow centre, hp, ½ ft 6d. &	1 (	0		
758.		1 (			Pansies (Violatricolor) Heartsease.
750	are large and of a dark blue, hp, \( \frac{3}{4} \) ft 6d. &  —— Dissitifiora (Forget-me-not)—Exquisite blue; beau-	1 (	0	788.	Masterpiece (New Giant-curled Pansy)—The border of every petal being conspicnonsly undulated and curled;
199.	tiful Spring bedding plant, hp, 1 ft 6d. &	1 (	0		the size is extremely large, hp 1
760.	Perfection "-Beautiful sky-hlne flowers;			789.	Parisian Giant Improved-Very handsome and hean-
<b>70</b> 4	the finest and best for cut bloom, hp	1 (	0		tifully marked flowers of enormous size; of great excellence,
762.	—— Pyramidalis, Blue Gem } 6d. &	1 (	0	700	lip 1
763.	White Gem )				Giant, Candidissima (white) 6d. & 1  — park Blue 6d. & 1
	Three charming varieties of erect growth, well adapted for bedding or pot culture.				— Dark Blue 6d. & 1 — Fire King—Purple crimson with dark blotch 6d. & 1
764.	— Pagoda—Beautiful blooms in great profusion during		Î		— Golden Queen—Pure yellow 6d. & 1
	the Spring, hp, 3 ft	0	3		— Light Blue 6d. & 1
765.	Myrsiphyllum Asparagoides (Smilax)—Sprays several				Lord Beaconsfield-Purple-violet 6d. & 1
	feet long of bright green foliage; used for decorative purposes, gc, 6 to 10 ft 6d. &	1	0	796.	Dr. Sankey's Striped-Distinct class; colours wonderfully
	Musk-See Mimulus Moschatus.				bright and attractive, hp, $\frac{1}{2}$ ft 6d. & 1
	Nasturtiums—See Tropæolnm.			797.	Eynsford Sweep—The hest black Paney in cultivation, hp, ½ ft 6d. & 1
766.					
	Grandiflora (Cannell)—This further improvement will, we feel sure, be much appreciated in this				Mixed from a good strain, hp
	decorative and useful annual, bha. Mixed 6d. &	1	0	799.	Cannells' Fancy, Choice Mixed—The finest and largest in the kingdom, flowers possess most heautiful markings,
767.	Nana Compacta Grandiflora (Orange Prince)-	1	0		and blotched with more brilliant and curious colours than
740	, 0	1	U		we have in any other flower, hp, $\frac{1}{2}$ ft 1s. & 1
768.				800.	Cannells' Rainbow-Lovely; a bright hine and purple
	mine, crimson, purple, and blood red, hha, 11 ft., 6d. &	1	0		prevails blended one into the other, hp, \frac{1}{2} ft 6d. &

(42)



PANSY, CANNELL'S FANCY.

	Per pkt. –	8.	d.
801.	Show, Extra Choice, Mlxed-Saved from our acre of		
	Pansies, hp, ½ ft 1s. &	1	6
802.	Snow Queen-White and pnre, hp, 4 in	0	6
803.	Trlmardeau (Viola tricolor maxima)—Exceedingly large, and most varied shades of colonr, hp, \frac{1}{2} ft 6d. &	1	0
804	Tufted—Wonderfully free flowering, the shades of		
004	colour ranging through rich purple to the lightest lavender		
	tints; finest mixed, hp 6d. &	1	0
805.	A COLLECTION OF PANSIES, LARGE FLOWERING,		
	12 choice varieties, separate, 3s.		

## 806. A COLLECTION OF PANSIES, LARGE FLOWERING, 6 choice varieties, separate, 1s. 9d.



PAPAVER NUDICAULE HYBRIDS.

	CANNELLS' DADAMEDS (DODDV)		
	CANNELLS' PAPAVERS (POPPY).  Per pkt.—	8. (	d.
807.	Papaver (Poppy), Charles Darwin (Single)—Rich	1	0
808.	Virginian (Large Single) White flowers with pink edge 6d. &	1	0
809.		()	3
810.	Danebrog (Danish Flag Poppy)—On each of the four petals a large silvery white spot, forming thus a white cross on scarlet ground; showy, ha, 1 ft	0	3
811.	Glaucum (Tulip Poppy)—Very showy, large flowers of brilliant deep scarlet, ha, 1 ft	0	3
812.	Murselll, Mikado—Beantlfully fringed; colour at the back white, edges crimson-scarlet, ha, 2 ft	0	3
813.	Nudicaule, Excelsior Strain—A delightful combination in colour shades in this graceful and popular flower. In choice mixture, hp 6d. &	1	0
	Per pkt.—s. d.		~ 6
814.	Iceland Poppy-Clear yellow, hp 0 6 warf hardy Pop flowers very showy	pie	8,
815.	effective. Mnch use	d f	or
816.	hp 0 6   flower the same ye		
817.	Miniatum-Orange-scarlet, hp 0 6 seed is sown in M	arcl	h.
	Per pkt.—	8.	d.
\$18.	Orientale, New Hybrids—Bold and showy, brilliant colonred flowers, growing freely in any soil, hp	0	6
819.	Orientale-Deep scarlet with black blotches; a grand	0	3
820.	border plant, hp, 2\frac{1}{2} ft	0	6
821.	— Salmon Queen—Distinct, hp	0	6
822.	Single Pæony-Flowered, Miss Sherwood-Large single flowers of a shining satiny white, the upper half being a silky chamois-rose, ha, 2½ ft	0	3
823.	Pæonlflorum - Showy mixed double-flowering Poppies, ha, 3 ft	0	3
824.	Snowdrift (White Swan) — Large pure white elegantly fringed flowers, la, 2 ft	0	3
825.	Umbrosum—A beautiful dwarf single l'oppy; vivid red, large intense black blotch at the base of cach petal, hp, 1 ft	0	3
826.	Pllosum—Rich, soft salmon flowers, for dry banks and naturalizing very useful, of easy growth. hp, 2 ft	0	6
827.	Somniferum Fimbriatum, Fl. Pl—These produce a great variety of colonr, ha, 2½ ft	0	3
828.	The Bride or Giant White—Splendid large pure white single flowers, ha, 3 ft	0	3
	Welsh-See Meconopsis.		
829.	Shirley (Rheas vars.)—The Shirley strain gives us the		
	loveliest of colonrs. To have the plants at their best, seed should be sown quite early in September. Our strain can be truthfully termed "extra good," ha, 1\frac{1}{2} ft 3d. &	0	6
830.	Dwarf Shirley, Salmon Shades—These charming and novel times are especially effective, ha	0	6
831.	A COLLECTION OF CARNATION FLOWERED POPPIES in 12 distinct colours, 1s. 6d.		
832.	A COLLECTION OF PÆONY-FLOWERED VAR- IETIES OF POPPIES in 12 distinct colours, 1s. 6d.		
833.	A COLLECTION OF RANUNCULUS FLOWERED POPPIES in 6 distinct colonrs, 1s. 6d.		
834.	Pelargonlum, Fancy-The choicest. Mixed, 11 ft. 1s. &	2	0
835.	- 1 0 to 1 0 f	2	0
	— Gold Bronze—1½ ft	2	6
	Show-The finest large flowering sorts. Mixed. 2 ft 1s. &	2	0

	Per pkt,≒s. d.	1	PHLOX DRUMMONDII GRANDIFLORA—continued.
<b>83</b> 8	Pelargonium, Zonal—Without doubt we have the finest and best collection of Zonal Geraniums in the world. We	858.	FINEST MIXED, large flowering, per oz., 3s. 6d.
	cau confidently say the seed offered is far superior in quality to any other yet introduced to the public, and cannot fail to bring forth some startling improved varieties, as it is carefully hybridized with only the very choicest	859. 860.	Crimson. Carmine. Lilacina.  862. Rose. 863. Scarlet. Per pkt., 6d. and 1s.
839			DILLON DOLLESSONDER MANA CORRESPONDA
	Catalogue collection, which embraces all the best up to the present, and cannot fail to produce flowers of superior quality, hp 6d. & 1 0		PHLOX DRUMMONDII NANA COMPACTA.  Nothing can excel the heanty and usefulness of these beautiful little plants—they have the same large flowers
840	Murrayanus-Rich scarlet, hp, 2 ft 0 6	1	and richuess of colours as the taller kinds.
841	Perilla Laciniatus Atropurpurea — Foliage much darker than Nankinensis, and finely laciniated, hha, 1½ ft 3d. & 0 6	!	MIXED COLOURS—Per pkt., 6d. and 1s.  COLLECTION of 12 varieties, separate, 3s.
842	Nankinensis—A distinct and useful ornameutal plaut; leaves dark reddish mulherry, hha, 1½ ft. 3d. & 0 6	868.	Carmine.   870. Delicata.   872. Violet-purple.   871. Scarlet.   873. White.
			Per pkt., 6d. and 1s.
849	Petunias—It is surprising this family is not more largely grown, considering how easy they are to cultivate and if well grown, what grand things they are, both for decoration and exhibition. Treat them similar to a Verbena.  Petunia Hybrida "Giants of California"—Most of	874.	Per pkt.—s. d.  Cuspidata—The pointed centre-teeth of the five petals are five to six times as long as the lateral ones, and project beyond them, giving the flowers a distinctly-marked, regular, star-like form. In finest
010	the flowers are exquisitely fringed on the edges and are very large, the colours are rich and gorgeous, and		mixture, hha 6d. & 1 0
	others of lovely delicate shades, mixed, hhp 1 6	875.	—— Decussata (Pereunial Phlox)—The finest collection.  It is uccessary that seed of this should he sown
844.	—— Grandiflora Fimbriata, Single — Flowers of great size; beautifully veined, hhp 1 0		as soou as ripe. Mixed, hp, 3 ft 6d. & 1 0
845.	hhp 1s. 6d. & 2 6  As in all double flowers from seed there is always a	876.	Phyllocactus—Seed saved from some of the finest and most handsome species, gp 1 6
	certain percentage of single or semi-double flowers obtained, in Petunias the same rule applies and special care should be taken of the smallest plants.	877.	Physalis Alkekengi (Winter Cherry)—Brightly coloured calyces, in which are enclosed orange berries, hp 0 3
846.	Hybrida-Finest mixed for hedding, hhp 0 6	878.	— Eduiis (The Cape Gooseherry) — Wheu grown under pot culture or cool house it produces its
847.	German Empress—Beautiful bluish shades and purplish veining; of enormous size, hhp 1 6	879	yellow fruit freely, hhp, 1 ft 0 3
848.	Large Flowered, Fringed, Miranda-A close approach to a scarlet Petunia, superhly fringed, ha 1 0		much larger size fruits and hrighter colours, bp, 2½ ft 0 6
849.		880.	Physostegia Virginiana Grandiflora Alba—Large flowering white variety, hp 0 6  Picotee—See Carnation.
850.	Rosy Morn—Fairly dwarf; flowers hrilliant rose, with a large white throat and centre, hhp 6d. & 1 0	881.	Pink (Dianthus)-From our nurivalled collection, saved
851.	"Snowball"-Satiny-white flowers, adapted	882.	only from splendid flowers, hp, 1 ft 1 6  — Mrs. Sinkins-Sweet-sceuted, pure white, hp 1 0
852.	for bedding and pot work, hhp 6d. & 1 0  Grandiflora Intus Aurea.—Large-sized flowers,		Polyanthus, Cannells'—Named varieties. Choice mixed,
0*0	fine form, with a broad and deep yellow throat, hhp 1 0		lip, ½ ft 6d. & 1 0
893.	Phacelia Campanularia—Flowers of the finest deep gentiau satiny blue, ha, 1 ft 0 6	884.	Gold Lace—We have pleasure in offering seeds of our well-known choice collection, hp, ½ ft 6d. & 1 0
854.	Phormium Tenax, New Zealand Flax — Used as a sub-tropical plant outdoors during the Summer; very	885.	—— Yellow—Large flowered, yellow, hp 6d. & 1 0
	ornamental, gp, 5½ ft 0 6		Poppy—See Papaver.
	PHLOX DRUMMONDII GRANDIFLORA.	886.	Portulaca Grandiflora Fi. Pl.—Its large, splendid flowers, produced in the greatest profusion, are extremely effective; succeeds best in light, gravelly soil. Must be exposed to the full glare of the sun, hha 0 6
	These comprise the most brilliaut colours imaginable; the flowers are larger than those of the older kinds, and	887.	A collection of 8 double-flowering varieties, separate, 2s.
	of finer substance, hha	888.	
855.	MIXED COLOURS—Per pkt, 6d. and 1s.	889.	A collection of 6 single-flowering varieties, scparate, 1s. 3d.
856.	COLLECTION of 12 varieties, separate, 3s.	890.	Potentilia, Double-Mixed, hp, 1½ ft 6d. & 1 0
857.	,, 8 ,, ,, 2 <i>s</i> ,	891,	
	(4	<b>4</b> )	

## CANNELLS' PRIMULAS.

Our Strains are well known to be the best in the World.

## Awarded the Highest Diplomas for our Varieties at the Chicago Exhibition.

	CANNELLS' STELLATA CLASS.  Per pkt.—s. d.	898.	Blue-Grand addition to this class Per pkt1s. 6d. &	-s. 2	d. 6
892.	Chameleon - The young blossoms are of a salmon shade, changing with age to a cerise lake 1s. & 1 6	899.	Lady E. Dyke—Of the purest white; small yellow eye; free-flowering, even when grown in small pots: retains its		
893.	Gloriosa-A pleasing rich lake colour 1s. & 1 6	000	blossoms for a long time 1s. &	1	6
	Masterpiece - A beautiful clear blue. Grand improvement 1s. 6d, & 2 6		Miss Irene-Light foliage, salmon-pink of a very pretty shade, much admired 1s. &	1	6
895.	Scarlet Gem—Bright scarlet crimson flowers, very free		Mrs. H. Cannell—A fine improvement, producing pure white flowers 1s. 6d. &	2	6
896.	Red Rover-Flowers are of increased size, of more leathery substance, and of greater brilliancy of colour-a		Salmon Beauty—Dark foliage, rosy salmon, very bright ls. & The Lady—The forcrunner of this class; beautiful dark	1	6
897.	clear carmine-red; fine pyramidal habit 1s. 6d. & 2 6 White Spray—Where a mass of pure white is required		foliage and stems, pure white star-like flowers, and bright yellow centre 1s. &	1	6
	either in the greenhouse or conservatory this is of surpassing beauty and effect 1s. & 1 6	904.	Cannells' Stellata, Mixed (Pyramidalis) -All the above named 1s. &		6



# dark green foliage

4,	Crimson	King-Decp	rich	cri
	brown eye			

15.	The Duchess—Pure white, with carmine-lake, clear yellow eye	a zone of 1s. 6d. &	
_	- 0 1 D-1 (0 110	α	

#### CANNELLS' PRIMULA STELLATA HYBRIDA.

Intermediate	in f	orm o	f flow	zers	and	growth	between
the	ordin		nensis	and	the	Lady or	Stellata

905.	Countess	red	col	or—A	splendi flowers	id variety, in great
	profusion .	••	***	•••	•••	1s. 6d. &

906.	Mrs. R. W. Canne	ell-As	superb a	nd delight-
	ful variety, flowers			
	The rich colouring			
	is most attractive		•••	1s. 6d. &

907.	Double Pyramidalis Alba—The innumer-
	able quantity of pretty well-shaped semi-double
	pure white flowers produced on even small
	plants is most remarkable 1s. &

908. Herbert Bennett-Fine large blue, of good

#### PRIMULA SINENSIS, LARGE FLOWERED.

	7	~
909.	Mrs. Gregory—Produces good size flowers of a pleasing shade of salmon; semi-double	
	1s. 6d. &	2
910.	Mrs. C. F. Raphael—Beautiful large flowers	
	of a pretty pink shade 1s. 6d. &	2
911.	Queen Alexandra-Pure white flowers.	

	Ü	0					
012		King-Or	ange sa	lmon	and	terra-	
	cotta, a ne	ew colour	***	***	***		]

913.	Dr. Nans	en—Crimson-red;	large and fine 1s. 6d. &	2
914.	Crimson	King-Decp rich	crimson, dark	
	brown eye		1s. 6d. &	2

915.	The Duchess-Pure white, with	a zone of
	carmine-lake, clear yellow eye	1s. 6d. &

					Demolet
	PRIMULAS—Continued.  Per pkt	- 9.	a	949.	Per pkt.—s. Pyrethrum Golden Gem, or "Paris Pearl"—Large, elegant, double-white flowers, May to Nov., hp, \( \frac{3}{2} \) ft 0
917.	Swanley Blue—It is a heantiful mauve, perfectly distinct; very striking. 9 in 1s. 6d. &			950.	
918.	The Sirdar—Splendid bold flowers; rich salmon. A grand variety 2s. 6d. &	3	6	951.	1 ft 3d. & 0  Golden Moss—Has the appearance of a golden tuft of moss, hp 1
919.	Pink Perfection—Of a pleasing shade of salmon-pink; always admired; very free 1s. 6d. &	2	6	952.	Town formand
920.	Cannells' White—Of vigorous dwarf growth; bold trusses of pure white flowers of great substance 1s. 6d. &	2	6	953.	Rehmannia Angulata—The flowers are rosy purple, with a rich yellow throat spotted with purple; of
921.	Lllacina—Soft lilac, shaded silver; useful variety	1	6		easy culture, hhp
922.	Sparkler-Medium-sized flowers, of a most Intense shade	,	c		Pink perfection, clear hright pink, pale throat 1
923.	of crimson-red, hright and effective	2		955.	Rhodanthe (Helipterum) Maculata—Elegant silvery pink, with yellow centre, heantiful either in bud or expanded, hha, 1 ft 0
924.	White-Of the purest white and highest quality	0	c		— Maculata Alba—hha, 1 ft 0
	flowers: hahit good; very free 1s. 6a. &	2	0	957.	
925.	White Perfection—A most lovely variety, very dark stems, grand fern-leaf foliage 1s. 6d. &	2	6		Ricinus Glbsoni—Dark purple stem and leaves; the best of all Castor Oil plants for snb-tropical appearance, hha, 5 ft. 0
926.	Finest Large-flowered Mixed—Containing nearly all the above kinds 1s. 6d. &	2	6	959.	— Gibsoni Mirabilis—Handsome, hha, 4 ft 0 — Zanzibariensis—Leaves 2 to 2½ feet across. Orna-
927.	The Queen—White, slightly tinted, fine flowers; graceful fern-leaf foliage; nseful	2	6	960.	mental foliaged plants of great effect for large groups or single specimens, hha; mixed 0
928.	Primula, Fringed, double white 1s. 6d. &	2	6	961.	Riving Humilis (Bloodherry, or Ronge Plant)-Pretty red
929.	brilllant magenta-red 1s. 6d. &	2	6		berry-bearing plant, gp, 2 ft 6d. & 1
930.	all colours, mixed 1s. 6d. &	2	b	962.	Rock Cistus—Mixed. Elegant plants for rock-work, flower and shrnhhery borders, hp, 1½ ft 0
931.	— Floribunda Grandiflora Isabellina—Of soft and very pleasing pale sulphur, hp	1	0		Rocket-See Hesperis.
932.	— Japonica (Japanese Primrose)—A superb Alpine species, which has proved itself perfectly hardy, hp, 1½ ft 6d. &	1	0	963.	Adapted for pot culture. The seed occasionally remains dormant for a long time, hhp, 3 ft 0
933.	Kewensls—For the greenhouse; flowers fragrant and hright yellow; useful for cutting 1s. &	1	6	964.	Flowering the first year from sced; semi-double flowers in
934.	or Elmbrioto Edges of petals distinctly	1	0	965.	graceful clusters, and of various shades of colour, hhp 1 Rudbeckla Amplexicaulis—Yellow, hp, 3 ft 0
935.	Gigantea — Producing mostly lilac coloured flowers, 1½ inches across; a fine plant	1	0	966.	
936.	Rubra—A really dark red colour	1	0		cutting, hp, 3 ft
937.	Grandiflora—Fine flowers of a soft lilac tint, attimes almost white; free-flowering, hhp	1	0	967.	small as yet compared with the other shades, gp 1
938.	Rose Queen (Cannell)—Pretty and attractive; hright flesh-pink; a gem for table decoration, hhp	1	6	968.	and of an intense dark violet hue, gp 1
939.	Vesuving-Of a true hright carmine-red, being			969.	Rubra-Deep lilac-red flowers, gp 1
	an hybrid reproduces this much desired colour in a very satisfactory manner; hhp	1	6		SALPIGLOSSIS CANNELLS' DWARF.
940	Verticillata(Abyssiniau Primrose)-Pyramidal heads of sweet scented flowers, in whorls, of a bright				ntifully veined and marbled flowers, and most varied colours. 1 flowers, and most varied colours. 1 flowers, and most varied colours. 3d, & 0
	yellow; hhp, 1 ft	1	0	970. 971.	MIXED COLOURS 3d. & 0 COLLECTION of 6 varieties, separate, 1s. 6d.
941.	Primrose, Cannells' "Beaconsfield Primroses, or Fancy Polyanthus"—Flowers of immeuse size, colours varying from a hlue purple, dark maroon-scarlet, yellow, white, and other colours, hp 6d. &	1	0		Salpiglossis Superbissima, Emperor—Will soon surpass the old type, as it has shown itself far more useful, and its grand appearance unrivalled, hha.
942.	Common Yellow-True; seed gathered from plants	0		972. 973.	Faust 6d. & 1 Lilae—With Gold 6d. & 1
943.	— Cannells' Harbinger—Far in advance of all other whites, hp 6d. &	1	O	974.	Chamois 6d. & 1
944.	- Wilson's Blue - Remarkable coionrs, which develop into many shades of blue, free, hp	1	6	975. 976.	Dark Scarlet—Very fine 6d. & 1
945.	Pyrethrum Aureum Laciniatum-Beautifully lacini-	0	3	977. 978.	Purple-brown-With Gold 6d. & 1
946	——————————————————————————————————————			979. 980.	# 4 2 4 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	hp, ¾ ft bd. &			981.	Col & 1
947.	Double-From Book Manner 11, 1	1	U	932.	
948.	—— Single—From hest named kinds, heantiful colours; most useful for entting purposes, hp, 1½ ft	0	6	983	Finest mixed $\ell\ell$ , & 1

*~~		~~~	<b>~~~~</b>	7
	Per pkt.—s. d.		Per pkt.—s.	d.
	Salvia Argentea—Silvery foliage, hp, 2 ft 0 3  — Coccinea—Bright scarlet, ha, 2 ft 0 4	1009.	Schizanthus Hybridus Grandiflorus—The poor man's Orchid. Grows quite compact and pyramidal, and is	()
986.	— Farinacea—A branching shruhhy plant for summer, hedding. Flower-spikes are light blue, hp, 2 ft 0 6	1010.	literally covered with beautiful flowers, hha 6d. & 1  — Papilionaceous Pyramidaiis—Charming variety of colonre, hha, 1\frac{1}{2} ft 0	3
987.	— Horminum (Clary)—Very fine when massed for bedding; deep purple, hha, 1½ ft 0 3	1011.	Wisetonensis—Charming and very attractive. The colouring of the flowers varies from almost white	
988.	——————————————————————————————————————		with a yellow eye to a full rose with a bronzy-hrown	0
989. 990.	— Patens—Splendid blue, hhp, 2½ ft 1 0 1 0 Compacta Nana—Rich ultramarine blue 1 0	1012.	Senecio or Jacob a (Donble) - Free-flowering, gay-colonred flowers in great profusion. Mixed, hha, \( \frac{3}{2} \) ft. 0	2
991.	—— Splendens, Triumph of Italy—Compact habit; splendid combination of searlet and rosy lilac 1 6	1013.	Sempervivum Tabulæforme, The Table Plant - A	0
992.	Zurich - Velvety blood-red colour; suitable for		Sensitive Plant—See Mimosa Pudica.	V
993.	planting out in large groups or for pots, hhp, 3 ft 1 0  ——————————————————————————————————	1014.	Sidalcea Candida-Long spikes of pure white flowers, hp, 8 ft 0	6
994.	ting purposes and in groups, hhp, 2½ ft 1 0  Saponaria Calabrica—One of the prettiest and most		— Listeri—A delicate satiny pluk, hp 6d. & 1	0
	useful annuals for bedding purposes; flowers dark rose, ha, $\frac{3}{4}$ ft 0 3	1016.	Silene Asterias Grandiflora—Free flowering, low hushes, upright flower stalks 2½ feet in height, large heads of crimson-scarlet flowers; flowering in spring, hp 0	6
995.		1017.	— Cannells' Pendula-Mixed, ha 0	3
996.	— Ocymoides—An elegant trailer, well adapted for		,	3
007	rockwork, &c., hp, \frac{1}{2} ft	1019.	carmine, ha, 1 ft 0	3
997.	Scabiosa, Dwarf, Double (Pincushion Flower)—Mixed. Fine for beds or mixed borders; heantifully coloured flowers, hp, 1½ ft	1020.		3
998.	A COLLECTION of 8 varieties, separate, 1s. 6d.	1021.	Penduia Compacta Fi. Pi Peach Blossom, pretty, delicate pale pink, ha 6d. & 1	0
999.	Scabiosa—Tall, large-flowered, choice mixed. 3 ft 0 3	1022.		9
1000.	Tall, large-flowered, 8 varieties separate, 1s. 6d.	1023.	flowers red, ha, ½ ft 0	•
1001.	"The Pompadour"—An excellent horder plant, and as a cut flower for decorative pnrposes, hh 0 6		plant; flowers hright pink, ha, 4 in 0 Smilax—See Myrsiphyllum.	3
1002.	—— Tall Azure Fairy—A delicate mauve or rosy lilac A first-class flower for cutting, hh, 2 ft 0 6	1024.		0
1003.	Caucasica-Beantiful heads of lilac-blue flowers, hp, 2½ ft 6d. & 1 0	1025.	throated flowers. Award of Merit 1	6
1004.	——————————————————————————————————————	1026.	Regina Hybrida—They vary in colour from light rose to pale and deep lilac, adorned in some cases with a pure white throat, while in others the latter	
1005.	Perfecta—Flowers range from the most heantiful water blue to the deepest azure blue, hp, 3 ft 1 0			6
1006.	Japonica—From Japan; flowers a lovely mauve or lavender-blne; free flowering, hp 1 0	1027.	Solanum Capsicastrum—These are beautiful for winter decoration, and are of easy culture, gsh, 1 to 1\(\frac{1}{2}\) ft 0	4
1007.	Schizanthus Grahami (Butterfly or Fringe Flower)— Elegant variety; lilac and orange, hha, 2 ft 0 3	1028.	Pyracanthum - Very pretty; leaves covered with	6
1008.		1029.		4
	CANNELLS	ני פיז	OCKS.	
	Per pkt.—s. d.	, ,,	Per pkt.—s.	d.
	Perpetual Ten-week, Princess Alice-Snow white; fine for pot culture and cut flowers, hha 6d. & 1 0		Dwarf German Ten-week—These will be found excellent for beds or pots, being very dwarf and compact, growing fine trusses of double flowers, bha, 1 ft.	
1031.	White Mammoth Ten-Week-Of robust growth, and produces a single strong spike, I foot in length, closely	1047.	FINEST MIXED 6d. & 1	0
OT!	covered with large well-formed flowers, hha 6d. & 1 0	1048.	COLLECTION of 12 distinct colours, separate, 2s. 6d.	
	CKS, TEN-WEEKS OR SUMMER FLOWERING.  Large Flowering Ten-week—The most popular section of the summer flowering varieties; robust habit, well adapted either for exhibition purposes, hedding; pyramidal spikes of large double flowers of delightful fragrance, and in most varied and brilliant colours, hha, 1 ft.	1049.	,, 6 ,, ,, 1s. 6d.  Giant Perfection, Ten-week—These are amongst the very finest for outdoor work, of vigorous pyramidal growth, and fine hranching habit, long spikes of splendid large double flowers, hha, 2½ ft.	
1032.	FINEST MIXED, DOUBLE—Consisting of all the finest shades 6d. & 1 0	1050.	FINEST MIXED 6d. & 1	0
1033. 1034.	COLLECTION of 18 distinct colours, separate, 3s. 6d.	1051.	COLLECTION of 8 distinct colours, separate, 2s. 6d.	
1035. 1036.	Anrora. 6 ,, 18.6d. 1040. Canary 1043. Chamois.	1052. 1053.	White. 1055. Rose. 1058. Dark Blue. Sulphnr 1056. Crimson. 1059. Chamois Rose.	
	Light Blue. Yellow. 1044. Purple. Rose. 1041. Crimson. 1045. Violet.	1054.	Flesh colour Per pkt., 6d. and 1s.	
1039.	Carmine Rosc.   1042. Flesh colour.   1046. White. Per pkt., 6d. and 1s.	106).	Bismarck—Snowy white, extra large; late 6d. & 1	0
	$\int$	7)		

1067. Purple-Grand ...



STOCK, LARGE FLOWERING DOUBLE GERMAN TEN-WEEK.

AUTUMN	FLOWERING	STOCKS.
AULUUN	C LAT W C D SINU	DIVUDO.

Per pkt.—s. d. Large-flowering Emperor—As a succession to the Tenweek Stock this class will he found useful; if sown in March will flower in the autumn, or if sown in June or July will bloom freely in the autumn, or if sown in June or July will bloom freely in spring; flowers large, double, and rich in

FINEST MIXED ... 6d. & 1 0 1061. COLLECTION of 12 distinct colours, separate, 2s. 6d. 1062 1063. 6

East Lothian, Intermediate (Edinburgh Prize Strain)-Magnificent in heds or ribbon horders, also herbaceous borders; grows rapidly and flowers abundantly from August to January, lih, all 1 tf. high.

White-Pure white; grand flowers ... ... 6d. & 1 White (Wallflower-leaved)-Adapted for pots, as it seldom grows more than 1 foot in height; fine ... ... 6d. &

Scarlet-Vivid colour; very choice ... ... 6d. &

1068.	Mixed 6d. &	1	0
1069.	Dark Lilac-Of a rich dark lilac colour. Strong flower spikes. An excellent all-round variety, hh	1	0
	Stocks, Intermediate—hb		
1070. 1071. 1072. 1073.	Scarlet White Purple Mixed  This seed is saved from the best Covent Garden Stock 6d. &	1	0
	SPRING FLOWERING STOCKS.		

Per pkt.-s. ... 6d. & 1

6d. & 1

... 6d. & 1 0

... 3d. &

Early Large flowering (Nice) Winter Stock—The flowers are larger than all the other kinds, the length of stems, floriferousness, and duration of its flowering seasou combine to render it a race of the first order.

1074 Abundance-Beautiful rosy carmine 1075. Mme. Rivoire -Pure white ... ... 1076. Almond Blossom - White, shaded carmine Crimson King-Beautiful ... ...

1078. Monte Carlo-Delicate canary yellow Queen Alexandra - Rosy lilac 1079. Souv. de Nice-Pale flesh ...

COLLECTIONS of 8 varieties, 2s. 6d. 1081. MIXED ...

Brompton - A strong growing hiennial variety very useful for winter or spring gardening. 2 ft.

Empress Elizabeth-Flowers large and well shaped. 

1081. 1085. COLLECTION of 12 distinct colours, separate, 2s. 6d.

6 ,, ,, ,, 1s. 6d. 1086. Statice Bonduelli-Light golden-coloured everlasting flowers, hhp, 1 ft. ... ... ... ... ... 1087.

- Suworowi-Branching flower spikes bright rose. 1088. Will last in flower more than two months, hha, 1½ ft. Other Varieties of Statice can be supplied.

1089. Stellaria Graminea Aurea, hp, 3 in. ... ... Stenactis Speciosa, syn. Erigeron Speciosus—Purple flowers, hp, plants 2 ft. high ... ... ... 1090. ... ... 0 6

1091. Streptocarpus, Newest Hybrids-The variation of Streptogarpus. Newsst hybrids—The variation of colours in these hybrids is very striking, and range from pure white, through pale lavender, lavender-hlue, lilac-blue, light mauve, purple, violet, hright rose, and red to rich rosy purple, with all the intermediate tints, gp ... 1s. &

Sunflowers-See Helianthus.

Sweet Alyssum-See Alyssum Maritimum.

Sweet Sultan-See Centaurea Moschata.

Sweet William-See Dianthus Barbatus.

SEVERAL ACRES UNDER CULTIVATION.

We devote much time and attentiou to the cultivation and selection of this indispensable and sweetest of all flowers.

They are of easy cultivation and thrive almost anywhere, and if sown carly ensures still greater success and certainty. So as to obtain the largest and finest blossoms a trench should be opened about 1 foot deep, and put in 3 inches of well-rotted manure, followed with 4 inches of soil, and well incorporate or mix, then proceed to sow the seeds over this, 3 inches apart along the row, and covering with earth to the depth of an inch. This should be done as early as the ground can be conveniently prepared in the spring, and as the young plants grow, fill up the trench around them with good soil.

#### SWEET PEAS.

#### WHITE. Per pkt.-s. Bianche Burpee-Of good form and substance ... Dorothy Eckford-Large; pure white ... ... 1094. Etta Dyke-Massive; pure white, frilled flowers ... 6d. & 1 0 Nora Unwin -A grand variety ... ... 6d. & 1 0 1095. 1096. White Spencer-Beautifully waved ... £d. & 1 0 1039. Queen Alexandra—Bright searlet ...

#### SCARLET.

kt.—	-8.
ey;	٠
	1
	ey;

1098. Mrs. Duncan-A fine dark scarlet Spencer

#### SWEET PEAS-Continued.

	CRIMSON. Per pkt.—s, d.	1		ROSE. Per pkt	-s.	d,
	Klng Edward, Spencer-Large erimson scarlet 6d. & 1 0	11	43.	George Herbert-Rich rose, wavy standard; very large		
1101.	Dodweil F. Browne—Intenso bright crimson 6d. & 1 0			6d. &	1	·
1102.	The King-An immense crimson Spencer, a grand variety 1 0	11	144,	John Ingman-Intense salmon-rose standard, deep rose wings 6d. &		- (
1359.	King Edward VII.—Large crimson 0 6	11	45.	Mrs. Dugdaie Rose, shaded primrose	0	5
1103.	Dorothy Tennant-A splendid mauve self 0 3				1	(
1104.	Mrs. Walter Wright-Large booded flowers; lovely			- CARMINE.		
.,, .,	shade of mauve 0 3	11-	47.	Marjorie Willis - A beautiful waved carmine	. 1	(
1105.	Tennant Spencer-Purplish mauve, waved 6d. & 1 0			Marie Corelii-Brilliant rose carmine; true Spencer form		
1106.	The Marquis-Rosy manve 1 0			* 6d. &	1	(
	MAGENTA.	114	49.	Prince of Wales-Bright carmine self	. 0	
1107.	Captivation—Dark magenta self 0 3			PICOTEE EDGED.		
1108.	Meni Christie-Standard purplish earmine, wings rosy				. 0	
	magenta 6d. & 1 0				. 1	
1100	LAVENDER.			Mrs. Townsend—White ground, margined violet; large		
1109.	Asta Ohn-Beautiful waved lavender. One of the best			, 0	. 0	
1110.	Countess of Radnor Splendid shade of lavender 0 3			Picotee Spencer-A lovely variety; white, edged carmine		
	Frank Dolby-A large-flowered lavender self 6d, & 1 0	11.	55.		. 0	- (
1112.				BICOLORS.		
	flower 0 3			Apple Blossom Spencer—Bright rose and pink		(
1113.	Mrs. Bieberstedt-Deep lavender self 6d. & 1 0			Jeanle Gordon-Standard hright rose, shaded eream	. 0	5
	INDIGO BLUE.			Luoy Hemus -Bright rese, crimson shading		6
	D. R. Williamson-Fine deep blue shade 0 3	11.	59,		1	C
	Horace Wright-Deep violet blue; of good substance 0 6			RED FLAKED.		
1116.	Lord Nelson—Bright shining deep blue 0 6			Aurora Spencer-Flaked orange-salmon; fine flower	1	0
	CERISE.				0	3
1117.	Chrissie Unwin-A grand light scarlet, shaded cerise 0 6	110	62.	Aurora-A very useful variety	0	3
4440	CREAM AND PALE YELLOW.			BLUE FLAKED.		
	Ciara Curtis—Deep primrose Spencer 0 6			Helen Plerce-Pale blue marbled		
1119.	Dora Breadmore—Boff yellow, slightly shaded pink 0 3			Prince Olaf-Striped blue on white ground		- 6
1120.	Mrs. Collier—Fine pale primrose 0 6			1	0	3
1121.	Paradise Ivory—Beantiful ivory shade 6d. & 1 0	110	66.	Senator Spencer—Deep claret and chocolate, striped and flaked on ground of heliotrope	1	0
	2 0 0 0			ORANGE SCARLET.	, i	
1123.	Queen Victoria Spencer—Soft yellow, beautifully waved 6d. & 1 0	111	67		1	C
1124	Outcom Winterston A montall material	)			0	
	PINK SHADES.			Henry Eckford—Bright shining orange		
1125.					l	
1126.	Countess Spencer—A popular pink variety 6d. & 1 0			ORANGE PINK.		
1127.	Enchantress—Delicate pink, shading to rose 0 6	113	71.	Helen Lewis-Waved; orange pink 6d. &	1	- (
1128.	Giadys Unwin-Flowers large and bold; of a pretty pink			Miss Doris—Light rose, heavily shaded orange	1	0
	shade 0 3			Miss Wlllmott-Large; rich deep or inge rosc	0	C
1129.	Janet Scott-A deep rich pink 0 3			MAROON.		
	Lovely-Large pink standard, delicate rose wings 0 3	11	74.	Black Knight—Deep maroon self	. 0	3
1131.	Mrs. R. W. Cannell-A fine waved and attractive pink	11	75.	Dudley Lees-Dark maroon, erect standards	0	- 6
1132.	wariety 6a. & 1 0 Mrs. Hardcastle Sykes—Delicate pink 0 6	11	76.	Othello, Spencer-Deep rich maroon	0	G
1133.	Princess Victoria—Fine shell pink 0 6  0 6			BRIGHT BLUE.		
	CREAM PINK SHADES,			Captain of the Blues—A fine bright blue variety  Mid Blue—Deep sky blue 6d. &	()	
1134.	Constance Oliver-Rose, cream centre; Spencer flower 1 0				ō	
1135.	Gracie Greenwood—A delicate soft cream pink 0 3			COLLECTIONS OF SWEET PEAS.		
	Mrs. Routzahn Spencer-Buff, suffused delicate pink	11	80	H. C. & Sons' Selection of Large Flowered kinds		
1137.	Miriam Beaver—Soft apricot, shaded and suffused with			In 24 varieties		
1138.	Nell Gwynne Cream, suffused delicate pink 6d. & 1 0		81.	,, alder but convices blo kinds ,, 12 ,,	4	- 0
1139.	Venus—Creamy white, flushed with rose 0 3		82.	,, older but serviceable kinds ,, 24 ,, 12 ,,	2	
	BLUSH SHADES.			SWEET PEAS IN MIXTURE.		
1140.	Lady Althorp-White waved, turning to blush 1 0	11	84.			
1141.	Sensation—White, suffused with blush 0 3	113	85.	Fine mixed per pint, 2s. 6d.; per oz. 8d.	_	
11101			80.	—— Cupld—Mixed 3d. &		
	( 4	9)			E	

	Per pkt.—s. d.		Per pkt.—s.	a
1187.	Tagetes Lucida — Small orange, neat habit, scented foliage, hha, 1 ft 0 3	1224.	Verbena Cannelis' Mammoth—Including a splendid selection of large fine flowers and gorgeons colours, hhp 1	
1188.	—— Signata Pumila—A miniature variety of Marigold, golden-yellow flowers, striped with crimson, hha, 1 ft 0 3	1225.		L 0
1189.	Thunbergia Alata—Beantiful climber for pot culture; flowers pale huff with nearly black throat, ga, 4 to 6 ft 0 6	1226.		
1190.	Thunbergia.—Best mixed, ga 0 6	1227.	— Mammoth, Scariet Shades — Some flowers are	
1191.	Torenia Bailloni, syn. Fiava—Yellow, purplish-hrown thhe; very effective as a hasket plant, ga, 9 in 6d. & 1 0	1228.		
1192.	Fournieri Superbens — Large sky-blne flowers, with indigo blne spots and hright yellow in centre, ga, 1-st. 1 0	1229	from light and dark rose to deep carmine, hlp 1  — Hybrida Dark Blue—hhp 6d. & 1	. (
1193.	Tracheilum Coruleum-Small bluish flowers in large	1230.		(
1194.	corymbs, pretty hardy in dry soil, hb, $1\frac{1}{2}$ ft 0 3  Trichosanthes Colubrina, (Snake Gonrd)—Beantiful	1231.	collection, hhp, 1 ft. Sow in heat early in Spring 6d. &	L (
	climbing plant, with long, elegant, serpent-like fruit from 5 to 6 feet in length, hha 0 3	1232. 1233.		) (
1195.	Tritoma Hybrida Express—The colours range from light and dark orange to salmon-red and carmine, hp 6d. & 1 0	1255.	rich blue, hp	) ;
	CANNELLS' TROPÆOLUMS.		beds, or intermingled with other plants these are charming, hp.	
т	'ROPÆOLUM, CANNELLS' LOBBIANUM OR	1234.	Champion—White, useful for bedding	0 (
	TALL GROWING.	1235.	Kitty Bell-Light lavender	0 /
	Per pkt.—s. d.	1236,	Waveriey-Deep blue	0
	Elegant, and remarkable for their richly diversified colonrs	1237.	Wm. Neil-Light rose	0
	and profusion of bloom, heing equally adapted for in or	1238.	Yellow Boy-Fine yellow; very free	
	ontdoor decoration, and very graceful growing over trellises, pillars, walls, &c.	1239.	Finest Mixed 6d. &	
1196.	Lobbianum Golden Queen—Pure golden yellow, hha 0 6	1240.		
1197.	Hederæfoium—The ivy leaves are of a dark mctallic hue; crimson-scarlet flowers, in great profusion,	1240A	. — Perfecta-Purplish violet	
***	hha 0 6	1241.	Papilio—A group of this in full bloom looks like a mass of blue hutterflies, hp 6d. &	1 (
1198.	MIXED COLOURS 0 3	1242.	Violet, White Czar-A useful single variety, hp	0
1199. 1200.	A COLLECTION of 12 distinct varieties, separate, 2s.		Virginian Stock (Malcolmia)—Sown in Feb. or March, a very gay display is produced in the flower garden, ha, 6 in.	
	Majus-Strong growing; tall. Mixed, hha 6d. per oz.; 0 3	1049		0
1202.	Crimson.   1204. Scarlet.   1206. Yellow.	1243.	S S S S S S S S S S S S S S S S S S S	0
1203.	Salmon.   1205. Spotted.   3d. and 6d. per pkt.	1244.	7 1	0
	Tom Thumb or Dwarf Growing—These are noted for	1245.		0
	coming into flower very quickly after commencement of growth, and continue more constantly in bloom perhaps			0
	than any other annual, hha.			0
1207.	MIXED COLOURS. 3d. per pkt., 6d per oz.		Elegans Picta—Scarlet margined white, ha, 1 ft	
1208. 1209.	A COLLECTION of 12 distinct varieties, separate. 2s.		CANNELLS' WALLFLOWERS.	
1210.	Cœrulea-Roseum—Rose, tinted blue 0 3	10.0	Cannells' Improved Maroon-The darkness and	
1210A.	Crystal Palace Gem—Sulphur, spotted crimson 0 3 Empress of India—Crimson-scarlet, dark foliage; very	1250.	the perfume of this variety far exceeds all others, hp, $1\frac{1}{2}$ ft.	0
	showy 0 3	1251,	spikes of beantiful flowers, delicionsly scented. Mixed 6d. &	1
1212. 1213.	King Theodore—Chocolate-crimson, dark foliage 0 3 King of Tom Thumbs—Splendid rich crimson flowers	1252. 1253.	, , , ,	
	and dark foliage. 4 ft 0 3	1254.		0
1214.	Pearl—Creamy white; pretty 0 3	1255		
1215.	Rich bright crimson; useful hedding or pot plant; dwarf	1256	Dwarf Nankeen Yeiiow-Delicate pale yellow; early,	•
	and compact 6d. & 1 0	1257	The 1 City of a Assessed Title	
1216.	Ruby King-Rich rosy scarlet, foliage dark 0 3	1	We will be a second of the sec	
1217.	77 . 77	1258 1259		1
1218.	Tropæolum, syn. Peregrinum (Aduneum)		changing to salmon-red, pleasing shade, 1 ft per oz., 2s.	0
1220.	Canariense, Canary Creeper—hha, 8 ft 3d. & 0 6 ——Speciosum—Tuberous-rooted, hp 6d. & 1 0	1260	habit 6d. &	
1221.		1261	. — Tom Thumb, Mixed—A rich variety of colonrs Ruby Gem—Clear shade of ruby-violet, 1 ft. per oz., 2s.	
1222.	and a second sec	1263		Ů,
1202.	very sweet; large woolly leaves, hp, 6 to 8 ft 0 3	1200	1 ft 6d. &	1
1223.	— Pannosum — Silvery-grey foliage, flowers bright vellow, hp. 6 ft	1264	. Golden Tom Thumb—Golden yellow, hp. 1ft.	

(50)

100=	Howkinson Discours bearing by 11 fe		r pkt.—s. d.	CANNELLS	FINEST EXHIB	ITION ZINNIAS
1265.	Harbinger—Flowers brown, hp, 1\frac{1}{2} ft, Sisley's Broad Petalled—Dark red,		3d. & 0 6	ONTHELLO	TIMEST EXILID.	
1266. 1267.	· ·	•	3d. & 0 6 per oz. 0 6	1976 Dwarf Dou	ble Striped-Will pro	Per pkt.—s. d.
1268.	SINGLE MIXED—Various shades, h			of striped flow	ors viii pro	6d. & 1 0
1269.	Primrose Dame—Quite distinct; pale	•		1277. Elegans Fl.	Pl. Crlspa-The flow	ers are of perfect form,
1			por on,		ng twisted, cnrled, and	
1270.	Whitiavia Gloxinlæoides (Phacei		0 6		-Mixed	
1271.	Xeranthemum Annuum Superbi violet-purple everlasting flowers, ha, 1			1279. — Double	-Mixed	3d. & 0 6 louble, separate, 2s. 6d.
1272	————— Fl. Pl. Aiba—Pure w			1281. ,,		single, $\frac{1}{1}$ , $\frac{1}{1}$ , $\frac{1}{1}$
	Zea Gigantea Quadricolor—A			1282. Elegans Pu	nlla Pl. Fl.—For ribbo	n horders, &c., perfectly
	leaved, and highly-decorative kin	d, hha, 5 ft	0 6	donble, brilli	ant colonrs. 12 to 15 in	a 6d. & 1 0
1274.	— Japonica Quadricolor Per					a—Large fine flowers
1975	intense; splendid		6d, & 1 0	2½ to 3 ft		6d. & 1 0
12,0.	growing and very ornamental, 4 feet, b				Fl. PlBrilliant oran	
	CANINELLO	TOT OF	DENINU I	PACKETS OF I	TOWED CERT	25
	12 packets post free; if le					
1285.	Adonis, Flos		rysimum Ar		1319. Pansy,	
1286.	Antirrhinum		schscholtzia			er Somniferum, Double
1287.	Aster, Chinese, Mixed		— — Alba		1321. — O	rientale
1288.	Balsam, Double	_	illa, Mixed		1322. — U	mbrosum
1289.	Calliopsis Drummondi		odetia Whit:	neyl		s,Mixed(annuai varieties)
1290.	Candytuft, White Rocket		Mlxed			ria Calabrica
1291.	— Crimson		leiichrysum,	Mixed		Pendula, Mixed
1292.	Mixed			florum Rubrum		— Ruberrima
1293.	Canterbury Bells, Mixed		ove-lies-Blee			Ten-Week, Mixed
1294.	Clarkia, Mixed		farigold, Afr		1328. Sunfloy	
1295.	Collinsia Bicolor		lignonette	louii, minou		Peas, Mixed
1296,	Convoivulus Major, Mixed			get-me-not), Blue		William, Mixed
1297.	—— Minor, Mixed		asturtium, I			an Stock, Mixed
1298.	Cornflower, Mixed		— Dwarf, I		1332. Viscari	
1299,	Delphinium Elatum, Mixed		emophila In			wer, Single, Mixed
1300.	Digitails (Foxglove), Mixed		Mixed	J.B	1334. · Bl	
	Erysimum Perofskianum		rnamental G	rasses		
	21 J SIMUM 1 OF OTSKILLING	10101				
		ORNA	MENTA	L GRASSE	S.	
Т	hose heautiful, fine, feather-like Grasses	are exceeding	zly ornamental,	and are much grown.	The following will be	found the most useful:-
			Per pkt.			Per pkt.
1335.	Agrostis Laxiflora—Pretty, ha, 1½ ft.  Nebulosa—ha 1½ ft.		9.1	lilies and aqu	atics round edges of por	nds, &c., bp, 3 ft 6d.
1837.	— Nebulosa—ha 1½ ft Pulchella—ha, ¾ ft		0.1	1348. Festuca Rigi	da-Elegant, distinct,	glaucous blue, hp, 1 ft. 3d.
	The above are very pretty vo	rieties.		1349. Gynerium A	rgenteum (Pampas (	Grass)—hp, 6 to 10 ft 6d.
1338.	Apera Arundinacea (Pheasant's	Tail Grass)-F		1350. Hordeum Ju	batum (Squirrel's Tai	il Grass)—ha, 1 ft 3d.
1339.	arching plumes of a bronzy colour, bp, Briza Gracilis (Quaking Grass)—ha,		6d.	1351. Lagurus Ov	atus (Hare's Tail Grass	$\frac{1}{2}$ ha, $\frac{1}{3}$ ft $\frac{3d}{3}$
1340.	— Maxima—ha, 1 ft		3d.		lionacea—hp, $1\frac{1}{2}$ ft.	
1341.			9.4	1354. Panicum Su	lcatum—hhp, 1} ft. um—Handsome in bord	
1342, 1343,	Bromus Brizæformis—hb, 2 ft Chioris Barbata—ba, 1 ft		6.4	1355. Paspalum E	legans—ha, litt.	3d.
1344.	Coix Lachryma (Job's Tears)—ha, 1:	ft	3d.	1356. Pennisetum	Longistylum (Villosu dlianum—Lovely spil	$m$ )—ha, 2 ft 3d. kes, ha, $2\frac{1}{2}$ ft 6d.
1345. 1346.	Eragrostls Eiegans (Love Grass)—ha — Maxima—ha, 1½ ft		0.1	1358. Stipa Penna	ta—hp, 2 ft	3d
						TING
	BULBS, PLA			, FOR SPR		111 (1)
	Please of	bserve o	nly SEED	S are sent Ca	rriage Paid.	
					GLADIOLI.	Per 100. Per doz. s. d. s. d.
Amar	ANEMONES.	on don	5/0 ner 100	Brenchleyensis, da	zzling scarlet	8 6 1 6
	Cinalo		5/0 per 100. 2/9 ,,	Floribundus, white	, striped and stained pu	rple 10 6 1 6
,	Fulgens 1/3	,	7/6 ,,		ling, equal to many n	
	DOUBLE CHRYSANTHEMUM			CHOICE 1	NAMED COLLECTIONS O	OF GANDAVENSIS:-
	Fine Mixture, 1s. 4d. pcr doz.;			Collection No. 1	Per doz.—s. d 4 0 Colle	Per doz.—s. d 10 0
	RANUNCULUS.			,, ,, 2	6 0	,, ,, 5 12 0
Ranu	nculus, Persian, mixed 0/5		2/0 per 100.	Hanning Levoiner	8 0   , mixed	1 6
	Turban, 0/6 in 5 varieties,	5/0,"	2/9 ,,	CHILDSI VARIETIES,	fine mixed byhrids	per 100, 15s. 2 3
	100 111 0 141 101103,	-1	(5			E 2
			( )	1 )		
4			( )			

#### HYACINTHUS (GALTONIA) CANDICANS.

A lovely hardy bulb, flowering in August. 2d. each; 1s. per dox.; 7s. per 100.

#### DAHLIAS.

The finest and best kept collection in the world.

For Collections we have received more Awards than any other Firm.

The tubers can be sent by post to all parts of the globe. Capital presents to make to friends abroad.

## 80,000 Pot Roots for Propagation now ready for immediate delivery.

Our selection, 5s., 12s., and 18s. per dozen, from General Collection, as per "Floral Guide."

For varieties and descriptions see Dahlia List.

#### TIGRIDIA (Mexican Tiger or Iris Lily).

Pavonia Grandiflora Alba—Ivory-white flowers, spotted with maroon and rosy lake in the centre. 1s. 9d. per doz.

Grandlflora Aurea-Deep golden yellow, 2s. 6d. per doz.

Pavonia Grandiflora—1s. 6d. per doz.

Pavonla Grandlflora Lllacea-Purplish lilac. 1s. 9d. per doz.

Conchiflora—Orange and golden yellow, spotted with dark crimsor.

1s. 6d. per doz.

Pavonia—Rich scarlet, tinged and spotted with yellow. 1s. 6d. per doz. Mlxed—1s. 3d. per doz. 8s. 6d. per 100.

#### AMERICAN TUBEROSE (Double).

2s. per doz.; 12s. per 100. For delivery about Christmas.

## ARUM SANCTUM (The Black Calla, Arum Palestinum, or Solomon's Lily).

1s. 6d. and 2s. 6d. each.

#### TROPÆOLUM.

Tuberosum-Yellow and scarlet. Per doz., 2s. 6d.; 3d. each.

#### LILIES.

The best and most useful varieties in cultivation. See Floral Guide.

Auratum (The Golden-rayed Lily of Japan)—One of the grandest of Lilies, 9d., 1s., and 1s. 6d. each; 7s. 6d., 10s. 6d., and 15s. per dozen. Bulbs in pots can be supplied if required.

Brownii-Interior pure white, exterior of a brownish shade; very

Candldum (The Old White Garden Lily)—Still one of the best for forcing or borders, snow white. 4 ft. 3d. each; 2s. 9d. per dozen.

Longlflorum Giganteum—Flowers pure white, long and handsome; very free. 6d. and 9d. each; 5s. and 7s. 6d. per dozen.

Many other varieties can be supplied.

#### CHINESE SACRED LILY.

#### (Narclssus Tazetta.)

May be grown either in soil in pots or water in a vase.

Each, 6d.; per doz., 5s.

Bowls for the cultivation of the Chiuese Sacred Lily, at the following

1		for									1s. 3d.
										,,,	
										,,	
					•••						2s. 6d.
1	3.7		6 ,,	• • • •	•••	***	•••	•••	•••	,,,	3s.

#### LILY OF THE VALLEY.

For forcing and planting outdoors.

Extra Strong Selected Clumps—For pot culture. 1s. 3d. each; 12s. per doz.

Best Selected Crowns—For early forcing and general purposes, 1s. per doz.; 6s. 6d. per 100.

Best Selected Dutch Crowns - For outdoor planting, &c. 6s. per 100.

Fortin's Giant Flowered—Very large haudsome bells on long vigorons stems; the best results are obtained by planting this variety outdoors.

Flowering Crowns. 8s. per 100.

#### MONTBRETIA (Tritonias).

	Fine plants, flowering from July till frost sets in.	Inv	alu	able	for o	cut
tlow	ers.		Per e		Per 1	
	Bouquet Parfait-Deep yellow, shaded vermilie	on	». О	d. G	8,	d. 6
	Crocosmæflora-Brilliant orange		0	5	3	0
	Aurea-Golden yellow	•••	0	G	3	6
	Elegans-Yellow and vermilion		0	6	3	6
	Pyramidalis-Apricot-salmon		0	7	4	0
	— Sunset—Golden yellow	•••	0	5	3	0
	Drap d'Or-Deep golden, shaded apricot-orange; la	ite	0	5	3	0
	Etoile de Feu-Vermilion, shaded orange-scarlet	•••	0	8	4	6
	Germania-Glowing-scarlet and orange each 3	d.	1	9	12	0
	Pluie d'Or-Apricot-orange, shaded golden yello	W	0	7	4	0
	Rayon d'Or-Golden, shaded apricot-orange		0	6	3	0
	Solfatara-Primrosc-yellow; a trifle late	•••	0	6	3	6
	Transcendant-Orange-red, shading to golden as	nd				
	vermilion	•••	0	7	4	0
	Pottsii - Reddish crimson and orange; showy	• • •	0	6	3	0
	Mixed		0	5	2	9

#### VALLOTA PURPUREA (The Great Scarborough Lily).

This is the grandest and most general favorrite of all bulbs. 9d. and 1s. each; 8s. and 10s. per doz.

#### WINTER ACONITE (Eranthis Hyemalis).

Per 100, 2s. 6d.; per dozen, 6d.

#### RETARDED BULBS AND ROOTS.

We beg to inform our customers we are now in a position to offer the following in first-class condition, and should have much pleasure in booking orders for any or all of the undermentioned, to be delivered at stated intervals throughout the year:—

Lily of the Valley. 8s. per 100.

Lillum Auratum. 7s. 6d. per doz.

Lilium Longiflorum. 5s. to 10s. per doz.

Llllum Speciosum Album. 10s. per doz.

Lilium Krætzeri. 10s. per doz.

Spiræa Compacta Multiflora. 9s. per doz.

Spiræa Japonica. 6s. per doz.

#### CANNELLS' TUBEROUS BEGONIAS

#### SEEDLINGS (DOUBLE) FROM OUR FINEST NAMED COLLECTION.

Ist Quality—Various colours. 12s., 15s., and 18s. per doz. (dry tubers).
2nd Quality—Various colours. 7s. 6d. per doz.; 50s. per 100 ,,
3rd Quality—Various colours. 4s. per doz.; 30s. per 100 ,,

Mlxed Colours—For bedding. 1s. 6d. per doz.; 10s. per 100. Specially Selected—2s. 6d. to 5s. each.

#### SEEDLINGS (SINGLE) FROM OUR FINEST NAMED COLLECTION.

No. 1 Quality—Scleeted to colour, and almost equal to named varieties.

6s. per doz.; 40s. per 100.

No. 3 Quality—Selected to colour. 2s. 6d. per doz.; 15s. per 100 (dry tubers)

Mixed—Suitable for bedding. 10s. per 100 (dry tubers). 1s. 6d. per doz.

No. 2 Quality—Selected to colour. 4s. per doz.; 30s. per 100 (dry tubers). | Mixed—Suitable Special Prices for large quantities.

#### CACTI AND SUCCULENTS.

Finest and Best Collection in England. For Illustrated and Descriptive List, see Special Catalogue, 6d., Post Free, on application.

We exhibited a large collection at the Franco-British Exhibition, 1908.

Many of our Specimens are now getting large, and give a noble appearance. Our House of them alone is worth the journey to Swanley.

Collection	of 50	distinct	varieties	of Cacti	and Succulents	S	 	•••					30s.,	40s.,	and	50s.
"	25	,,	22	3+	11		 • • •	• • •	•••	•••	•••	• • • •		18s.	and	208.
11	12	"	"	"	11		 •••		***	•••	•••	•••	6S., 7S.	6a.,	and	IUS.

#### SCREEN AND HEDGE PLANTS.

All the best and most suitable supplied at lowest prices for large or small quantities.

Varieties and Prices on application. Send for our Catalogue, post frec.

#### THE SWANLEY COLLECTION OF HARDY PLANTS.

We shall be happy to advise intending purchasers as to the quantity of plants, &c., for any given beds or horders, if particulars are sent as to dimensions, aspect, and soil.

Collections of 100 useful border Plants, flowering at various seasons, 25s.

2.2	opring-nowering r	lants, 12 va	riei	105, 38.			
12	11	,, 25	12	16s.			
22		_,, 50	5.7	30s.			
9.1	Autumn-flowering	Perennials,					
22	1 >	11	25		12s.		
22	17	5.9	50	2.9	20s.	to	60s

The Bijou Collection for the rock garden carefully selected. 50 plants in 50 varieties, 20s.

Older and commoner sorts: -25 varieties for 7s. 6d.; 50 varieties, 14s.

#### WINTER-FLOWERING SHRUBS.

Strong Plants for foreing throughout January and February. If placed in heat will soon make a fine display.

DEUTZIA GRACILIS. 1s. 6d.

GUELDER ROSE (Viburnum). 2s. 6d.
HYDRANGEA PANICULATA GRANDIFLORA—Very useful. 1s. 6d. to 2s. 6d.

JASMINUM OFFICINALIS. 1s., 1s., 6d., and 2s. 6a. LILAC (Syringa) VULGARIS. 1s. 6d. and 2s. 6d. LILAC (Syringa) ALBA. 1s. 6d. and 2s. 6d.

SPIRÆA PALMATA and other Varieties. 1s. to 1s. 6d. SPIRÆA THUNBERGIA. 1s.

1s. White flowers. 1s. 6d. to 2s. 6d. STAPHYLEA COLCHICA.

WEIGELIA CANDIDA. 1s. 6d.

#### CANNELLS' ROSES.

FOR FULL DESCRIPTION OF ALL THE BEST KINDS,

see our AUTUMN CATALOGUE.

We have one of the largest and finest collections of Roses in England-

10 acres; 5,000 in pots.

Turner's Crimson Rambler, dwarfs, is. and is. 6d.; extra strong, 2s. 6d. and 3s. 6d. each.

#### MARECHAL NIEL,

8 ft. to 12 ft. high. 3s. 6d., 5s., and 7s. 6d. each.

ESTABLISHED PLANTS in 6-inch pots, of all the finest Teascented varieties, grown especially for Conservatories. 18s., 24s., and 30s. per dozen.

Climbing Roses, specially grown in pots for training on walls and rafters, for Conservatory and Outdoor Planting. 2s. 6d., 3s. 6d. to 5s. each.

PRICES OF ROSES-WHEN THE SELECTION IS LEFT TO US:-Standards and Half-Standards, best sorts, and well varied, 18s. to 24s. per dozen.

Dwarfs on the Brier, extra strong good varieties, 6s. per dozen. Dwarf Teas and H. Teas, varieties, from open ground,

9s. per dozen.

Extra fine plants in pots, 18s., 24s., and 30s. per dozen. Hybrid Perpetuals in pots, good strong plants, 18s. per dozen.

Amateurs selecting their own are respectfully requested to add to their orders a few supplementary sorts, lest by previous orders the stock of any particular variety should be exhausted, this being especially necessary late in the season.

Our Selection of Varieties, Post Free, Parcel Post.

All the Newest Kinds supplied at Advertised Prices.

Please write to us for Particulars and Prices of Plants required not mentioned here. PLEASE NOTE.-ONLY SEEDS ARE SENT CARRIAGE PAID.

#### SELECT GRAPE VINES.

GRAPE VINES we grow very extensively; four of our 100-feet houses are filled with them early in the Spring. BOOK ON VINES BY A. BARRON, 5s.; POST FREE, 5s. 6d.

Fine Grown Canes, 4 to 6 ft. long, 5s.; very fine, full sized Canes, 10 to 14 ft. long, 7s. 6d. and 10s. 6d. each. Small Canes, 3 ft. long, 2s. 6d. each. For full description sec Autuma Catalogue.

#### CANNELLS' CHRYSANTHEMUMS. AWARDED MANY GOLD MEDALS. SILVER-GILT MEDAL, GHENT.

these we have the largest, finest, and best kept collection in the world. For full particulars send Catalogue, which is acknowledged to be very much the best book on the whole family ever published. For full particulars send for our special Sent post free Customers free.

For a List of all Sections of Chrysanthemums, see our Illustrated and Complete Descriptive List, sent Post Free to all parts.

#### STRAWBERRIES.

What a lovely refreshing fruit! And when we hear it is the firm belief of the highest in the medical profession that if we were to cat more should hear less of gout, rheumatism, and other pains; and seeing how casy Strawherries are to grow, it should be the set determination of all cultivate their own, and have them, with all their beautiful freshness, morning and evening, as long as possible; and when so, they are one of the ratest charms and benefits that mankind can partake of. For full particulars of varieties and prices see our Autumn Catalogue.

#### Come and See

Our Fruit Lands at Eynsford during the fruiting season, and inspect the very trees, and thousands of others similar, hearing extraordinarily fine fruit, and if any of our customers decide to plant we request a trial order to give the greatest confidence that our Trees are the best to be obtained.



Distinct sorts coming in for use at different seasons, fine hush trees to produce a crop in a year or two, similar to engraving, 6 for 7s. 6d., 12 for 14s., onr selection. Packing, 1s. 6d. and 2s.

#### PLANTS AND SEEDS FOR ABROAD.

FOREIGN PARCEL POST RATES,

Canada, 3 lbs., 1s.; 7 lbs., 2s.; 11 lbs., 3s.

Cape Colony and Natal, 9d. per lb.

India, 3 lbs., 1s.; 7 lbs., 2s.; 11 lbs., 3s.

New Zealand, under 3 lbs., 1s.; 7 lbs., 2s.; 11 lbs., 3s.

United States of America, Brooklyn, Hoboken, Jersey City, and New York City, 3 lbs., 1s. 6d.; 7 lbs., 2s. 6d.; 9 lbs., 3s. 6d.; 11 lbs., 4s. 6d.

All other places in the United States of America, 3 lbs., 3s. 6d.; 7 lbs., 4s. 6d.; 11 lbs., 5s. 6d.

Australia, 6d. per lb. (1s. for the first lb.).

#### "GARDENERS' CHRONICLE" (Leading Article).

To show what the Old Country can do in the way of Apples and Pears, Messrs. Cannell exhibited tables of fruit, against which even those of Nova Scotia paled in comparison.

#### "GARDENERS' CHRONICLE."

British and Colonial Fruit.—When at the recent Exhibition of Home and Colonial Frnit at the new Hall, the Fruit and Vegetahle Committee awarded Messre. H. Cannell & Sons a Gold Medal for their very fine display of home grown Apples, it was desired not only to mark the Committee's sense of the great excellence of the exhibit, but also as an acknowledgment of the enterprise of the firm in exhibiting at such a show such superh examples of British grown Fruit. Most certainly it would have been a misfortune had the public patronizing the Show had no opportunity to note the merits of home-grown fruit when compared with that from our Colonics. That Kent County comprises an area from which come the firest Apples and Pears in the world is certain. North An erica may pain her fruit with richer hnes than even Kent can, but not only are our fruits finer, but in quality are greatly superior. When there seems to be so much desire to exalt the productions of the Colonies at the expense of home productions, it is needful to make an occasional hold stand in favour of our little Britain.—A.D.

Kent has been acknowledged for centuries the Garden of England, and is to-day more manifest than ever. H. Cannell's establishments are situated in the midst of the largest fruit and vegetable market gardens in England. In consequence of the high quality of the goods being produced on the most favoured spot, Cannells' are universally known throughout the civilized parts of the world as supplying the best seeds and plants in the most perfect condition.

## GARDENERS.

Our Mr. H. Cannell, Senr., gives personal daily attention to all applications for Gardeners (good all-round men); his wide connection, and being a large employer, makes him either personally or intimately acquainted with most of the best practical and deserving men in the country, and he would feel a real pleasure in assisting and fitting in the right man to fill the situation for which any lady or gentleman may require him.



FOR ABROAD.



Judiciously Selected, Specially, Carefully, and Securely Packed for Exportation to all parts of the Globe.



### OUR FOREIGN TRADE.

E have so perfected the system of sending plants and seeds into the most remote parts of the world that success is no longer an uncertainty, which the many testimonials confirm.

### SEEDS FOR EXPORT.

COLLECTIONS OF

VEGETABLE SEEDS
supplied from

5/- up to £10.



TO ALL PARTS OF THE WORLD BY POST, RAIL, AND SEA.

SEEDS FOR EXPORT.

COLLECTIONS

FLOWER SEEDS

supplied from

2/6 up to £5.

## H. CANNELL & SONS

(Members of the Royal Horticultural Society of England),

Importers and Exporters of all New and Choice Plants, Florists' Flowers and Seeds, to and from all parts of the World.



#### FOREIGN AND COLONIAL NOTICES.

Plants and Seeds are despatched to India through the Indian Parcel Post, and also by the Ordinary Mail. Customers will kindly notify by which service they wish their parcels sent.

In America, Australia, India, and Cape Town, the general expression amongst both the trade and amateurs is—" None are successful in exporting plants as Cannell & Sons"; consequently, we need hardly say our trade has increased to a very great extent.

When Soft-wooded Plants are received abroad, if dry, let them lie in milk-warm water for three to six hours, without removing the packing from the roots; then unpack and put in pots, according to size, place in a close glass case, being careful to shade from the sun until they make fresh growth.

All orders must be fully prepaid or accompanied by satisfactory reference. EXPORT ORDERS COMMAND THE PROMPTEST ATTENTION.

SPECIAL TERMS TO SHIPPERS OF LARGE QUANTITIES OF SEEDS.

Telegraphic Address: "CANNELL, SWANLEY, ENGLAND."

## FEW POINTS WORTH ATTENTION.

FREE CARRIAGE OF SEEDS .-- We send all Vegetable and Flower Seeds carriage paid to any place in the United Kingdom, excepting Peas and Beans, Potatoes, Artichokes, and special quotations, when any or all of these are ordered in small quantities, as

in many such cases the carriage nearly, if not quite, absorbs the value of the goods.

Potatoes and sundries, &c., are only sent free if the value amounts to 20s. in England, and 40s. in Scotlaud and Ireland, and upwards, when we send the whole earriage paid. We do not pay carriage on Pot Plants, Trees, Shrubs, or Bulbs; but extra plants, &c., are added gratis in lieu of carriage EMPTY PACKAGES.—We charge at cost price, and allow two-thirds price if returned in good condition and carriage paid, and must be in all

cases accompanied with sender's name and address and advised by post.

Although every care will be taken in the packing and sending of plants, seeds, &c., risk of every description must be borne by the purchaser immediately they are delivered to the Railway Company or Postal Authorities.

Every article is charged at the very lowest price. Our object is to give the ready-money buyers the advantages they are really entitled to. It may happen that prices lower than ours may sometimes be quoted. This invariably means false economy in a variety of ways—good things must be looked after by good men, who must be fairly paid and good strains are only procured by unceasing labour and care.

save vexations mistakes. All goods are advised the same day as forwarded, and the invoice posted as soon as possible afterwards.

Say by what rail. Please to write the address plain and in full on each order. No complaints entertained unless made immediately on receipt of goods.

The greatest care is exercised, and utmost liberality shown, when the selection of sorts is left to us.

It is particularly requested that all small orders under 10s. be accompanied with remittance to avoid the necessity of Booking, and very often the trouble of rendering and even re-rendering several times to our loss and probable annoyance to our Customers.

Cash with Order is a sound way of doing business, and it enables us to give you advantages in our goods and also prices.

All orders by post will be dealt with precisely as if given personally. Those who send above their value will have additional put in to make up the full amount.

We have every facility for keeping a large stock of everything enumerated in this Catalogue, and are therefore determined to adopt the system of quick sale and ready money. All who euclose remittances will be most liberally dealt with.

SEEDS AND BULBS FOR EXPORT .- All these are specially selected for Export Orders, and carefully and securely packed in tin-lined cases. Plants in snitable boxes.

Our establishments are open for business, &c., from 6 o'clock a.m. until 6 p.m., and 5 o'clock p.m. on Saturday. No visitors admitted on Saturday evenings and Sundays. Closed on all Bank Holidays.

Customers are particularly requested, when sending orders for friends (with their own), to do so on separate papers, with each address written plainly, to prevent mistakes.

WHEN SPECIAL QUOTATIONS ARE GIVEN, CUSTOMERS ARE KINDLY REQUESTED TO MENTION SUCH.

To avoid delay and disappointment, all business communications must be sent direct to the firm addressed "H. CANNELL & SONS," otherwise they will remain unnoticed.

Telegraphic Address, "CANNELL, SWANLEY." G.P.O. Telephone, No. 3, Swanley Junction.

Post Office and Postal Orders to be made payable at Swanley Junction, Kent, and crossed "& Co." All Cheques to be made payable to H. CANNELL & SONS, and crossed Martin's Bank, Swanley, Kent.

Not as in co-operative societies, do we demand payment beforehand, nnless from unknown correspondents, when satisfactory references to banksu, or some person already known, are equally acceptable. So as to encourage quick returns and but small profits, we allow 5 per ceut discount excepting Collections of Sceds, and which are strictly netty on all payments made within 14 days of date of invoice, but after that date must be remitted in full. When special prices are quoted, accounts are payable one month from date of invoice and uo discount. We cannot undertake to send a receipt for payments under 2s. 6d., nnless the return postage is sent ns.

We hope all customers will apprise us of change of address, thus saving the annoyance to them of redirection by postal officials; a halfpensity would thus save use as whill apprise us of change of address, thus saving the annoyance to them of redirection by postal officials;

card would thus save us a shilling, and often pounds. Should any Customers not receive our Catalogues at the usual seasons of the year, we shall be pleased to send copies of same upon hearing from them. Many arc lost in transit.

NOTICE.—We grow our own Seeds, and every possible pains taken, and the strictest attention is paid to have and supply every item as per Catalogue; but there are so many always anxious to rush into litigation for the sake of compensation for any trifle, and failures which may occur over which perhaps we have no control, that we are

compelled to issue this notice:

H. CANNELL & SONS give no warranty, express or implied, as to description, quality, productiveness, or any other matter of any goods they send out, whether planted by their own men or not, and they will not be in any way responsible for the crop, or for any promises their employees may make. If not accepted on these terms the goods are to be returned. Every personal effort is made to give the utmost satisfaction, and no complaints can be entertained unless made immediately on receipt of goods. (These conditions will be found in all Seed Catalogues.)

We have received intimation from the various Railway Companies that for the future they will not pay any claims for damage or delay of goods sent at "Owner's Risk" rates; we therefore beg to inform our customers that our responsibility ceases as soon as goods are delivered into the hands of the Railway Company, and, in justice to ourselves, we cannot supply otherwise than on these conditions. All goods forwarded at "Owner's Risk" effect a great saving in cost of carriage, and which we consider of great interest to our patrons; we shall therefore continue to dispatch parcels at "Owner's Risk" unless specially requested to forward them at "Company" Risk. APPOINTED BY



ROYAL WARRANT.

# Ransomes' Lawn Mowers

THE BEST IN THE WORLD.

GOLD MEDALS-Royal Botanic Society, 1904, 1905, & 1906.

SILVER MEDAL —R. A. S. E., London, 1904.

SILVER MEDALS-Royal Horticultural Society, 1906, 1907, 1908, & 1909.



In all kinds and sizes, to suit every requirement.

THOUSANDS IN USE.



ANGLO-PARIS, No. 2."

Possess improvements contained in no other Machines.

## HORSE AND PONY MACHINES.

The Best Machines for Large Lawns, Parks, Cricket Grounds, &c.


ELEGANT.

'PATENT

AUTOMATON."

EFFECTIVE.

DURABLE.



MOTOR LAWN MOWERS

made in four sizes.

The first Petrol Motor Mowers brought out. Reputation established. Hundreds in successful use.

ILLUSTRATED CATALOGUES FREE ON APPLICATION TO

H. CANNELL & SONS, Swanley and Eynsford, Kent;

Ransomes, Sims & Jefferies, Ld., Orwell Works, Ipswich.

#### CANNELLS' SEED GUIDE,

## INDEX TO CANNELL & SONS' SEED GUIDE for 1911.

arminiminiminimining

PAGE

				PÅ	a =
ABBREVIA'	TION	NS.			27
Abronia		•••			27
Abntilon		•••		•••	27
Acacia					27
Acanthns				•••	27
Acme Labels		•••			23
A	•••			•••	27
Acroclinium			•••	•••	27
	•••	•••	•••	•••	27
Adenophora	•••	***	•••	0.0	
Adonis	***	•••	•••	26,	27
Ageratnm		•••	***	i,	27
	Seeds	3	***	• •	19
Agrostemma				•••	27
Agrostis		•••			51
Albizzia					27
Alonsoa				***	27
Alstræmeria					27
Althæa					40
Alyssum			26,	27,	48
Amarauthus			***	26,	27
Amaryllis				20,	27
Amberboa			•••		i
Ammobium	•••	•••	•••	•••	27
	***	•••	•••	•••	
Anagallis	***	•••	***	•••	27
Anchnsa	•••	•••	•••	•••	27
Anemoue		•••	**	•••	27
Anemone, Ro	ots	• • •	•••	• • •	51
Angelica		• • •			12
Angelonia 💎					27
Anise					12
Annnals			26,	27,	51
Annuals, Cul	ture o	of	•••		27
Antirrhinum				26,	28
Apera	•••		,		51
Apples		•••	•••	•••	54
Aprons, Gard	onera	,	• • • •	•••	21
Acrilogio	CHCLB		1 90		35
Aquilegia	•••	•••	i, 26,	28,	
Arabis		•••	• • • •	26,	28
Aralia	•••	•••	•••	•••	28
Arctotis		•••	• • •	• • •	28
Argemone				• • •	28
Aristolochia					28
Artichoke, Pl	ants				20
Artichoke, Se	ed				6
Arum Lily				•••	52
Asclepias					28
Asparagus, P	lante				20
Asparagns, Se	eed		•••	6,	28
Asperula					28
	•••	•••	*** ;	96	28
Aster	•••	•••	i,	26,	
Astilbe	•••	•••	•••	10	30
Aubergine	***	•••	•••	12,	30
Aubrietia	•••	•••		i,	30
Anricula	***	• • •		• • •	30
			~		
			-		
DATE					0.0
BALM	***	• • •	***	12,	20
Balsam	***	•••	***	30,	
Bamboo Cane					21
Barberton Da	isy				38
Bartonia				26,	30
Basil					12

Bead Plant

				P▲	.GE
Beans, Broad				•••	5
Des Devel	¥3	- h			5
Beans, Dwarr	Frei	псп	***	•••	
Beans, Dwarf Beans, Runne	er				5
Bees, Flower	o for				26
		•••	•••		
Beetle Powde	er	***			21
Beet, Garden			7	, 26,	30
Door, Cardon				20,	52
Begonia		***	***	30,	02
Bellis			i	, 31,	36
Doto			7	26,	20
Beta	• • • •	•••			20
Black Calla					52
Blood Berry					46
Diood Doily					
Blne Gum	***	** *	•••	***	37
Books, Garde	ning			14,	53
Powere					12
Borage	• • •	• • •	• • •		
Borecole				6,	, 19
Brachycome					32
				•••	51
Briza	• • •		• • •	•••	
Brizopyrum				•••	51
Recordi				8	19
Broccoli	•••	•••	•••	0	20
Broom					38
Broom Bromus	•••				51
Diomas					
Browallia		•••	• • •	•••	32
Brnshes					21
Benerala Con-	reto			7i, 7	10
Brussels Spro	uts			71 <b>,</b> 4.	, 10
Bnlbs				51,	52
Budding Kni	1700				24
Duduling Kill	4 60	•••	• • •	•••	
Bnrnet					12
Butter Beaus					6
		• • • •	•••		
Butterfly Flo	wer		• • •		47
	•				
CARRAGE				8.	.19
CABBAGE		•••		8,	
Cabbage, Sav	 oy			8, 9,	19
Cabbage, Sav	oy				19
Cabbage, Sav	оу	•••	•••	9,	19 32
Cabbage, Sav	oy			9, 32,	19 32 53
Cabbage, Sav Cacalia Cacti	oy 			9, 32,	19 32 53
Cabbage, Sav Cacalia Cacti Calampelis	оу 		•••	9, 32, 32,	19 32 53 37
Cabbage, Sav Cacalia Cacti Calampelis Calandrinia	oy 			9, 32, 32,	19 32 53 37 32
Cabbage, Sav Cacalia Cacti Calampelis Calandrinia	оу 		•••	9, 32, 32,	19 32 53 37 32
Cabbage, Sav Cacalia Cacti Calampelis Calandrinia Calceolaria	оу  			9, 32, 32,  ii,	19 32 53 37 32 32
Cabbage, Sav Cacalia Cacti Calampelis Calandrinia Calceolaria Calendula	 	•••		9, 32, 32, ii, 32,	19 32 53 37 32 32 41
Cabbage, Sav Cacalia Cacti Calampelis Calandrinia Calceolaria	 	•••		9, 32, 32,  ii,	19 32 53 37 32 32 41 46
Cabbage, Sav Cacalia Cacti Calampelis Calandrinia Calcolaria Calendula Californian I	oy   ?opp;	  y		9, 32, 32,  ii, 32,	19 32 53 37 32 32 41 46
Cabbage, Sav Cacalia Cacti Calampelis Calandrinia Calcolaria Calendula Californian I Calla	oy   ?opp	  y		9, 32, 32,  ii, 32,	19 32 53 37 32 32 41 46 32
Cabbage, Sav Cacalia Cacti Calampelis Calandrinia Calceolaria Californian I Calla Calliopsis	oy	 y		9, 32, 32, ii, 32, 32,	19 32 53 37 32 32 41 46 32 35
Cabbage, Sav Cacalia Cacti Calampelis Calandrinia Calcolaria Calendula Californian I Calla	oy   ?opp	  y		9, 32, 32,  ii, 32,	19 32 53 37 32 32 41 46 32
Cabbage, Sav Cacalia Cacti Calampelis Calandrinia Calceolaria Calendula Califoruian I Calla Calliopsis Callirhoe	oy   ?opp;	y		9, 32, 32,  ii, 32, 	19 32 53 37 32 32 41 46 32 35 32
Cabbage, Sav Cacalia Cacti Calampelis Calandrinia Calceolaria Calendula Californian I Calla Calliopsis Callirhoe Campaunla	oy	y		9, 32, 32, ii, 32, , 32,	19 32 53 37 32 32 41 46 32 35 32 32
Cabbage, Sav Cacalia Cacti Calampelis Calandrinia Calceolaria Calendula Californian I Calla Calliopsis Callirhoe Callirhoe Campaunla Campion	oy   ?opp; 	y	26	9, 32, 32,  ii, 32, 	19 32 53 37 32 32 41 46 32 35 32 32 32
Cabbage, Sav Cacalia Cacti Calampelis Calandrinia Calceolaria Californian Californian Calliopsis Callirhoe Campaunla Campaunla Campaunla Cannabis Cannabis	oy	 y	26	9, 32, 32,  ii, 32, 	19 32 53 37 32 32 41 46 32 35 32 32 32
Cabbage, Sav Cacalia Cacti Calampelis Calandrinia Calceolaria Californian Californian Calliopsis Callirhoe Campaunla Campaunla Campaunla Cannabis Cannabis	oy	y	26	9, 32, 32,  ii, 32, 	19 32 53 37 32 32 41 46 32 35 32 32 32
Cabbage, Sav Cacalia Cacti Calampelis Calandrinia Calceolaria Calendula Califoruian Calliforuian Calliforuian Calliopsis Callirhoe Campaunla Campion Caunabis Canary Cree	oy  ?oppp	 y	26	9, 32, 32,  ii, 32, 	19 32 53 37 32 32 41 46 32 35 32 32 32
Cabbage, Sav Cacalia Cacti Calampelis Calandrinia Calceolaria Calendula Califoruian Calliforuian Calliforuian Calliopsis Callirhoe Campaunla Campion Caunabis Canary Cree	oy  ?oppp	 y	26	9, 32, 32,  ii, 32, 	19 32 53 37 32 32 41 46 32 35 32 32 32
Cabbage, Sav Cacalia Cacti Calampelis Calandrinia Calceolaria Calendula Califoruian Calliforuian Calliforuian Calliopsis Callirhoe Campaunla Campion Caunabis Canary Cree	oy  ?oppp	y	         	9, 32, 32,  ii, 32,  , 32,  5, 32,	19 32 53 37 32 32 41 46 32 35 32 37 46 32 35 40 40 40 40 40 40 40 40 40 40
Cabbage, Sav Cacalia Cacti Calampelis Calandrinia Calceolaria Californian I Californian I Calla Calliopsis Callirhoe Campaunla Campaunla Campaunla Cannabis Canary Cree Candytuft Canna	coy	 y	         	9, 32, 32, ii, 32,  , 32,  6, 32, 	19 32 53 37 32 32 41 46 32 35 32 27 32 27 32 35 36 37 37 38 39 30 30 30 30 30 30 30 30 30 30
Cabbage, Sav Cacalia Cacti Calampelis Calandrinia Calceolaria Californian I Californian I Calliopsis Callirhoe Callirhoe Campaunla Campaunla Campaunla Canary Cree Candytuft Canna Canterbury I Canterbury I	oy  Poppy	y	         	9, 32, 32, ii, 32,  , 32,  6, 32, 	19 32 53 37 32 32 41 46 32 35 32 37 46 32 35 40 40 40 40 40 40 40 40 40 40
Cabbage, Sav Cacalia Cacti Calampelis Calandrinia Calceolaria Californian I Californian I Calliopsis Callirhoe Callirhoe Campaunla Campaunla Campaunla Canary Cree Candytuft Canna Canterbury I Canterbury I	oy  Poppy	y	26 26	9, 32, 32, ii, 32,  , 32,  6, 32, 	19 32 53 37 32 32 41 46 32 35 32 27 32 27 32 35 36 37 37 38 39 30 30 30 30 30 30 30 30 30 30
Cabbage, Sav Cacalia Cacti Calampelis Calandrinia Calceolaria Californian I Californian I Callirhoe Callirhoe Campaunla Campaunla Caunabis Canary Cree Candytuft Canna Canterbury I Cape Gooseb	oy  Poppy	y	26 26	9, 32, 32,  ii, 32,  , 32,         	19 32 53 37 32 32 41 46 32 35 32 27 32 27 32 40 40 40 40 40 40 40 40 40 40
Cabbage, Sav Cacalia Cacti Calampelis Calandrinia Calceolaria Calendula Californian I Calla Calliopsis Callirhoe Campaunla Campion Cannabis Canary Cree Candytuft Canna Canna Canterbury I Cape Gooseb Capsicum	oy  Poppy	y	26 26	9, 32, 32,  ii, 32,  , 32,         	19 32 53 37 32 32 41 46 32 35 32 27 32 27 32 40 40 40 40 40 40 40 40 40 40
Cabbage, Sav Cacalia Cacti Calampelis Calandrinia Calceolaria Calendula Californian I Calla Calliopsis Callirhoe Campaunla Campion Cannabis Canary Cree Candytuft Canna Canna Canterbury I Cape Gooseb Capsicum	oy  Poppy	y	26 26	9, 32, 32,  ii, 32,  , 32,         	19 32 53 37 32 32 41 46 32 35 32 27 32 27 32 40 40 40 40 40 40 40 40 40 40
Cabbage, Sav Cacalia Cacti Calampelis Calandrinia Calceolaria Calerdula Californian I Calla Calliopsis Callirhoe Campaunla Campion Cannabis Cannabis Cannary Cree Candytuft Canna Canterbury I Cape Goosea Capsicum Caraway	oy  Poppy	y	         	9, 32, 32,  ii, 32,  , 32,         	19 32 53 37 32 32 41 46 32 35 32 32 37 32 32 35 32 32 32 34 35 32 36 37 38 38 38 38 38 38 38 38 38 38
Cabbage, Sav Cacalia Cacti Calampelis Calandrinia Calceolaria Calicolaria Californian I Californian I Calliopsis Callipsis Callipsis Callipsis Canary Cree Canary Cree Candytuft Canna Canterbury I Cape Gooseb Capsicum Caraway Cardoon Cardoon	oy  Poppy	y	26 26	9, 32, 32,  ii, 32,  , 32,         	19 32 53 37 32 32 41 46 32 35 32 37 32 32 41 46 32 35 37 32 37 32 37 32 37 32 37 32 37 38 38 38 38 38 38 38 38 38 38
Cabbage, Sav Cacalia Cacti Calampelis Calandrinia Calceolaria Calerdula Californian I Calla Calliopsis Callirhoe Campaunla Campion Cannabis Cannabis Cannary Cree Candytuft Canna Canterbury I Cape Goosea Capsicum Caraway	oy  Poppy	y	         	9, 32, 32,  ii, 32,       26  	19 32 53 37 32 41 46 32 27 32 32 41 46 32 27 32 40 40 40 40 40 40 40 40 40 40 40 40 40
Cabbage, Sav Cacalia Cacti Calampelis Calandrinia Calcolaria Calicolaria Californian I Californian I Calla Calliopsis Calliopsis Callirhoe Campaunla Campaunla Campaunla Cannabis Canary Cree Candytuft Canna Canterbury I Cape Gooseb Capsicum Caraway Caraway Caration Carnation	         	y	         	9, 32, 32,  ii, 32,       26  	19 32 53 37 32 41 46 32 27 32 32 41 46 32 27 32 40 40 40 40 40 40 40 40 40 40 40 40 40
Cabbage, Sav Cacalia Cacti Calampelis Calandrinia Calcolaria Calicolaria Californian I Californian I Calla Calliopsis Calliopsis Callirhoe Campaunla Campaunla Campaunla Cannabis Canary Cree Candytuft Canna Canterbury I Cape Gooseb Capsicum Caraway Caraway Caration Carnation	         	y	         	9, 32, 32, ii, 32, , 32,	19 32 53 37 32 32 41 46 32 35 32 32 32 32 46 46 33 32 47 32 48 48 48 48 48 48 48 48 48 48
Cabbage, Sav Cacalia Cacti Cacti Calampelis Calandrinia Calceolaria Calecolaria Californian I Calliopsis Calliopsis Calliopsis Callirhoe Campaunla Campion Cannabis Cannary Cree Candytuft Canna Canterbury I Cape Gooses Capsicum Caraway Cardoon Carrot Carot Castor Oil P	         	y	         	9, 32, 32, ii, 32, , 32,	19 32 53 37 32 32 41 46 32 35 32 32 32 46 40 33 40 40 44 43 44 44 44 44 44 44 44 44
Cabbage, Sav Cacalia Cacti Cacti Calampelis Calandrinia Calceolaria Calecolaria Californian I Calliopsis Calliopsis Calliopsis Callirhoe Campaunla Campion Cannabis Cannary Cree Candytuft Canna Canterbury I Cape Gooses Capsicum Caraway Cardoon Carrot Carot Castor Oil P	         	y	         	9, 32, 32, ii, 32, , 32,	19 32 53 37 32 32 41 46 32 35 32 32 32 46 40 33 40 40 44 43 44 44 44 44 44 44 44 44
Cabbage, Sav Cacalia Cacti Cacti Calampelis Calandrinia Calcolaria Calicolaria Californian I Calla Calliopsis Calliopsis Calliopsis Callirhoe Campaunla Campaunla Campaunla Campaunla Canary Cree Candytuft Canna Canterbury I Cape Gooseb Capsicum Caraway Caraway Caraton Carrot Carrot Carsot Castor Oil P Catauanche	ooy		         	9, 32, 32,  ii, 32,         	19 32 337 32 32 41 46 32 35 32 27 32 40 40 40 40 40 40 40 40 40 40
Cabbage, Sav Cacalia Cacti Calampelis Calandrinia Calceolaria Calicolaria Californian Californian Calliopsis Calliopsis Callirhoe Callirhoe Campaunla Campaunla Campaunla Cannay Canary Cree Candytuft Canna Canterbury I Cape Gooseb Capsicum Caraway Cardoon Carrot Castor Oil Catauanche Cauliflower	         	y	         	9, 32, 32, ii, 32, , 32,	19 32 53 32 32 41 46 32 35 32 27 32 40 40 40 40 40 40 40 40 40 40
Cabbage, Sav Cacalia Cacti Calampelis Calandrinia Calceolaria Calicolaria Californian Californian Calliopsis Calliopsis Callirhoe Callirhoe Campaunla Campaunla Campaunla Cannay Canary Cree Candytuft Canna Canterbury I Cape Gooseb Capsicum Caraway Cardoon Carrot Castor Oil P Catauanche Cauliflower	ooy		         	9, 32, 32,  ii, 32,         	19 32 337 32 32 41 46 32 35 32 27 32 40 40 40 40 40 40 40 40 40 40
Cabbage, Sav Cacalia Cacti Cacti Calampelis Calandrinia Calceolaria Calendula Californian I Calliopsis Callipsis Callipsis Callipsis Campaunla Campion Campaunla Campion Canary Cree Candytuft Canna Canterbury I Cape Gooseb Capsicum Caraway Caraway Caraway Caradoon Caratoon Castor Oil P Catauanche Cauliflower Celeriac	oy		         	9, 32, 32, ii, 32, 26 9 34 i, 10	19 32 33 37 32 32 32 41 46 32 33 32 27 32 36 40 33 44 43 44 46 37 46 47 47 48 48 48 48 48 48 48 48 48 48
Cabbage, Sav Cacalia Cacti Cacti Calampelis Calandrinia Calceolaria Calecolaria Californian I Calliopsis Calliopsis Calliopsis Calliopsis Callirhoe Campaunla Campion Cannabis Cannary Cree Candytuft Canna Canterbury I Cape Goose Capsicum Caraway Cardoon Carrot Cartor Castor Oil P Catauanche Cauliflower Calliflower Celeriac Celery	oy	      	         	9, 32, 32, ii, 32, 26, 26 9 344 ii, 10	19 32 33 37 32 32 41 46 32 33 32 27 32 40 33 34 44 46 37 38 38 38 38 38 38 38 38 38 38
Cabbage, Sav Cacalia Cacti Cacti Calampelis Calandrinia Calceolaria Calecolaria Californian I Calliopsis Calliopsis Calliopsis Calliopsis Callirhoe Campaunla Campion Cannabis Cannary Cree Candytuft Canna Canterbury I Cape Goose Capsicum Caraway Cardoon Carrot Cartor Castor Oil P Catauanche Cauliflower Calliflower Celeriac Celery	oy	      	         	9, 32, 32, ii, 32, , 32, 3, 32, 26 9 34 10 11	19 32 33 37 32 32 32 41 46 32 35 32 27 32 44 48 48 48 49 49 40 40 40 40 40 40 40 40 40 40
Cabbage, Sav Cacalia Cacti Cacti Calampelis Calandrinia Calceolaria Calecolaria Californian I Calliopsis Calliopsis Calliopsis Campaunla Campion Cannabis Cannary Cree Candytuft Canna Canterbury I Cape Gooseb Capsicum Caraway Cardoon Carnation Carrot Castor Oil P Catauanche Cauliflower Celeriac Celery Celery, Turn	oy	       		9, 32, 32, ii, 32, , 32, 3, 32, 26 9 34 10 11	19 32 33 37 32 32 32 41 46 32 35 32 27 32 44 48 48 48 49 49 40 40 40 40 40 40 40 40 40 40
Cabbage, Sav Cacalia Cacti Cacti Calampelis Calandrinia Calceolaria Calecolaria Californian I Calliopsis Calliopsis Calliopsis Calliopsis Callirhoe Campaunla Campion Cannabis Cannary Cree Candytuft Canna Canterbury I Cape Goose Capsicum Caraway Cardoon Carrot Cartor Castor Oil P Catauanche Cauliflower Calliflower Celeriac Celery	oy	      		9, 32, 32, ii, 32, 26 9 34 i, 10	19 32 33 37 32 32 32 41 46 32 35 32 27 32 44 48 48 48 49 49 40 40 40 40 40 40 40 40 40 40

Cement, Flore	a I			PA	21
Centanrea	•••	•••		26,	34
Cerastium	•••	•••	•••		34
Chamæpence				34,	37
Chelone			•••	***	34
Chenopodium	•••	•••	•••	14,	19
Cherry Pie	•••	•••	•••	•••	39
Chervil	•••	•••	•••	•••	12
Chicory Chili	•••	•••	•••	•••	11
Chinese Sacre	ed T	ilv	•••	•••	52
Chives	•••	•••		•••	20
Chives Chloris					õl
Chon de Burg	ghle	y			19
Chrysanthemi		i	ii, 26	34,	53
Cineraria	•••	•••	•••	ii,	34
Clarkia	•••	•••	•••	26,	
Clary	•••	•••	•••	12,	
Clerodendron Clianthns	•••	•••		•••	35 35
Climbers	•••	•••	•••	•••	26
Clover	•••	•••	•••	•••	20
Cobæa	•••	•••	•••		35
Cockscomb	•••	•••	•••	34,	35
Cocoanut Fib					21
Coix		•••	• • •		51
Coleus	•••	•••	•••	•••	35
Colewort			• • • •	8,	
Collections, F	low	er Se	eed	,	25
Collections, V			See	a 26,	$\frac{2}{35}$
Columbine	•••	•••	26	$\frac{20}{5}$ , $\frac{28}{28}$ ,	35
Commelina	•••	•••	20		35
Convolvulus				26,	35
Cordyline		•••	•••	•••	37
Coreopsis			26	32,	35
Cornflower	• • • •	•••	20	3, 34,	35
Coru Salad	•••	•••	•••	11,	12
Corydalis	•••	•••	•••	•••	35
Cosmos	•••	•••	••	***	35 35
Cotton Thistl	•••	•••	•••	•••	42
Cotyledon		•••	•••		37
Couve Tronc			•••		9
Cowslip	•••		•••	•••	35
Crepis Cress		•••	•••	•••	39
				,	11
Cricket Gron		See	ls for		20
Cncumber		•••		, 11,	19
Culinary Pla	nts	•••	•••	•••	$\frac{20}{35}$
Cups and Tu	has	•••	•••	•••	23
Cyclamen	nen		•••	iii,	35
Cyperus				,	35
0 J P					-
DAHLIA Daigu Doub	1	•••		36	, 52

Devil's Fig Dianthns				
Dianthns	Danilla Di			
Dictamus Digitalis Dill Dimorphotheca Dracæna Dredger Dielytra  ECCREMOCARPUS Echeveria Echinops Edelweiss Egg Plant Elichrysum Endive Eragrostis Eremurus Erigeron Eryngium Erysimum Erysimum Eschscholtzia Eucalyptus Eucharidinm Eucharidinm Enlalia Eutoca Evening Primrose			• • •	•••
Digitalis			•••	• • •
Dill Dimorphotheca Dracæna Dredger Dredger				•••
Dimorphothcca Dracæma			•••	•••
ECCREMOCARPUS Echeveria Echinops Echinops Echinops Echinops Echinops Echinops Echinops Echinops Erenurus Endive Eragrostis Erremurus Erremurus Erryngium Eryngium Eryngium Eryngium Echscholtzia Eucalyptus Eucharidinm Eucharidinm Enlalia Eutoca Evening Primrose	Dill			•••
ECCREMOCARPUS Echeveria Echinops Echinops Edelwciss Elichrysum Endive Eragrostis Erremurus Errigeron Eryngium Eryngium Eryngium Echscholtzia Eucalyptus Eucalyptus Eucharidinm Enlalia Eutoca Evening Primrose			a.	
ECCREMOCARPUS Echeveria Echinops Echinops Edelwciss Egg Plant Elichrysum Endive Eragrostis Eremurus Erigeron Eryngium Eryngium Eryngium Echscholtzia Eucalyptus Eucharidinm Enlalia Eutoca Evening Primrose	Dracæna		•••	
ECCREMOCARPUS Echeveria Echinops Echinops Edelwciss Egg Plant Elichrysum Endive Eragrostis Eremurus Erigeron Eryngium Eryngium Eryngium Echscholtzia Eucalyptus Eucharidinm Enlalia Eutoca Evening Primrose	Dredger	•••		
Echeveria Echinops Edelweiss Egg Plant Elichrysum Endive Eragrostis Eremurus Erigeron Eryngium Eryngium Erysimum Eschscholtzia Eucalyptus Eucharidinm Enlalia Eutoca Evening Primrose				
Echeveria Echinops Edelweiss Egg Plant Elichrysum Endive Eragrostis Eremurus Erigeron Eryngium Eryngium Erysimum Eschscholtzia Eucalyptus Eucharidinm Enlalia Eutoca Evening Primrose	1			
Echeveria Echinops Edelwciss Egg Plant Elichrysum Endive Eragrostis Eremurus Erigeron Eryngium Eryngium Erysimum Eschscholtzia Eucalyptus Eucharidinm Enlalia Eutoca Evening Primrose				
Echeveria Echinops Edelweiss Egg Plant Elichrysum Endive Eragrostis Eremurus Erigeron Eryngium Eryngium Erysimum Eschscholtzia Eucalyptus Eucharidinm Enlalia Eutoca Evening Primrose				
Echinops Ede lwciss Egg Plant Elichrysum Endive Eragrostis Eremurus Erigeron Eryngium Eryngium Eschscholtzia Eucalyptus Eucharidinm Enlalia Eutoca Evening Primrose				PUS
Edelweiss Egg Plant Elichrysum Endive Eragrostis Eremurus Erigeron Eryngium Erysimum Eschscholtzia Eucalyptus Eucharidinm Enlalia Eutoca Evening Primrose			***	•••
Egg Plant Elichrysum Endive Eragrostis Eremurus Erigeron Eryngium Erysimum Eschscholtzia Eucalyptus Eucharidinm Enlalia Eutoca Evening Primrose			• • •	•••
Elichrysum Endive Eragrostis Eremurus Erigeron Eryngium Erysimum Eschscholtzia Eucalyptus Eucharidinm Enlalia Eutoca Evening Primrose				•••
Endive Eragrostis Eremurus Erigeron Eryngium Brysimum Eschscholtzia Eucalyptus Eucharidinm Enlalia Eutoca Evening Primrose			•••	
Endive Eragrostis Eremurus Erigeron Eryngium Brysimum Eschscholtzia Eucalyptus Eucharidinm Enlalia Eutoca Evening Primrose	Elichrysu	m	•••	
Eremurus Erigeron Eryngium Eryngium Eschscholtzia Eucalyptus Eucharidinm Enlalia Eutoca Evening Primrose	Endive			
Eremurus Erigeron Eryngium Eryngium Eschscholtzia Eucalyptus Eucharidinm Enlalia Eutoca Evening Primrose	Eragrosti	8		
Erigeron Eryngium Erysimum Eachscholtzia Eucalyptus Eucharidinm Enlalia Eutoca Evening Primrose				
Eryngium Brysimum Eschscholtzia Eucalyptus Eucharidinm Enlalia Eutoca Evening Primrose				
Erysimum  Eschscholtzia  Eucalyptus  Eucharidinm  Enlalia  Eutoca  Evening Primrose				
Eschscholtzia Eucalyptus Eucharidinm Enlalia Eutoca Evening Primrose				
Eucalyptus Eucharidinm Enlalia Eutoca Evening Primrose				
Eucharidinm Enlalia Eutoca Evening Primrose				•••
Enlalia Eutoca Evening Primrose				•••
Eutoca Evening Primrose				
Evening Primrose	T3			•••
Everlasting Flowers Everlasting Pea	Eutoca	D	***	***
Everlasting Pea	Evening	Prin	1086	
Everlasting Pea	Everiasti	ng r	lowe	rs
	Everlastii	ag P	ea	***
FELICIA		Λ	•••	

Fertiliser, Clay's Ferula ... ... Festuca Feverfew ... Fir Tree Oil ... Fish-bone Thistle ... Flax ... ... Flos Adonis

Foreign Trade Forget-me-not... Fonntain Plant Foxglove ... ... Francoa ... Fraxinella

Freesia ...

36

... 36 26, 36

\*\*\* \*\*\*

Fringe Flower ... Fnchsia ... ... Fumigators ...

Flower Seed Collections Flower Seeds, Mixed ... Flower Seed by Weight 26,

Dandelion

Delphiuinm ... ... Devil-in-the-Bush ...

Datura

## INDEX TO CANNELL & SONS' SEED GUIDE for 1911,

	12 10 OHIVINEEL & SI	ons seen guide for	1911,
PAGE		••••••	
PAGE   iv, 38   iv,	Incarvillea	Mathiola	Petunia iv. Pbacelia 37, 4 Pblox 26, 4 Phorminm 26, 4 Pbysostegia 4 Pbysostegia 4 Picotee 33, 4 Pin Cushion Flower 7 Pink 36, 4 Platycodon 9 Polyanthus 44, 4 Poppy iv, 26, 4 Potentilla 4 Potatoes for planting 1 Potato Onions 2 Primrose 4 Primrose 4 Primrose, Evening 4 Primring Knives 2 Pumpkin 1 Pyrethrum 26, 39, 4
od King Henry 14, 19 ond 12 aps Vincs 53 ass Seed, Lawn 20 asses, Ornamental 26, 51	Kuives	Mustard 14 Myosotis 37, 42 Myrsiphyllum 42	
revillea 39 nnera 39 revinm 39, 51 prophila iv, 26, 39	LABELS	NAILS       21—23         Narcissus       52         Nasturtium       26, 42, 60         Nemesia       42         Nemophila       26, 42         Nertera       42         Nicotiana       42         Nierembergia       42	RADISH
RDY PLANTS   26, 52, 53	Lawn Grass Seed         20         Lawn Mowers         57         Lawn Sand         20, 23         Layia         40         Leek             Lenotopodium              Leptosipbon	Nigella          26, 42         Night-scented Stock        41           CENOTHERA	Ricinns       26, 34, 44         Ridge Cucumber       11         Rivina       46         Rock Cistus       44         Rocket, Sweet       39, 46         Rockwork Flowers       26         Romneya       46         Rosa       46         Rose Campion       27
12, 20     12, 20	Lilies	Onopordon         42         Orache         17         Ornamental Foliage Plants        2;         Ornamental Grasses        26, 51         Oxalis         42         Oxlips         42	Rosemary
Menm	Lunaria 40, 41 Lupinus iv, 26, 41 Lycbnis 41  MAIZE 13, 26, 41, 51 Malcolmia 50	PÆONY         42         Pampas Grass        39,51         Panicum        51         Pansy        42         Papaver        126,43         Pareley        15         Parsnip        15,19	SAGE       12, 20         Saintpaulia       46         Salads       17         Salpiglossis       v, 46         Salsafy       17         Salvia       v, 47         Sand       22         Saponaria       26, 47
32, 40 	Mallow        41         Malope        26, 41         Malva        41         Mangold        19         Manures        21-23         Margucrite         34         Marjoram        12, 20         Martynia        41         Marvel of Peru        26, 41	Paspalnm        51         Peas       vi, 3, 26, 48         Pelargonium       43         Pencils, Garden       22         Pennisetnm       51         Pcnny Packets       51         Pennyroyal       20         Pentstemon       34, 44         Pepper Grass       11	Savory     12, 20       Savoy     9, 19       Saws     23, 24       Scabiosa     47       Scbizanthus     26, 47       Scissors     24       Screen Plants     53       Scorzonera     17       Scythes     24
7,10		Perilla 26,44	Seakale 17, 20

## INDEX TO CANNELL & SONS' SEED GUIDE for 1911.

Sempervivum 47   Senceio 47   Sensitive Plant 42, 47   Shading Material 21—23   Shallots 20	Sweet Pea v, 26, 48 Sweet Rocket 26 Sweet Scented Flowers 26 Sweet Snltan 26, 34, 48 Sweet William 26, 36, 48	Tritoma 50 Tritonia 52 Tropæolum 26, 50, 52 Trowels, Garden 22, 24 Turnip-rooted Celery 10 Tnberoses 52	Virginian Stock 2 Viscaria 2
Shears <t< th=""><td>Syringes 22—24</td><td>Turnip 18, 19 Tweezers 22 Tydæa 50</td><td>WALLFLOWERS 2 Watercress Weed Destroyers 2 Welsh Poppy Wheel Barrows Whitlavia</td></t<>	Syringes 22—24	Turnip 18, 19 Tweezers 22 Tydæa 50	WALLFLOWERS 2 Watercress Weed Destroyers 2 Welsh Poppy Wheel Barrows Whitlavia
Speedwell              17         Spiræa	TABLE PLANT	UNDERGROUND ONIONS 20	Windflower
Stellaria           48         Stenactis           51         Stipa          47         Stock          47         Strawberry              Streptocarpus	Thunbergia 50 Thyme 12, 20 Tickseed 32 Tigridia 52 Toad Flax 40	VALLOTA        52         Vegetable Marrow        19         Vegetable Oyster        17         Vegetable Plants        19         Vegetable Seed Collections       2         Vegetable Seed Collections       2	Woodruff
Sub-tropical Plants	Tobacco Plant         42         Tobacco Seed         19, 42         Tomato         18, 19         Tools, Garden         50         Trachelium         50	Verbasenm        50         Verbena        vi, 50         Verbena Pins        22         Veronica        50         Vines         53         Viola        42, 50         Violet        50	ZEA Zinnia Zonal Pelargoninm
Swect Alyssum 26, 27, 48	Trichosanthes 50		



# CANNELLS' Plant, Fruit, and Flower Manure.

An essential aid to Nature and Greater Perfection.

(SPECIALLY PREPARED AND ALWAYS RELIABLE.)

## TREBLE YOUR PRODUCE-QUALITY AND QUANTITY COMBINED.

or GREENHOUSE PLANTS, FOLIAGE and FLOWERING PLANTS, ROSES, INES, FRUIT TREES, VEGETABLES, FLOWER GARDENS, and LAWNS.

ALWAYS AN ABUNDANCE OF FLOWERS.

HE properties of this Manure go direct to make Flowers, Fruit, and Plants more brilliant, larger and finer, without the gross foliage.

After one gets used to it they will soon gauge the exact strength that necessary for any plant desired to have extra fine, the great thing is not over-apply it, but, if used with discretion, this is the most convenient divaluable of all Manures—its effect in a fortnight is marvellous—and use who use it double their produce. We have several who leave us unding orders for large quantities to be sent at stated times. All are armed with its results, no greenhouse or garden ought to be without it, defor all who wish to be first at exhibitions, it is absolutely necessary.

#### DIRECTIONS FOR USE.

FOR LAND IN GOOD CULTIVATION AND GROWING CROPS.—Three-quarters of an ounce to the square yard, one and a half cwt. to the acre. Mix with treble its quantity of fine, slightly damp soil, and scatter it regularly; you can see to a line how far it has been put.

FOR POOR LAND AND POTATOES.—Four to six cwt, to the acre.

FOR POTTINO.—One onnce to the hushel of good compost, and thoroughly mix.

TOP DRESSINO.—Two onnees to a hushel of good soil.

LIQUID MANURE.—Half onnce to a gallon of water, and increase it a little twice a week until the plants are well in flower.

For Lawns.—Scatter broadcast at the rate of 13 onnces to the square yard, afterwards to be well watered.

OUBLE production of everything is obtained by using it. Nothing is so important in every part of the garden as two or three applications during the season. It gives more than satisfaction. A 1-lb. tin show its effects and guarantee its general use.

1-lb. tin 1s., post free 1s. 4d.; 3 lbs. 2s. 6d., post free 3s.; 7 lbs. 4s., post free 4s. 8d. In bags, 14 lbs. 6s.; 28 lbs. 10s. 6d.; 56 lbs. 18s.; 1 ewt. 30s.

# PECIAL OFFER of FRUIT TREES, DECIDUOUS AND FLOWERING SHRUBS, CONIFERS AND EVERGREENS.

#### APPLES.

Good Fruiting Pyramid or Bush Trees, one dozen, selected from the following, 14s,:—

Allington Pippin
Cox's Orange Pippin
Duchess' Favourite
Frogmore Prolific
James Grieve
Newton Pippin
Potts' Seedling
Red Quarrenden
Sturmer Pippin
Wellington

Court Pendu Plat
Cox's Pomona
Ecklingville Seedling
Golden Spire
Lord Grosvenor
New Hawthornden
Queen Caroline
Small's Admirable
Warner's King
Worcester Pearmain

#### PEARS.

One dozen, our selection, including the following, 14s.:-

Beurre Diel
Bergamotte d'Esperen
Catillac
Loulse Bonne of Jersey

Beurre Hardy Baron de Mello Duchess d'Angouleme Princess

#### LOGANBERRIES.

Good Canes, 5s. per dozen.

DECIDUOUS and FLOWERING SHRUBS.

One dozen, our selection, 7s. 6d.

CONIFERS AND EVERGREEN SHRUBS.

One dozen, our selection, 7s. 6d.

## Cannells' Golden Seeds.



SWANLEY, KENT.